Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,57 Ross C. Thompson

WM. FLEMER'S SONS, INC.

PRINCETON NURSERIES

PRINCETON, N.J.



RETAIL

PRICE LIST

1939






Table of Contents

	PAGE
Highway Map showing location of Princeton Nurseries in	side cover
Foreword	2
How to reach Princeton Nurseries by auto or train	3
Notes on Terms, Prices, Liability, and Claims	4
Princeton Nurseries' Truck Delivery	5
Notes in explanation of Catalogue	4
Alphabetical listing of nursery stock, description as prices	nd . 6
Large sized deciduous shrubs available	117
Planting notes on native plant materials	113
Materials available in thousand lots	118
Useful planting lists	115
Alphabetical list of Common Plant Names	119

HIS new Princeton Handbook has been carefully revised so that our customers may have a complete and accurate listing of Princeton Products. We offer a wide range of varieties and sizes of hardy, woody material for all types of landscape work. Both the Landscape Architect and the home owner have found this catalogue a valuable handbook and a source of dependable information.

The stock is expertly grown and carefully handled with a minimum of exposure so as to insure the best planting results. All orders are freshly dug and the plants consequently are not injured by storage.

We wish to emphasize the fact that the material offered is Princeton grown in our own nursery consisting of over 1,000 acres. We mention this because very few firms can offer such a large assortment of their own grown material or stock which has been so carefully maintained in good condition.

Also, we call your attention to our ability to quote on large complete lists because of the comprehensiveness of our inventory.

WM. FLEMER, JR. President

How to Reach Princeton Nurseries by Auto or Train

We are located midway between New York and Philadelphia. Both the Lincoln Highway and the new Super-Highway (Route 26) pass our nurseries.

The office of Princeton Nurseries is located on Lake Road, in the town of Kingston, New Jersey.

The nearest railroad stations are at Princeton and Princeton Junction. Phone Princeton 1776 or 1777 and we will be glad to come and meet you at either place.

The New York-Washington planes pass over our nursery hourly. When travelling by airplane, watch out for the interesting block arrangement from the air.

We would call your attention to the fact that we have one of the largest nurseries in the country with over 1000 acres of nursery stock. We are growing between 1100-1200 varieties of hardy woody ornamentals.

A cordial invitation is hereby given to visit our nursery at any time.

P)

Prices, Etc.

Prices are f.o.b. Kingston, N.J., and no boxing or packing charges will be made for stock in full carload lots.

Packing charges are at cost and represent the actual cost of the material used in the operation.

Should any article be desired balled and burlapped, which is not so designated in the catalogue, there will be the following scale of charges.

2-3', 15c 3-4', 20c 4-5', 30c 5-6', 40c 6-8', 60c 8-10', 75c

Larger sizes would be charged in proportion. In all instances where varieties are marked B. & B. after the item, these charges are included in the printed price.

We recommend that all varieties marked with an asterisk (*) be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way.

Reservations of specimen plants. For an additional 25% of the cost of each item, customers will be permitted to select and reserve specimen plants in the nursery rows.

We reserve the right to reject orders which call for unusual items only. We expect that a reasonable quantity of the commoner items will be included in your order. This compensates in part for the high cost of producing varieties that others do not grow because they are too difficult or unprofitable.

3

Terms

Cash before shipment is required from parties unknown to us. An order accompanied by a cash payment is subject to a discount of 2% from the total amount of the order.

B

Liability and Claims

We are not liable for injury to stock from frost, hail, fire or other causes beyond our control.

We will in no way be responsible for productiveness of stock after the material has been satisfactorily received by the purchaser.

We will send out healthy, thrifty stock, true to name. If proper proof is advanced, we will gladly replace any not found true to name.

Under no circumstances would we be liable for a greater amount than the sum originally paid us for the stock.

Errors made by us will be gladly corrected, but complaints must be made within ten days after receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

S)

Notes in Explanation of Catalogue


The figures following each variety indicate in feet the approximate height of that plant in maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are taken from "Standardized Plant Names," which is the accepted authority on plant nomenclature in the horticultural industry. Our standard of grading all plants is based on a formula which has been adopted by the American Association of Nurserymen.

Quantities of 5, 25, and 250 will be sold at the ten, hundred, and thousand rates respectively.



Princeton Truck Delivery



SCHEDULE OF TRUCK DELIVERY CHARGES							
VALUE OF ORDER	ZONE 1 1 to 25 mi.	25 to	ZONE 3 50 to 75 mi.	75 to		125 to	150 to
\$200 to \$ 500 \$100 to \$ 200	free free free 3% \$3.00	free free 4% 5% \$8.00 \$	FREE 5% 6% 9%	5% 7% 8% 13% \$19.00	7% 9% 10% 17% \$25.00	9% 11% 12% 20% \$30.00	11% 13% 14% 24% \$35.00

Trucking charges can be computed in advance by using the zone map and schedule. For example: delivering a \$500.00 order to Philadelphia, in zone 2 would cost 2½% of order or \$12.50. Further data for deliveries not covered by chart furnished on request.

	Each	Per 10	Per 100
ABELIA grandiflora, 3'-4'		Glossy	-Abelia
Evergreen. Choice small shrub flowers, produced throughout th			
18 to 24 in., B. & B	.65	5.50	45.00
2 to 3 ft., B. & B	.90 1.10	7.50 9.50	60.00 75.00
ABIES balsamea, 60'-70'		Bals	am Fir
Good variety with lustrous, dark	green l	leaves.	
18 to 24 in., B. & B	1.50	12.50	
2 to 2½ ft., B. & B	2.25	19.00	
2½ to 3 ft., B. & B	3.00 3.75	25.00 31.00	
4 to 5 ft., B. & B	5.00	40.00	
concolor, 70'-80'			ite Fir
Evergreen. Perhaps the most b			
thriving in most locations and tree which is maintained even gray-green needles.		_	
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50 4.50	28.00 37.50	225.00
4 to 5 ft., B. & B	6.00	50.00	——
5 to 6 ft., B. & B	9.00	75.00	
6 to 7 ft., B. & B	11.25 13.50	93.50	
8 to 9 ft., B. & B	16.00		
firma, 60'-75'			mi Fir
Native fir of Japan. Has large	rigid de		
Native fir of Japan. Has large Fine accent and specimen tree.		ep green	leaves.
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B	rigid de 1.90 2.25		
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B	1.90 2.25 3.50	14.50 19.00 28.00	leaves.
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B	1.90 2.25	ep green 14.50 19.00	leaves. 125.00 150.00
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B	1.90 2.25 3.50 4.50	14.50 19.00 28.00 37.50	leaves. 125.00 150.00
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. fraseri, 50'-60' This variety is also known as t It is hardy north and a very sati	1.90 2.25 3.50 4.50 6.00	14.50 19.00 28.00 37.50 ————————————————————————————————————	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. fraseri, 50'-60' This variety is also known as t It is hardy north and a very sati	1.90 2.25 3.50 4.50 6.00 he South	14.50 19.00 28.00 37.50 ————————————————————————————————————	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. fraseri, 50'-60' This variety is also known as t It is hardy north and a very satil 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25	14.50 19.00 28.00 37.50 ————————————————————————————————————	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. fraseri, 50'-60' This variety is also known as t It is hardy north and a very sati 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50	14.50 19.00 28.00 37.50 ————————————————————————————————————	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 4 to 5 ft., B. & B. 5 to 2½ ft., B. & B. 4 to 5 ft., B. & B. 4 to 5 ft., B. & B.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00	14.50 19.00 28.00 37.50 ————————————————————————————————————	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00 8.00	14.50 19.00 28.00 37.50 ————————————————————————————————————	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 5 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00	14.50 19.00 28.00 37.50 ————————————————————————————————————	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00 8.00 9.75	14.50 19.00 28.00 37.50 ————————————————————————————————————	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 5 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00 8.00 9.75 12.00	14.50 19.00 28.00 37.50 Fra hern Bals tree. 9.50 19.00 28.00 50.00 65.00 81.00 100.00	leaves. 125.00 150.00 225.00 —— ser Fir
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 2 to 5 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. 1asiocarpa, 60'-75' Forms a tall narrow pyramid.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00 8.00 9.75 12.00 14.50	14.50 19.00 28.00 37.50 Fra hern Bals tree. 9.50 19.00 28.00 50.00 65.00 81.00 100.00 Alp y hardy.	leaves. 125.00 150.00 225.00 ser Fir am Fir. 75.00 ine Fir Attrac-
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 4 to 5 ft., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. 1asiocarpa, 60'-75' Forms a tall narrow pyramid.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00 8.00 9.75 12.00 14.50 Extremelithe most	14.50 19.00 28.00 37.50 Fra hern Bals tree. 9.50 19.00 28.00 50.00 65.00 81.00 100.00 Alp y hardy.	leaves. 125.00 150.00 225.00 ser Fir am Fir. 75.00 ine Fir Attrac-
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. 1 lasiocarpa, 60'-75' Forms a tall narrow pyramid. Expression of the street	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00 8.00 9.75 12.00 14.50 Extremelation most	14.50 19.00 28.00 37.50 Fra hern Bals tree. 9.50 19.00 28.00 50.00 65.00 81.00 100.00 Alp y hardy.	leaves. 125.00 150.00 225.00 ser Fir am Fir. 75.00 ine Fir Attrac-
Native fir of Japan. Has large Fine accent and specimen tree. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 18 to 24 in., B. & B. 4 to 5 ft., B. & B. 2 to 2½ ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. 8 to 9 ft., B. & B. 1asiocarpa, 60'-75' Forms a tall narrow pyramid.	1.90 2.25 3.50 4.50 6.00 he South isfactory 1.10 2.25 3.50 4.50 6.00 8.00 9.75 12.00 14.50 Extremelithe most	14.50 19.00 28.00 37.50 Fra hern Bals tree. 9.50 19.00 28.00 50.00 65.00 81.00 100.00 Alp y hardy.	leaves. 125.00 150.00 225.00 ser Fir am Fir. 75.00 ine Fir Attrac-

ABIES—continued	Each	Per 10	Per 100
nordmanniana, 80'-100'		Nordma	nn Fir
Handsome, desirable species form densely-branched tree with dark g			amidal,
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.50	28.00	
3 to 4 ft., B. & B	5.50		
4 to 5 ft., B. & B	10.00		
5 to 6 Iti, B. & B	13.00		
veitchi, 60'-80' A broadly pyramidal tree, hardy,	and p		ch Fir y hand-
some while young.			
6 to 7 ft., B. & B	15.00		
7 to 8 ft., B. & B douglasi (See PSEUDOTSUGA			
	dougl	asi)	
Spruce (See PICEA)			
ACANTHOPANAX pentaphyllun	n, 7'-8		
		Fiveleaf	
Graceful, arching habit; splendid able; good foliage for smoky exp			adapt-
18 to 24 in	.22	1.90	15.00
2 to 3 ft	.30 .3 <i>5</i>	2.50 2.80	20.00
4 to 5 ft	45	3.75	30.00
		C .	A 1: -
ricinifolium, 40'-50'		Castor	Arana
Large spreading tree of tropical			
, , , , , , , , , , , , , , , , , , ,			
Large spreading tree of tropical hardy. Quick growing. Likes moist	soil.	arance. Pe	erfectly
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in	.80	orance. Pe 6.50 Hedge	erfectly Maple
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in	.80	orance. Pe 6.50 Hedge	erfectly Maple
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft	soil. .80 growth	6.50 Hedge: has cork 6.50 9.50	Maple y bark;
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in	soil. .80 growth .80 1.10 1.50	6.50 Hedge: has cork 6.50 9.50 12.00	Maple y bark; 52.50 75.00 97.50
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft	soil. .80 growth	6.50 Hedge: has cork 6.50 9.50	Maple y bark;
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	soil. .80 growth .80 1.10 1.50	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00	Maple y bark; 52.50 75.00 97.50 125.00
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	soil. .80 growth .80 1.10 1.50 1.90 2.25	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. dasycarpum, 60'-80'	soil. .80 growth .80 1.10 1.50 1.90 2.25	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. dasycarpum, 60'-80' Quick-growing, graceful shade tree neath. 6 to 8 ft. 6 to 8 ft.	soil80 growth .80 1.10 1.50 1.90 2.25	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under-
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. Cuick-growing, graceful shade tree neath. 6 to 8 ft. 8 to 10 ft.	soil80 growth .80 1.10 1.50 1.90 2.25	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery 4.70 6.50	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under- 37.50 52.50
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. Cuick-growing, graceful shade tree neath. 6 to 8 ft. 8 to 10 ft. 11/4 to 11/2 in	soil80 growth .80 1.10 1.50 1.90 2.25	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery 4.70 6.50 9.50	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under-
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. dasycarpum, 60'-80' Quick-growing, graceful shade tree neath. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 2 in.	soil80 growth .80 1.10 1.50 1.90 2.25	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery 4.70 6.50 9.50 11.25 14.50	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under- 37.50 52.50 75.00 90.00 125.00
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. Cuick-growing, graceful shade tree neath. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 2 in. 12 to 13 ft.—2 to 2¼ in	soil80 growth .80 1.10 1.50 1.90 2.25 e; leav .55 .80 1.10 1.35 1.90 2.25	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery 4.70 6.50 9.50 11.25 14.50 19.00	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under- 37.50 52.50 75.00 90.00 125.00 150.00
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. Wuick-growing, graceful shade tree neath. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 2 in. 12 to 13 ft.—2 to 2¼ in. 13 to 13 ft.—2¼ to 2½ in. 14 to 13 ft.—2¼ to 2½ in.	soil80 growth .80 1.10 1.50 1.90 2.25 e; leav .55 .80 1.10 1.35 1.90 2.25 3.00	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery 4.70 6.50 9.50 11.25 14.50 19.00 25.00	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under- 37.50 52.50 75.00 90.00 125.00 150.00 200.00
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. Cuick-growing, graceful shade tree neath. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 2 in. 12 to 13 ft.—2 to 2¼ in. 13 to 14 ft.—2½ to 2¾ in. 13 to 14 ft.—2½ to 2¾ in. 13 to 14 ft.—2½ to 2¾ in.	soil80 growth .80 1.10 1.50 1.90 2.25 e; leav .55 .80 1.10 1.35 1.90 2.25 3.00 3.40	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery 4.70 6.50 9.50 11.25 14.50 19.00 25.00 28.00	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under- 37.50 52.50 75.00 90.00 125.00 150.00 200.00 225.00
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. Wuick-growing, graceful shade tree neath. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1¾ to 2 in. 12 to 13 ft.—2 to 2¼ in. 13 to 13 ft.—2¼ to 2½ in. 14 to 13 ft.—2¼ to 2½ in.	soil80 growth .80 1.10 1.50 1.90 2.25 e; leav .55 .80 1.10 1.35 1.90 2.25 3.00	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery 4.70 6.50 9.50 11.25 14.50 19.00 25.00	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under- 37.50 52.50 75.00 90.00 125.00 150.00 200.00
Large spreading tree of tropical hardy. Quick growing. Likes moist 18 to 24 in. ACER campestre, 25'-30' Useful for dry locations in underg grows slowly. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. Cuick-growing, graceful shade tree neath. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 11 to 13 ft.—2 to 2¼ in. 12 to 13 ft.—2½ to 2¾ in. 13 to 14 ft.—2½ to 2¾ in. 2¾ to 3 in. 2¾ to 3 in.	soil80 growth .80 1.10 1.50 1.90 2.25 e; leav .55 .80 1.10 1.35 1.90 2.25 3.00 3.40 3.75	6.50 Hedge: has cork 6.50 9.50 12.00 14.50 19.00 Silver es silvery 4.70 6.50 9.50 11.25 14.50 19.00 25.00 28.00 31.00	Maple y bark; 52.50 75.00 97.50 125.00 150.00 Maple under- 37.50 52.50 75.00 90.00 125.00 150.00 200.00 250.00

ACER—continued	Each	Per 10	Per 100
dasycarpum pyramidale, 75' P	yramida	1 Silver	Maple
A very desirable subject for so			•
6 to 8 ft	_		75.00
8 to 10 ft	1.10	9.50 11.25	75.00 90.00
8 to 10 ft.—1½ to 1½ in	1.3 <i>5</i> 1.90	14.50	125.00
10 to 12 ft.—1½ to 1¾ in	2.25	19.00	150.00
10 to 12 ft.—13/4 to 2 in	3.00	25.00	200.00
2 to 2 ¹ / ₄ in	3.40	28.00	
2½ to 2½ in	3.75	31.00	
2½ to 3 in	5.25		
—wieri, бо'-8о'	Wier	Cutleaf	Maple
Graceful, drooping form; very	desirable.		
6 to 8 ft	.70	5.50	45.00
8 to 10 ft	1.10	9.50	75.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.50	12.00	97.50
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.90	14.50	125.00
11 to 12 ft.—13/4 to 2 in	2.25	19.00	150.00
12 to 13 ft.—2 to 2½ in	3.00	25.00	200.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.50	28.00	
2½ to 3 in	4.50	37.50	300.00
3 to 3½ in	5.50		
ginnala, 10'-12'		Amur	Maple
Graceful and valuable for brigh	ht red av	itumn c	oloring.
Is of twiggy habit of growth.			
18 to 24 in	.45	3.75	30.00
2 to 3 ft	•55	4.70	37.50
3 to 4 ft	.80	6.50	52.50
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.50	12.50	100.00
6 to 8 ft	2.25	19.00	150.00
8 to 10 ft	3.00	25.00	
negundo, 60'		Во	oxelder
Will grow where other trees fail;	especiall	v good	for dry.
barren places and seashore.	, especiali	., Boom	ioi dij,
6 to 8 ft	.60	5.00	40.00
8 to 10 ft	.90	7.50	60.00
8 to 10 ft.—1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in	1.10	9.50	75.00
10 to 12 ft.— $1\frac{7}{2}$ to $1\frac{3}{4}$ in	1.50	12.50	100.00
10 to 12 ft.—13/4 to 2 in	1.90	14.50	
12 to 13 ft.—2 to 2 ¹ / ₄ in	2.25	19.00	
12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	3.00	25.00	
13 to 14 ft.— $2\frac{1}{2}$ to 3 in	3.75		
palmatum (polymorphum), 12'-:	15'		
	Green Ja	panese	Maple
Develops into a splendid specime			_
4 to 5 ft., B. & B., hvy. spec	7.00	55.00	
5 to 6 ft., B. & B., hvy. spec	9.00	75.00	
6 to 7 ft., B. & B., hvy. spec		125.00	
7 to 8 ft., B. & B., hvy. spec	22.50	190.00	
-aconitifolia, 4'-6' Aconite 1	eaved In	nanese	Manle
Its leaves resemble in character			_
Compact growing form of graceful	ul habit.	accous A	conite.
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B.	5.25	44.00	
2½ to 3 ft., B. & B	8.25		

ACER—continued Each Per 10 Per 100 palmatum atropurpureum, 6'-8' Purpleleaf Japanese Maple A good, dwarf tree with rich purple-red leaves all summer. Best in sun. These plants are grafted from the finest strain imported, being carefully selected for rich, constant color. 12 to 15 in., B. & B. 1.10 9.50 75.00 12.00 97.50 1.50 18 to 24 in., B. & B. 125.00 1.90 14.50 2 to $2\frac{1}{2}$ ft., B. & B. 25.00 3.00 200.00 $2\frac{1}{2}$ to 3 ft., B. & B. 4.50 37.50 300.00 3 to 3½ ft., B. & B. 6.75 55.00 450.00 –dissectum, 4'-6' Purple Cutleaf Japanese Maple More dwarf than the above with finely cut purple-red leaves, giving the plant a very graceful appearance. Good for rock work. 12 to 15 in., B. & B. 1.90 14.50 125.00 15 to 18 in., B. & B. 2.25 19.00 150.00 31.00 3**.7**5 - —nigrum, 6'-8' A selected strain of the purple Japanese Maple with darker leaves. 12 to 15 in., B. & B. 1.35 11.25 90.00 15 to 18 in., B. & B. 1.90 14.50 125.00 18 to 24 in., B. & B. 3.00 25.00 200.00 2 to $2\frac{1}{2}$ ft., B. & B. 3.75 31.00 $2\frac{1}{2}$ to 3 ft., B. & B. 5.25 44.00 3 to $3\frac{1}{2}$ ft., B. & B. 6.00 50.00 – —novum, 6′-8′ Similar to the above. 12 to 15 in., B. & B. 1.35 11.25 90.00 15 to 18 in., B. & B. 14.50 125.00 1.90 18 to 24 in., B. & B. 19.00 150.00 2.25 200.00 2 to 2½ ft., B. & B. 3.00 25.00 $2\frac{1}{2}$ to 3 ft., B. & B. 250.00 3.75 31.00 3 to $3\frac{1}{2}$ ft., B. & B. 5.25 44.00 340.00 — — crispum Small leaves. Distinct upright growth. A fine accent tree. 12 to 15 in., B. & B. 1.35 11.25 90.00 15 to 18 in., B. & B. 14.50 1.90 125.00 18 to 24 in., B. & B. 2.25 19.00 150.00 2 to 2½ ft., B. & B. 28.00 3.40 $2\frac{1}{2}$ to 3 ft., B. & B. 4.50 37.50 3 to 3½ft., B. & B. 5.50 47.00 —dissectum, 4'-6' Green Cutleaf Japanese Maple A good, dwarf tree with finely cut, green leaves. It is very attractive throughout the summer and beautiful in the fall when frost tints the leaves in orange shades. 12 to 15 in., B. & B. 1.90 14.50 15 to 18 in., B. & B. 2.25 19.00 18 to 24 in., B. & B. 28.00 3.40 2 to 2½ ft., B. & B. 4.50 37.50 $2\frac{1}{2}$ to 3 ft., B. & B. 6.75 56.00

ACER—continued palmatum dissectum aureum, 4'-6		4	
Finely cut golden leaves. Gracef	ul. Attra	active to	rm.
12 to 15 in., B. & B	2.25		
15 to 18 in., B. & B	3.40		
18 to 24 in., B. & B	4.50		
pennsylvanicum (striatum), 20'-3 Green bark, striped with white; th		Striped wet soil	
3 to 4 ft		9.50	75.00
4 to 5 ft		11.25	
5 to 6 ft	2.25	19.00	
			Manla
platanoides, 50'-75'		Norway	
The most popular street tree; in until late autumn.			
NOTE—These trees are Princeton	grown	and hav	e better
heads, heavier caliper and well	-develoj	bed roots	s, being
far superior to western, irrigated	t stock	and fully	worth
what we ask for them.			
6 to 8 ft	1.35	11.25	90.00
8 to 10 ft	1.90	14.50	125.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	19.00	150.00
10 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	25.00	200.00
10 to 12 ft., 13/4 to 2 in	3.75	31.00	250.00
12 to 14 ft., 2 to 2 ¹ / ₄ in	4.50	37.50	300.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.50	47.00	375.00
2½ to 3 in	8.00	65.00	525.00
3 to $3\frac{1}{2}$ in	10.00	85.00	
$3\frac{1}{2}$ to 4 in	15.00	125.00	-
—schwedleri, 40'-60'		hwedler	
Probably the best, large-growing	purple	leaf tree.	Useful
as lawn specimen.			
6 to 8 ft	2.25	19.00	150.00
8 to 10 ft	3.00	25.00	200.00
8 to 10 ft.—1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in	3.75	31.00	250.00
10 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.25	44.00	350.00
10 to 12 ft.—13/4 to 2 in	6.00	50.00	400.00
12 to 14 ft.—2 to 2 ¹ / ₄ in	7.00	60.00	475.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.00	75.00	
$2\frac{1}{2}$ to 3 in	11.25	93.50	
3 to $3\frac{1}{2}$ in	14.50	122.00	
pseudoplatanus, 50'-75'	S	ycamore	Maple
Vigorous-growing tree of spread			
for exposed locations and seash	ore.		
6 to 8 ft	1.35	11.25	90.00
8 to 10 ft	1.90	14.50	125.00
8 to 10 ft.—1 $\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00	
10 to 11 ft.— $1\frac{7}{2}$ to $1\frac{3}{4}$ in	3.50	28.00	
10 to 12 ft.—13/4 to 2 in	4.50	37.50	
2 to 2½ in	5.50	47.00	
rubrum, 50'-75'	Red or	Scarlet	Maple
Best in moist locations; also thri			
red autumn coloring.	, , co III (aprand,	Jililalli
6 to 8 ft	1.25	11.25	90.00
8 to 10 ft	1.3 <i>5</i> 1.90	14.50	125.00
8 to 10 ft., 1½ to 1½ in	2.25	19.00	150.00
10 to 12 ft., 1½ to 1¾ in	3.00	25.00	200.00
10 to 12 ft., 13/4 to 2 in	3.50	28.00	225.00
12 to 14 ft., 2 to 2 ¹ / ₄ in	4.50	37.50	300.00
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.50	47.00	375.00
2½ to 3 in	6.75	56.00	
3 to $3^{\frac{1}{2}}$ in	9.00		

ACER—continued	Each	Per 10	
saccharum, 50'-75'	. 1	Sugar	
Most popular in northern states; leads rich yellow autumn coloring.	best pl	anted in s	spring;
6 to 8 ft	1.35	11.25	90.00
8 to 10 ft	1.90 3.00	14.50 25.00	125.00 200.00
11 to 12 ft.—1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in	3.50	28.00	225.00
12 to 14 ft.—13/4 to 2 in	4.50	37.50	300.00
12 to 14 ft.—2 to 2½ in	6.00	50.00	400.00
2 ¹ / ₄ to 2 ¹ / ₂ in	8.00	65.00	525.00
2½ to 2¾ in	9.75	81.00	
23/4 to 3 in	11.25	93.50	
spicatum, 20'-30'		Lountain	
Small tree with nice yellow and so			
2 to 3 ft	1.35	11.25	90.00
3 to 4 ft	1.90 2.25	14.50 19.00	125.00 150.00
5 to 6 ft	3.00	25.00	200.00
ACTINIDIA arguta, 20'-30' Greenish-white, July. Rich, dark berries.		Bower Acfoliage.	
2 yr., 2 to 3 ft	·3 <i>5</i>	2.80	22.50
3 yr., 3 to 4 ft	•45	3.75	30.00
3 yr. extra, 4 to 6 ft	.60	5.00	40.00
4 yr. extra, 4 to 6 ft	.80	6.50	52.50
AESCULUS hippocastanum, 60'-8	o'	Horsech	restnut
A beautiful, symmetrical shade tr			
panicles of white flowers against t	he dar	k green le	aves.
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.35	11.25	90.00
6 to 8 ft	2.25	19.00	
8 to 10 ft.—1 $\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00	
8 to 10 ft.— $1\frac{1}{2}$ to 2 in	3·7 <i>5</i>	31.00	
10 to 12 ft. —2 to 2 ¹ / ₄ in	5.25	44.00	***************************************
•		Horsecl	estnut
12 to 15 in., B. & B	1.35		
15 to 18 in., B. & B	1.90		
18 to 24 in., B. & B	2.2 <i>5</i> 3.50		
$2\frac{1}{2}$ to 3 ft., B. & B	4.50		
		r f T	T
AILANTHUS glandulosa, 50'-60' Succeeds under most adverse city leaves and grows rapidly.			
5 to 6 ft	.90	7.50	60.00
6 to 8 ft	1.35		90.00
8 to 10 ft	1.90		
AKEBIA quinata, 15'-20'		Fiveleaf .	Akebia
Dainty, beautiful vine, purple flo			
2 yr 3 yr	•45 •55		
		European	Alder
A rapid-growing tree with dark g most situations.			
5 to 6 ft	1.10	~ ~	
6 to 8 ft	1.90	14.50	
8 to 10 ft	2.25	19.00	150.00
10 to 12 ft	3.00	25.00	

ALNUS—continued	Each	Per 10	Per 100
rugosa, 20'-25'			Alder
Familiar Hazel Alder of swampy por peaty soils. Catkins open in late and green.	olaces. I winter	Prefers ve —leaves	ery wet smooth
6 to 8 ft	3.00 3.75 5.25	25.00 31.00 44.00	
AMELANCHIER canadensis (bota	ryapiur Do	n), 20'-30 wny Sha	o' adblow
White flowers in early spring be relished by birds. Also called Jun	fore le	aves; fru	its are
18 to 24 in	•55 1.35 1.90	4.70 11.25 14.50	37.50 90.00 125.00
laevis, 20'-30'	Alleg	heny Sha	adblow
Unfolding leaves are smooth an Large drooping flowers with purp	d have de fruit	s.	sh hue.
3 to 4 ft	1.3 <i>5</i> 1.90	11.25 14.50	
5 to 6 ft	2.25	19.00	
6 to 7 ft	3.40	28.00	
AMORPHA canescens, 2'-3'			dplant
Long spikes of blue flowers in July			
15 to 18 in	•55 .80		37.50
fruticosa, 8'-10'		Indi	gobush
Deep purple flowers in June; spr	eading	habit.	
2 to 3 ft	.22	1.90 2.80	
3 to 4 ft	•3 <i>5</i> •4 <i>5</i>	3.7 <i>5</i>	30.00
5 to 6 ft	.65	5.50	45.00
AMPELOPSIS aconitifolia, 15'-20'	' M	onkshoc	d Vine
Attractive foliage; bright blue October.	berrie	s in Sep	tember-
2 yr	.55 .80	4.70 6.50	37.50 52.50
heterophylla, 25'-30'	Porcel	ain Amp	elopsis
A good, sturdy vine with good fitive, turquoise-colored fruit.	foliage	and very	attrac-
2 year 3 year	•3 <i>5</i> •55	2.80 4.50	22.50 35.00
humulifolia, 25'-30'	J.	Iop Amp	elopsis
Similar to above, not quite so rob			
2 year	-45	3.75	
3 year	•55 .80	4.70 6.50	
quinquefolia, 30'-50'	V	irginia (Creeper
Valuable for rich, fiery autumn		_	
1 year	.15	1.25	
2 year	.22	1.90	15.00
3 year	·3 <i>5</i>	2.80	22.50

AMPELOPSIS—continued	Each	Per 10	Per 100
quinquefolia engelmanni, 30'-40'	Enge	elmann C	reeper
A good, self-clinging woodbine; coloring.	very h	ardy. Goo	od fall
1 year	.30 ⋅37 ⋅55	2.50 3.10 4.70	20.00 25.00 37.50
tricuspidata (veitchi), 40'-50'		Bosto	on Ivy
Brilliant autumn coloring, blue be closely self-clinging. Also called	berries, Japane	turning se Creepe	black; r.
2 year 1st class	-45	3.75	30.00
—lowi, 6'-8' Dwar	f Cutl	eaf Bosto	on Ivy
A good variety of the type, with sage. Very graceful and distinct.	maller,	deeply-cu	ıt foli-
2 in. pots	·55 .65	4.70 5.50	37.50 45.00
AMYGDALUS nana (See Prunus	glandı	ılosa)	
persica alba (Prunus), 8'-10'	W	hite Flg.	Peach
Very decorative, doubleflowering leaves.	form		before
2 to 3 ft	•3 <i>5</i> •4 <i>5</i>	2.80 3.7 <i>5</i>	30.00
4 to 5 ft	.65	5.50	
rosea	P	ink Flg.	Peach
18 to 24 in	.45	3.75	
2 to 3 ft	.6 <i>5</i> .90	5.50 7.50	
—rubra]	Red Flg.	Peach
18 to 24 in	.45	·3.75	
2 to 3 ft	.6 <i>5</i> .90	5.50 7.50	
4 to 5 ft	1.10	9.35	
ANDROMEDA arborea (See OX)	YDEN	IDRUM)	•
catesbaei (See LEUCOTHOE)			
japonica (See PIERIS)			
ARALIA pentaphyllum (See ACA	NTHO	DPANAS	〈)
spinosa, 18'-20'		Hercule	
Useful for tropical effects and sl July. Also called Devils-walkingst		; white f	lowers,
2 to 3 ft	35 45	2.80 3.7 <i>5</i>	22.50 30.00
4 to 5 ft	-55	4.70	37.50
5 to 6 ft	.80 1.10	6.50 9.50	52.50
8 to 10 ft	2.25	19.00	75.00
10 to 12 ft	3.40	28.00	
ARCTOSTAPHYLOS uva-ursi	, , ,		rberry
A most excellent ground cover, t Forms a low, dense growth. Pink, l scarlet berries.			
2½ in. pots	.45	3.75	30.00

		Per 10	
ARISTOLOCHIA sipho		~	ns-pipe
A vigorous and rapid-growing clin light green leaves which retain the entire season. Has curious, browsembling a pipe in shape.	heir co	lor thro	ugh the
2 year	.65	5.50	
ARONIA arbutifolia, 6'-8'	R	ed Chol	ceberry
Valuable because of its red berri			
fall.			
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	.4 <i>5</i> .6 <i>5</i>	3.7 <i>5</i> 5.50	30.00 45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.20	10.00	
—brilliantissima, 6'-8' Brill	liant R	ed Chol	keberry
Improved form of the Red Chokel fruits.	perry w	ith brigl	nter red
18 to 24 in	.45	3 . 7 <i>5</i>	30.00
2 to 3 ft	.55 .80	4.70 6.50	37.50 52.50
3 to 4 ft	1.00	8.50	67.50
atropurpurea, 6'-8'	Purr	de Chol	ceberry
Intermediate form between Aronia	_		
melanocarpa with black fruits. The			
18 to 24 in	·3 <i>5</i>	2.80	
2 to 3 ft	.45	3.75	30.00
3 to 4 ft	.60	5.00	40.00
melanocarpa (nigra), 8'-10'			ceberry
Delicate, white flowers in May; blate.	ack ber		ist until
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	•45 •55	3.7 <i>5</i> 4.70	30.00 37.50
4 to 5 ft	.80	6.50	52.50
AZALEAS	L. 3777		
Note: All Azaleas offered are bush plants, not thin, poorly-rooted co			SKOWN
AZALEA amoena, 3'-4'	A	moena	Azalea
Evergreen. Conspicuous, purple-re Leaves turn a rich, bronze-green in			ril-May.
10 to 12 in., B. & B	1.10	9.50	75.00
12 to 15 in., B. & B	1.45	12.00 14.50	97.50 125.00
18 to 24 in., B. & B	3.00	25.00	200.00
2 to 2½ ft., B. & B	4.00	35.00	275.00
arborescens, 10'-12'		Sweet	Azalea
Fragrant, white flowers in June.			
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	2.60	22.00	
2 to 2½ ft., B. & B	3.7 <i>5</i> 5.00	31.00 40.00	
3 to 4 ft., B. & B.	6.00	50.00	

AZALEA—continued	Each	Per 10	Per 100
calendulacea, 4'-5'		Flame	Azalea
The great Flame Azalea of Caro showy, burnt orange flowers.	olina M	lountains	; very
15 to 18 in., B. & B	2.00	17.00	135.00
18 to 24 in., B. & B	3.00	25.00	200.00
2 to 2½ ft., B. & B	3.40	28.00	225.00
2½ to 3 ft., B. & B	3.7 <i>5</i> 4.50	31.00 37.50	250.00 300.00
	4.50	37.50	300.00
davies, 4'-5' A cross between Azalea mollis and large white flowers.	d Azale	a viscos	a. With
18 to 24 in., B. & B	4.50		
2 to 2½ ft., B. & B	6.75	56.00	
2½ to 3 ft., B. & B	9.00	75.00	
3 to 4 ft., B. & B	11.25	95.00	
hexe, 3'-4'		Firefly.	Azalea
Single—Crimson. A Sander hybrid bly hardy. Popular when grown u			t relia-
8 to 10 in., B. & B	1.50	12.50	
10 to 12 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.40	28.00	
hinodegiri, 3'-4'	Hin	odegiri	Azalea
Evergreen. Larger leaves and loose			
flowers very bright carmine-pink; with Rhododendron.			
6 to 8 in	1.00	8.50	67.50
8 to 10 in	1.50	12.00 14.50	97.50 125.00
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.75	31.00	250.00
18 to 24 in., B. & B	5.50	47.00	
kaempferi, 4'-5'		Torch	Azalea
Warm brick-red flowers, May. Ver	y hard	y and de	sirable.
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.00	25.00	200.00
2 to 2½ ft., B. & B	3.75	31.00	250.00
-cleopatra, 4'-5'			
Hardy. Evergreen. Lilac rose flower	rs.		
9 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00	25.00	
–fedora, 4'-5'			
Hardy. Evergreen. Salmon rose flo	wers.		
9 to 12 in., B. & B	1.50	12.50	
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00		
—louise, 4'-5'			
Hardy. Evergreen. Light rose flower	ers.		
9 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00	25.00	
othello, 4'-5'			
Hardy. Evergreen. Brick-red flower	rs.		
19 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00	25.00	

AZALEA—continued	Each	Per 10	Per 100
Kurume Benigiri, 3'		•	
Evergreen. Flowers bright red, con	npact g	rowth.	
8 to 10 in., B. & B	1.50		******
10 to 12 in., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	
—Flame, 3'	0.00	- 5.00	
Brilliant red flowers in profusi	on C1	00078 07	- A T C T O O S
foliage.	on. Gi	ossy, ev	cigicen
15 to 18 in., B. & B	3.75	31.00	250.00
18 to 24 in., B. & B	5.00 6.00	40.00 50.00	325.00 400.00
2½ to 3 ft., B. & B	7.50	62.50	
—hatsugiri, 3'			
9 to 12 in., B. & B	1.50	12.50	100.00
12 to 15 in., B. & B	2.2 <i>5</i> 3.00	19.00	
—kirishima, 3'	3.00		
Rose white, stamens.			
12 to 15 in., B. & B	1.50	12.50	
15 to 18 in., B. & B	2.25	19.00	
—Pink Beauty, 3'			
Single soft-pink flowers.			
10 to 12 in., B. & B	2.25	19.00	
12 to 15 in., B. & B	3.00	25.00	
—Pink Pearl, 3'			
Evergreen. Salmon-rose flowers.			
8 to 10 in., B. & B	1.50	12.50	
10 to 12 in., B. & B	2.25	19.00	
—Salmon Beauty, 3' Very large salmon-pink flowers.			
8 to 10 in., B. & B	1.50	12.50	
10 to 12 in., B. & B	2.25	19.00	
12 to 15 in., B. & B	3.00	25.00	
—Snow, 3'			
Evergreen. Large pure white flow	ers.		
10 to 12 in., B. & B	2.25	19.00	150.00
	3.00	25.00	200.00
—yayegiri, 3' Salmon-red flowers. Of exceptional	l worth		
9 to 12 in., B. & B	1.50	12.50	
12 to 15 in., B. & B	2.25		
ledifolia alba, 4'-6'		Snow	Azalea
Evergreen. Large, single, white flo	owers, f	reely ni	roduced.
Makes a striking background f blooming at the same time.	or Aza	ılea hir	odegiri,
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3.75	31.00	250.00
2 to 2½ ft., B. & B	4.00	35.00	
—Fujimoyo, 4'-6'			
Large double pale pink-lilac flowe			
9 to 12 in., B. & B		19.00	150.00
	3.00	25.00	

AZALEA—continued	Each	Per 10	Per 100
ledifolia Lilacineana, 4'-6'			
Single lilac flowers.			
2 to 2½ ft	6.7 <i>5</i> 9.00	56.00 75.00	-
macrantha, 2½'-3'	Red	Salmon	Azalea
Evergreen. A beautiful plant, with pear at intervals, and not at one to Single and double varieties. 12 to 15 in., B. & B			
15 to 18 in., B. & B	3.50 4.50	28.00 37.50	225.00
mollis, 4'-6'		Chinese	
Large, showy flowers in shades of June. Large, hairy leaves. Likes s		ge and re	d. May-
12 to 15 in., B. & B	2.25	19.00	150.00
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3·7 <i>5</i>	31.00	
nudiflora, 6'-8'	1.1		rbloom
Flowers pale rose or pink before or rocky woodlands and swamps.			Innabits
15 to 18 in., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	200.00
2 to 2½ ft., B. & B	3.75	31.00	250.00
2½ to 3 ft., B. & B	5.00	40.00	
3 to 3½ ft., B. & B	6.00		
phoenicea var. omurasaki, 2'-3' Purple to magenta flowers. Early.			
9 to 12 in., B. & B	1.50	12.50	-
12 to 15 in., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	***************************************
poukhanensis, 1'-3'		Korean	Azalea
Single, purple-lilac flowers are prevery hardy.	ofusel	y borne	in May;
12 to 15 in., B. & B	2.2 <i>5</i> 3.00	19.00 25.00	150.00
rosea, 6'-8'	Down	y Pinxte	erbloom
Rose-pink flowers in late May. Quand useful native variety.	uite fr	agrant. B	eautiful .
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.50 4.50	20.00	
vaseyi, 5'-6'		Pinkshel'	l Azalea
Delicate pink, April and May. Verbest hardy azaleas.			
15 to 18 in., B. & B	3.00	25.00	200.00
18 to 24 in., B. & B	3.75	31.00	250.00
2 to 2½ ft., B. & B	5.00	40.00	325.00
2½ to 3 ft., B. & B	6.00 8.00	50.00 65.00	400.00
viscosa, 4'-5'			Azalea
White, very fragrant, June and			
15 to 18 in., B. & B	2.2 <i>5</i> 3.00	19.00	
2 to 2½ ft., B. & B	3.7 <i>5</i>	31.00	
2½ to 3 ft., B. & B	5.00	40.00	
3 to 4 ft., B. & B	6.00		

AZALEA—continued	Each	Per 10	Per 100
yodogawa, 3'-4'	Yo	dogawa	Azalea
Double, pinkish-lavender flowers, of exceptional merit.	May.	Very hai	dy and
12 to 15 in., B. & B	3.00 3.50 3.75	25.00 28.00 31.00	200.00 225.00 250.00
——————————————————————————————————————			
DACOTTA DIO 1-alimitalia al mel		C 1	11 1.
BACCHARIS halimifolia, 9'-10'		Ground	
Conspicuous, fluffy seed pods in Segshore planting.	ptembo	er. Good	for sea-
18 to 24 in	•55	• •	37.50
2 to 3 ft	.70	5.50 7.50	45.00 60.00
4 to 5 ft	1.20	10.00	
BENZOIN aestivale (LINDERA	benzo		12' icebush
Flowers yellow, April. Scarlet ber	ries, b	^	
coloring, leaves aromatic.			
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·3 <i>5</i>	2.80	22.50
3 to 4 ft	.80	3.7 <i>5</i> 6.50	30.00
5 to 6 ft		10.00	82.50
	1,	10.00	02.50
BERBERIS DERBERIS	יין און וייין וייי	martina	
NEW HARDY EVERGRI			
We have a good assortment of the are very attractive in both dark g and showy flowers. We consider the most valuable additions to t greens. As a class nearly all hav leaves, and color beautifully in the favorable conditions most of ther of about six feet.	reen, has clas the broke large winte	nolly-like s of stock pad-leave e thorns, er months	foliage k one of d ever- , spined s. Under
gagnepaini. Has long and very na	rrow, l	holly-like	e leaf.
12 to 15 in., B. & B	1.10	9.50	
15 to 18 in., B. & B		14.50	
18 to 24 in., B. & B	2.25	19.00	
ilicifolia, 5'-6'		Holly B	arberry
Semi-evergreen. Holly-like leaves foliage appears; flowers yellow.	, persi	isting un	itil new
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.35	11.25	90.00
2 to 2½ ft., B. & B	2.00	14.50	125.00
2½ to 3 ft., B. & B	3.00	25.00	
3 to 3½ ft., B. & B	4.50	37.50	
julianae. Fairly rapid growth with	broade	er, spined	l leaves.
12 to 15 in., B. & B	.80	6.50	
15 to 10 in D 8- D			
15 to 18 in., B. & B	1.10	9.50	

BERBERIS—continued	Each	Per 10	Per 100
laevis. Similar to julianae.			
12 to 15 in., B. & B	.80	6.50	***************************************
15 to 18 in., B. & B	1.10	9.50	
18 to 24 in., B. & B	1.90	14.50 19.00	
	2.25	_	
sargenti. Leaves very lightly spin julianae in habit.	ed, othe	rwise sii	nilar to
10 to 12 in., B. & B	1.10	9.50	
12 to 15 in., B. & B		14.50	
triacanthophora. Rapid grower,	danca h	abit and	emall
lightly-spined leaves.	rense n	abit and	Siliali,
9 to 12 in., B. & B	1.10	9.50	
verruculosa		Varty B	neharry
Distinctive in character. Of dw			
habit. Shiny foliage. Fragrant yell			
6 to 9 in., B. & B		5.50	
9 to 12 in., B. & B		7.50	
12 to 15 in., B. & B		9.50	
		14.50	-
BERBERIS—DECIDUO	DUS T	YPES	
BERBERIS dielsiana			
2 to 2½ ft	2.00	14.50	125.00
thunbergii, 4'-5'		anese B	
A splendid, low hedge plant, or		assing;	brilliant
autumn coloring; scarlet berries.		Per 100]	Der 1000
9 to 12 in	.85		_
12 to 15 in			_
15 to 18 in			
18 to 24 in		_	120.00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 30$ $2\frac{1}{2} \text{ to } 3 \text{ ft.} \dots 45$			
		anese B	
A very desirable, new, red-leave Should be planted in sun for bes			
unusually deep color and symm			
		Per 100	
12 to 15 in	1.90	15.00	
15 to 18 in	_		
18 to 24 in	_		_
2 to 2½ ft			
3 to 4 ft 1.10			
minor, 2'-3'		Boy B	arberry
A dwarf, compact form of Jap	panese 1		
sparingly. Used for edging where			
		Per 10	
9 to 12 in	.22	1.90	
12 to 15 in	•3 <i>5</i> •4 <i>5</i>	3.00 4.00	
18 to 24 in	•43 •55	4.70	-
2 to 2½ ft	.65		
vernae	V	ernae B	arberry
Attractive shrub with arching bran			
heavily.			
18 to 24 in	.90		60.00
2 to 2½ ft	1.10	9.50	

	Each	Per 10	Per 100
*BETULA alba, 30'-50'	Europe	ean Whit	e Birch
	Larop		C Bireir
Known by its white bark.	00	# #O	60.00
5 to 6 ft	.90	7.50	60.00
6 to 8 ft	1.10	9.50	75.00
8 to 10 ft	1.90	14.50	125.00
8 to 10 ft.—1 $\frac{1}{4}$ to $\frac{1}{2}$ in	3.00	25.00	200.00
10 to 12 ft.—1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in	3.40	28.00	225.00
13/4 to 2 in	4.50	37.50	300.00
2 to 2½ in	5.50	47.00	
2½ to 3 in	6.75	55.00	
3 to 4 in	9.00		
*—fastigiata, 25'-40'		idal Whi	
Columnar form of the Europea	n Birch	. Excellen	t where
heavy formal effects are desired.			
5 to 6 ft	3.00	25.00	200.00
6 to 8 ft	4.50	37.50	300.00
8 to 10 ft	6.00		50000
0 to 10 tt	0.00		
*—laciniata, 30'-40'	Cutleat	Weepin	g Birch
Excellent tree for lawn planting			
5 to 6 ft	1.35	11.00	90.00
6 to 8 ft			
2 to 10 ft	1.90	14.50	125.00
8 to 10 ft	2.25	19.00	150.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.00	25.00	200.00
10 to 12 ft., 1½ to 1¾ in	3.40	28.00	225.00
13/4 to 2 in	4.50	37.50	
2 to 2½ in	5.50	47.00	
$2\frac{1}{2}$ to 3 in	6.75	55.00	
* nurnuras D.	anolo T	£ XX71-:4	. D:1-
	_	eaf Whit	e Birch
Graceful lawn specimen and acc	cent tree	•	
6 to 8 ft	4.50	37.50	-
8 to 10 ft	6.75	55.00	
10 to 12 ft	9.00		
*lenta, 40'-50'		S	4 D:m -1-
	, , ,		et Birch
Has attractive, smooth, reddis	h bark	and con	spicuous
catkins in spring.			
5 to 6 ft	1.35	11.00	90.00
6 to 8 ft	1.35		_
6 to 8 ft	1.90	14.50	125.00
6 to 8 ft	1.90 3.00	14.50 25.00	125.00
6 to 8 ft	1.90 3.00 3.40	14.50 25.00 28.00	125.00
6 to 8 ft	1.90 3.00 3.40 4.50	14.50 25.00 28.00 37.50	125.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to ½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in.	1.90 3.00 3.40	14.50 25.00 28.00	125.00
6 to 8 ft	1.90 3.00 3.40 4.50	14.50 25.00 28.00 37.50 47.00	125.00 200.00 225.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in.	1.90 3.00 3.40 4.50	14.50 25.00 28.00 37.50 47.00	125.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50'-70' Makes fine windbreak.	1.90 3.00 3.40 4.50 5.50	14.50 25.00 28.00 37.50 47.00 Yellov	125.00 200.00 225.00 ———————————————————————————————————
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft.	1.90 3.00 3.40 4.50 5.50	14.50 25.00 28.00 37.50 47.00 Yellov	125.00 200.00 225.00 ——— w Birch 90.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50'-70' Makes fine windbreak. 5 to 6 ft. 6 to 8 ft.	1.90 3.00 3.40 4.50 5.50	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50	125.00 200.00 225.00 ———————————————————————————————————
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.90 3.00 3.40 4.50 5.50	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00	125.00 200.00 225.00 ——— w Birch 90.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50'-70' Makes fine windbreak. 5 to 6 ft. 6 to 8 ft.	1.90 3.00 3.40 4.50 5.50	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50	125.00 200.00 225.00 ——— w Birch 90.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50'-70' Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in.	1.90 3.00 3.40 4.50 5.50	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00	125.00 200.00 225.00 W Birch 90.00 125.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50'-70' Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50'-60'	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00	125.00 200.00 225.00 W Birch 90.00 125.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50'-70' Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00	125.00 200.00 225.00 W Birch 90.00 125.00
6 to 8 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive	125.00 200.00 225.00 W Birch 90.00 125.00 er Birch is quite
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50'-70' Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50'-60' Thrives in moist places; its to unique. 5 to 6 ft.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive	125.00 200.00 225.00 W Birch 90.00 125.00 er Birch is quite
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 6 to 8 ft.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive ged bark	125.00 200.00 225.00 W Birch 90.00 125.00 er Birch is quite 90.00 125.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 1 ½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40 0rn, rags	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive ged bark	125.00 200.00 225.00 W Birch 90.00 125.00 er Birch is quite 90.00 125.00 150.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40 0rn, rags 1.35 1.90 2.25 3.00	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive ged bark 11.00 14.50 19.00 25.00	125.00 200.00 225.00 W Birch 90.00 125.00 er Birch is quite 90.00 125.00 150.00 200.00
6 to 8 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1¾ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft.—1¼ to 1½ in. 10 to 12 ft.—1½ to 1¾ in.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40 0rn, rags 1.35 1.90 2.25 3.00 3.75	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive ged bark 11.00 14.50 19.00 25.00 31.00	125.00 200.00 225.00 W Birch 90.00 125.00 125.00 150.00 200.00 250.00
6 to 8 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1¾ in. 13¼ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.—1¼ to 1½ in. 13¼ to 2 in.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40 0rn, rags 1.35 1.90 2.25 3.00 3.75 5.25	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive ged bark 11.00 14.50 19.00 25.00 31.00 44.00	125.00 200.00 225.00 W Birch 90.00 125.00 er Birch is quite 90.00 125.00 150.00 200.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 1¾ to 1½ in. 10 to 12 ft.—1¼ to 1½ in. 1¾ to 2 in. 2 to 2½ in	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40 0rn, rags 1.35 1.90 2.25 3.00 3.75 5.25 6.00	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive ged bark 11.00 14.50 19.00 25.00 31.00 44.00 50.00	125.00 200.00 225.00 W Birch 90.00 125.00 125.00 150.00 200.00 250.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 1¾ to 1½ in. 10 to 12 ft.—1¼ to 1½ in. 1¾ to 2 in. 2 to 2½ in. 2½ to 3 in.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40 0rn, rags 1.35 1.90 2.25 3.00 3.75 5.25 6.00 8.00	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive ged bark 11.00 14.50 19.00 25.00 31.00 44.00	125.00 200.00 225.00 W Birch 90.00 125.00 125.00 150.00 200.00 250.00
6 to 8 ft. 8 to 10 ft. 8 to 10 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1¾ in. 1¾ to 2 in. *lutea, 50′-70′ Makes fine windbreak. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1¼ to 1½ in. *nigra, 50′-60′ Thrives in moist places; its to unique. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 1¾ to 1½ in. 10 to 12 ft.—1¼ to 1½ in. 1¾ to 2 in. 2 to 2½ in.	1.90 3.00 3.40 4.50 5.50 1.35 1.90 3.00 3.40 0rn, rags 1.35 1.90 2.25 3.00 3.75 5.25 6.00 8.00	14.50 25.00 28.00 37.50 47.00 Yellov 11.00 14.50 25.00 28.00 Rive ged bark 11.00 14.50 19.00 25.00 31.00 44.00 50.00	125.00 200.00 225.00 W Birch 90.00 125.00 125.00 150.00 200.00 250.00

BETULA—continued	Each	Per 10	Per 100	
*papyrifera, 40'-50'	Paper	or Canoe	Birch	
Picturesque paper bark, very white when older.				
5 to 6 ft	1.10	9.50		
6 to 8 ft	1.90	14.50	125.00	
8 to 10 ft	2.25	19.00		
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	28.00	200.00	
13/4 to 2 in	4.50 5.50	37.50 47.00	300.00	
$2 \text{ to } 2^{\frac{1}{2}} \text{ in.} \dots$	6.75	55.00		
populifolia, 30'-40'		Gray	Birch	
Will grow in poor soil and dry p native in New Jersey.	olaces. C	ommonly	found	
5 to 6 ft	1.50	12.00	100.00	
6 to 8 ft	2.25	19.00	150.00	
8 to 10 ft	3.00	25.00		
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	28.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3 . 75	31.00		
13/4 to 2 in	4.50	37.50		
2 to 2½ in	5.50	47.50		
BIGNONIA grandiflora, 25'-40'	inasa T	'rumpeto	reener	
		_	_	
One of the handsomest of flow trusses of orange-yellow flowers				
2 year, grafts 3 year, grafts	.70 .90	5.50 7.50	-	
Mad. Gallen, 25'-40'				
An improved variety of a darker	orange t	han gran	diflora.	
2 year, grafts	.70	5.50	45.00	
3 year, grafts	.90		60.00	
radicans, 25'-40'	Т	rumpeto	reeper	
Showy, trumpet-shaped flowers, s Roots as it climbs.	carlet a	nd orang	e, July.	
2 year, heavy	.20	1.50	12.50	
3 year, heavy	.30	2.50	20.00	
4 year, heavy	·3 <i>5</i>	2.80	22.50	
BUDDLEIA alternifolia, 10'-12' Alternate	e leaved	l Butterf	lyhush	
Hardiest member of this genus.				
summer and continuing into the	fall.		in iiiid-	
2 to 3 ft	•55	4.70	45.00	
3 to 4 ft	.70 .90	5.50 7.50	45.00 60.00	
davidi magnifica, 5'-6'		Butterf	lybush	
Very effective with gray-green flowers; likes sun. June-Septembe		and dee	p lilac	
4 to 5 ft	.70 .90	7.50		
veitchiana, 5'-6'	Veitch	Butter	Aybush	
Mauve-colored flowers with brig bloom early in August.	ht orang	ge eye. S	tarts to	
1½ to 2 ft	.22	1.90	15.00	
2 to 3 ft	-35	2.80	22.50	

	Fach	Per 10	Per 100
BUXUS sempervirens (bush form			
Evergreen. Useful for formal he		3 ====	
12 to 15 in., B. & B	.80	6.50	52.50
15 to 18 in., B. & B	1.10	9.50	75.00
18 to 24 in., B. & B	1.90 3.50	14.50 28.00	125.00
$2\frac{1}{2}$ to 3 ft., B. & B	5.25	-	
—arborescens, 20'-25'	Tru	etree Bo	xwood
Evergreen. Tall shrub or small to	ree with	oval lea	ves.
10 to 12 in., B. & B		5.50 6.50	
—handsworthi, 15'-20'	Ha	andswort	h Box
Evergreen. An excellent, hardy than sempervirens and of very u			foliage
15 to 18 in., B. & B	2.20	19.00	
18 to 24 in., B. & B	3.00 3.50	~	
—suffruticosa, 3'-4'		ırf Box I	Adving
Evergreen. Extensively used for lot to offer this season. Also call	edging.	We have	a fine
4 to 6 in	.22	1.90	15.00
6 to 8 in	•4 <i>5</i> •90	3.7 <i>5</i> 7.50	30.00
0 10 10 111.	.90	7.50	00.00
——————————————————————————————————————			
CALLICARPA purpurea, 3'-4'	China	se Beaut	who
Lilac-violet berries, especially Graceful habit.		ive in	
18 to 24 in	.22	1.90	15.00
2 to 3 ft	-35	2.80	22.50
3 to 4 ft	·4 <i>5</i> ·70	3.75 5.50	30.00
CALLUNA vulgaris, 1'-2'	.,-		eather
Evergreen. These excellent everg	green pl		
masses and may be planted to ad	vantage	on well-	drained
slopes. Plants offered are first-cla			
2 year 3 year		3.75 5.50	30.00
-alba, white flowers.	,,0	y.ye	43.00
-alporti, bright green foliage, red	dish-pu	rple flow	rers.
-aurea, yellow-green foliage, mau			
-humilis, bright green foliage, w	hite flo	wers.	
-pilosa, white flowers.			
-rosea, bright green foliage, ros	e-color	ed flowe	rs.

	Each	Per 10	Per 100
CALYCANTHUS floridus, 4'-5'		Swee	etshrub
An old garden favorite, with brown flowers.	fragrant,	dark 1	eddish-
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·35	2.80	22.50 30.00
3 to 4 ft	.4 <i>5</i> .80	3.7 <i>5</i> 6.50	52.50
5 to 6 ft	1.10	9.50	75.00
CARAGANA arborescens, 10'-12		erian P	ea-tree
Yellow, pea-shaped flowers, Ma	•		
18 to 24 in	.22 .30	1.90 2.50	15.00 20.00
3 to 4 ft	·35	2.80	22.50
4 to 5 ft	-4 <i>5</i>	3.75	30.00
5 to 6 ft	.70	5.50	
CARPINUS betulus, 60'-70' Leaves like Caroliniana but stre	Europe		nbeam
	.80	6.50	
2 to 3 ft 3 to 4 ft	1.00	8.50	
4 to 5 ft	1.35	11.00	
5 to 6 ft	2.25	19.00	
6 to 7 ft	3.50		
7 to 8 ft	4.50		
, , ,	Americ		
Bushy, low and often pendulou green foliage with fine autumn			bluish-
2 to 3 ft			27 50
3 to 4 ft	•55 •90	4.70 7.50	37.50 60.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.90	14.50	
6 to 8 ft	3.00	25.00	
8 to 10 ft	3.7 <i>5</i> 5.25	31.00 45.00	250.00
CARYOPTERIS incana (mastac			
Lavender-blue flowers, Septemb	er-Octobe	Blue r. Splen	
massing. Requires protection. Al	so called .35		22.50
CATALPA bungei, 10'-15' Useful in formal planting.	Um	brella (Catalpa
First Class Heads, 2 yr., 5 to			
6 ft	.70	5.50	45.00
13/4 in	1.00	8.50	67.50
Extra Large Heads, 2 in Extra Large Heads, 2 1/4 in	1.25 1.90	11.00	82.50 125.00
Extra Large Heads, 2½ in	2.25	19.00	
speciosa, 30'-35'	W	estern (Catalpa
Makes a very picturesque tree	with larg	e, heart	-shaped
leaves and long, bean-like seed			heavy,
transplanted and with straight,	_		07.40
6 to 8 ft	•55 .90	4.70 7.50	37.50 60.00
10 to 12 ft	1.35	11.00	90.00
2 to 2½ in	1.90	14.50	125.00
2½ to 3 in	3.00	25.00	
3 to 3½ in	3.50	28.00	

	_		
	Each	Per 10	
CEANOTHUS americanus, 3'-4'		Jer	sey-tea
Very attractive, dwarf, native sh	rub; wh	ite flowe	rs.
12 to 18 in	.55	4.70	37.50
18 to 24 in		5.50	
CEDRUS atlantica glauca, 35'-50'	B1	lue Atla	s Cedar
Large pyramidal tree with uprig			
rigid habit giving unique app foliage.	earance.	Handson	ne blue
4 to 5 ft., B. & B	10.00	_	675.00
5 to 6 ft., B. & B	12.50	100.00	
6 to 7 ft., B. & B	15.00		
deodara, 35'-50'			Deodar
Tall tree of pyramidal habit	with lig	ht bluis	h-green
needles-more graceful in appea	rance, no	t quite so	hardy.
	8.00		
		81.00	
6 to 7 ft., B. & B	11.25	*******	
7 to 8 ft., B. & B	14.25		
libani, 35'-50'	Ced	dar of L	ebanon
A large tree with wide spread	ling hori	zontal b	ranches
forming broad head. Dark or blu			
3 to 4 ft., B. & B	8.00	65.00	
4 to 5 ft., B. & B	10.00	85.00	675.00
5 to 6 ft., B. & B		100.00	
6 to 7 ft., B. & B	15.00	125.00	-
CELASTRUS orbiculatus, 15'-20' High-climbing shrub with orang son seeds.			
2 year 18 to 24 in	.22	1.90	15.00
2 year 2 to 3 ft	•3 <i>5</i>	2.80	22.50
3 year 3 to 4 ft	.45	3.75	30.00
4 year 4 to 5 ft	•55	4.70	37.50
scandens, 20'-25'	Americ	an Bitte	ersweet
Most adaptable vine with oran retain color when cut and dried	ige and		
2 year 18 to 24 in	.22	1.90	15.00
2 year 2 to 3 ft	·3 <i>5</i>	2.80	22.50
3 year 3 to 4 ft	.45	3.75	30.00
4 year 3 to 4 ft	.55	4.70	37.50
CELTIS occidentalis, 50'-60' Similar foliage and habit as Elr	n, but of		ckberry growth.
2 to 3 ft	.90	7.50	
3 to 4 ft	1.10	9.50	
4 to 5 ft	1.35	11.00	
5 to 6 ft	1.90	14.50	
8 to 10 ft	2.2 <i>5</i> 3.00	19.00	
		70	
CEPHALANTHUS occidentalis,			onbush
Round heads of creamy-white Good foliage; likes moisture.			
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·35	2.80	22.50
	•4 <i>5</i> •70	3.7 <i>5</i>	30.00 4 <i>5</i> .00
4 to 5 ft	1.00	5.50 8.50	67.50
			-,,,,

		Per 10	
CEPHALOTAXUS Harringtonia, dunculata)	Sı	oiral Plu	m-Yew
Compact columnar habit. Upright arranged leaves.	branc	hes and	spirally
18 to 24 in., B. & B	6.7 <i>5</i> 9.00		
CERASUS (See Prunus)			
*CERCIDIPHYLLUM japonicum	20'-2	o' Katsı	ira-tree
Develops into a nice symmetrical and autumn colors.			
5 to 6 ft	3.00	25.00	
6 to 8 ft	3.75	31.00	
8 to 10 ft	5.25	45.00	350.00
10 to 12 ft	6.75	55.00	
CERCIS canadensis, 12'-15'		nerican l	
Rosy-pink, April, very effective w wood; good foliage. Also called			th Dog-
2 to 3 ft	-3 5	2.80	22.50
3 to 4 ft	-45	3 . 7 <i>5</i>	30.00
4 to 5 ft	.70	5.50	45.00
5 to 6 ft	1.10	9.50	75.00
6 to 7 ft	1.90	14.50	125.00
7 to 8 ft	2.2 <i>5</i> 3.00	19.00 25.00	150.00
chinensis, 10'-12'		Chinese	
Flowers a little larger and darke compact habit of growth.	r than	above, b	ut more
12 to 18 in	.22	1.90	15.00
18 to 24 in	-45	3 . 7 <i>5</i>	30.00
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.25	10.00	
CHAMAECYPARIS lawsoniana		20'-25' Scarab (Cypress
Evergreen. Best columnar type;			
metallic hue.			Í
2 to 2½ ft., B. & B	3.50	28.00	
2½ to 3 ft., B. & B	4.50	37.50	
3 to 3½ ft., B. & B	5.50	47.00	*
$3\frac{1}{2}$ to 4 ft., B. & B	6.75	55.00	
—Triomphe de Boskoop, 20'-25'			
Handsome evergreen—narrow pyr	ramid.	Steel-blue	e leaves.
Bark reddish-brown.			2014, 004
6 to 7 ft	6.00	***************************************	- Chinameter - Lag
obtusa, 25'-35'		Hinoki (Cypress
Evergreen. Broad pyramid with frond-like foliage.	horizo	ntal, dar	k green,
2½ to 3 ft., B. & B	3.50	28.00	-
3 to 4 ft., B. & B	4.50	37.50	
4 to 5 ft., B. & B	5.50	47.00	
5 to 6 ft., B. & B	6.75	55.00	
6 to 7 ft., B. & B	8.00	65.00	-

CHAMAECYPARIS—continued	Each	Per 10	Per 100
obtusa compacta, 2½'-4'	F	ootball	Cypress
Evergreen. Almost spherical ir throughout winter. Very useful ir work.			
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B.	.80 1.10 1.90 2.25 3.50 4.50 5.50	6.50 9.50 14.50 19.00 28.00 37.50 47.00	75.00 125.00 150.00 225.00 300.00
—crippsi, 10'-15'	Cripps	Golden (Cypress
Evergreen. Slow growing, pale gold	den typ	pe.	
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.90 3.00 3.75	9.50 14.50 25.00 31.00	75.00 125.00 200.00
—filicoides, 10'-15'	Fern	ispray (Cypress
12 to 15 in., B. & B	2.25 3.50 4.50 5.50	19.00 28.00 37.50 47.00	
—gracilis, 12'-15'	ender l	Hinoki (Cypress
Narrow, irregular pyramid, rich, d grower—picturesque.	lark gr	een folia	ge. Slow
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.90 3.00 3.75 5.25 6.75	14.50 25.00 31.00 45.00 55.00	125.00 200.00 250.00 350.00 450.00
—lycopodioides, 3'-4'	lubmo	ss Reti	nospora
Dwarf type. Irregular habit. Spredark-green branchlets.	eading	branche	s. Thick
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	3.50 4.50 5.50 6.75	28.00 37.50 47.00	
—nana, 2½'-4'	warf l	Hinoki (Cypress
Evergreen. Low form, of slow green foliage.	owth,	with sho	rt, deep
9 to 12 in., B. & B	2.25 3.50 4.50 6.00	19.00 28.00 37.50 50.00	150.00 225.00 300.00
youngi, 15'-20'	oung (Golden (Cypress
Young foliage golden on pendulo	us bra	nches.	
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	3.00 3.50 4.50 6.00	25.00 28.00 37.50 50.00	

CHAMAECYPARIS—continued	Each	Per 10	Per 100
pisifera, 25'-35'	Sawa	ra Retir	ospora
Evergreen. Quick grower. Loosely			_
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	1.90	14.50	125.00
2½ to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	3.75	31.00	250.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	5.50 8.00	47.00 65.00	375.00
—aurea, 25'-35' Golden Evergreen. Foliage bright yellow,			_
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	2.00	14.50	125.00
2½ to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	3.75	31.00	250.00
5 to 6 ft., B. & B 6 to 7 ft., B. & B	5.50 8.00	47.00	375.00
0	0.00	65.00	
filifera, 15'-20'		ad Retin	ospora
Evergreen. Has long, stringy, d			-
bright green foliage. Graceful and	decora	ative.	
15 to 18 in., B. & B	.80	6.50	52.50
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	1.35	11.00	90.00
2½ to 3 ft., B. & B	1.90		125.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	4. <i>5</i> 0 6.00	37.50	300.00
FID DIT R W R	ra caca	ED (V)	
5 to 6 ft., B. & B	0.00	50.00	
		id Retin	ospora
	Threa	ıd Retin	_
—aurea, 10'-12' Golden Evergreen. Very bright, conspi Grows more slowly than preceding	Threa	ıd Retin	_
—aurea, 10'-12' Golden Evergreen. Very bright, conspi Grows more slowly than preceding 12 to 15 in., B. & B	Threacuous,	d Retin golden-	yellow.
—aurea, 10'-12' Golden Evergreen. Very bright, conspi Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	Threacuous, g. 1.10	d Retin golden- 9.50	75.00
—aurea, 10'-12' Golden Evergreen. Very bright, conspi Grows more slowly than preceding 12 to 15 in., B. & B	Threacuous, g. 1.10	d Retin golden- 9.50	75.00 90.00
—aurea, 10'-12' Golden Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. —variegata, 10'-12' Variegated	Threacuous, g. 1.10 1.35 2.25 3.50	9.50 11.00 19.00 28.00	75.00 90.00 150.00 225.00
—aurea, 10'-12' Golden Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. —variegata, 10'-12' Variegated Evergreen branchlets variegated w	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell	9.50 11.00 19.00 28.00 ad Retin	75.00 90.00 150.00 225.00
—aurea, 10'-12' Golden Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. —variegata, 10'-12' Variegated Evergreen branchlets variegated w 12 to 15 in., B. & B.	Threacuous, g. 1.10 1.35 2.25 3.50 l Threacith yell 1.90	9.50 11.00 19.00 28.00 ad Retin	75.00 90.00 150.00 225.00
—aurea, 10'-12' Golden Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. Evergreen branchlets variegated word 12 to 15 in., B. & B. 15 to 18 in., B. & B.	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25	9.50 11.00 19.00 28.00 ad Retin	75.00 90.00 150.00 225.00
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 18 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B.	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00	9.50 11.00 19.00 28.00 ad Retin	75.00 90.00 150.00 225.00 Ospora
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. variegata, 10'-12' Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. plumosa, 25'-35'	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00 Plum	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00	75.00 90.00 150.00 225.00 ospora
—aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. Plumosa, 25'-35' Evergreen. Forms a dense cone of the state o	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00 Plum	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00	75.00 90.00 150.00 225.00 ospora
—aurea, 10'-12' Golden Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. —variegata, 10'-12' Variegated Evergreen branchlets variegated w 12 to 15 in., B. & B. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 17 to 18 in., B. & B. 18 to 24 in., B. & B. Plumosa, 25'-35' Evergreen. Forms a dense cone of the shearing into formal shapes.	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00 Plumane tex	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin	75.00 90.00 150.00 225.00 ospora
—aurea, 10'-12' Golden Evergreen. Very bright, conspictors more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. —variegata, 10'-12' Variegated Evergreen branchlets variegated worder 12 to 15 in., B. & B. 15 to 18 in., B. & B. plumosa, 25'-35' Evergreen. Forms a dense cone of shearing into formal shapes. 15 to 18 in., B. & B.	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00 Plumante tex	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin	75.00 90.00 150.00 225.00 0spora
—aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. plumosa, 25'-35' Evergreen. Forms a dense cone of shearing into formal shapes. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 18 to 24 in., B. & B.	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00 Plumane tex .70 .90	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin ture. Use	75.00 90.00 150.00 225.00 0spora
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. variegata, 10'-12' Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. plumosa, 25'-35' Evergreen. Forms a dense cone of shearing into formal shapes. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00 Plumane tex .70 .90 1.10	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin ture. Use 5.50 7.50 9.50	75.00 90.00 150.00 225.00 0spora
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. variegata, 10'-12' Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. plumosa, 25'-35' Evergreen. Forms a dense cone of shearing into formal shapes. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B.	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00 Plumane tex .70 .90	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin ture. Use	75.00 90.00 150.00 225.00 0spora
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. variegata, 10'-12' Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. plumosa, 25'-35' Evergreen. Forms a dense cone of shearing into formal shapes. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	Threa cuous, g. 1.10 1.35 2.25 3.50 Threa ith yell 1.90 2.25 3.00 Plum fine tex .70 .90 1.10 1.90 3.00 5.50	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin eture. Use 5.50 7.50 9.50 14.50	75.00 90.00 150.00 225.00 0spora
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. variegata, 10'-12' Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 19 turnosa, 25'-35' Evergreen. Forms a dense cone of shearing into formal shapes. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	Threacuous, g. 1.10 1.35 2.25 3.50 Threacith yell 1.90 2.25 3.00 Plumane tex .70 .90 1.10 1.90 3.00 5.50 6.00	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin ture. Use 5.50 7.50 9.50 14.50 25.00 37.50 50.00	75.00 90.00 150.00 225.00 0spora
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. variegata, 10'-12' Evergreen branchlets variegated we 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. plumosa, 25'-35' Evergreen. Forms a dense cone of shearing into formal shapes. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	Threa cuous, g. 1.10 1.35 2.25 3.50 Threa ith yell 1.90 2.25 3.00 Plum fine tex .70 .90 1.10 1.90 3.00 5.50	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin ture. Use 5.50 7.50 9.50 14.50 25.00 37.50	75.00 90.00 150.00 225.00 0spora cspora cful for 45.00 60.00 75.00 125.00 200.00 300.00
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Thread cuous, g. 1.10 1.35 2.25 3.50 Thread ith yell 1.90 2.25 3.00 Plumane tex .70 .90 1.10 1.90 3.00 5.50 6.00 8.25	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin ture. Use 5.50 7.50 9.50 14.50 25.00 37.50 50.00	75.00 90.00 150.00 225.00 0spora ospora eful for 45.00 60.00 75.00 125.00 200.00 300.00 400.00
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Thread cuous, g. 1.10 1.35 2.25 3.50 Thread ith yell 1.90 2.25 3.00 Plumation tex .70 .90 1.10 1.90 3.00 5.50 6.00 8.25 Silvertish.	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin eture. Use 5.50 7.50 9.50 14.50 25.00 37.50 50.00 70.00	75.00 90.00 150.00 225.00 0spora ospora eful for 45.00 60.00 75.00 125.00 200.00 300.00 400.00
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Threa cuous, g. 1.10 1.35 2.25 3.50 Threa ith yell 1.90 2.25 3.00 Plum fine tex .70 .90 1.10 1.90 3.00 5.50 6.00 8.25 Silvertiish. 2.25	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin eture. Use 5.50 7.50 9.50 14.50 25.00 37.50 50.00 70.00	75.00 90.00 150.00 225.00 0spora ospora eful for 45.00 60.00 75.00 125.00 200.00 300.00 400.00
-aurea, 10'-12' Evergreen. Very bright, conspit Grows more slowly than preceding 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	Thread cuous, g. 1.10 1.35 2.25 3.50 Thread ith yell 1.90 2.25 3.00 Plumation tex .70 .90 1.10 1.90 3.00 5.50 6.00 8.25 Silvertish.	9.50 11.00 19.00 28.00 ad Retin .ow. 14.50 19.00 25.00 ne Retin eture. Use 5.50 7.50 9.50 14.50 25.00 37.50 50.00 70.00	75.00 90.00 150.00 225.00 0spora ospora eful for 45.00 60.00 75.00 125.00 200.00 300.00 400.00

CHAMAECYPARIS—continued	Each	Per 10	Per 100
plumosa aurea, 20'-25' Gold	lenplun	ne R <mark>eti</mark> n	ospora
Evergreen. A very showy plant	of gold	en-yellov	v color.
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	1.35	11.00	90.00
2½ to 3 ft., B. & B	1.90	14.50	125.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B	6.00	50.00	
6 to 7 ft., B. & B	8.25		
—lutescens, 21/2'-3' Dwarf Yell	owplun	ne Retin	ospora
Evergreen. Forms a low, broad	d. roun	d-topped	bush:
bright yellow-tipped branchlets.	,		,
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	1.10	8.50	67.50
18 to 24 in., B. & B	1.35	11.25	90.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
$2\frac{1}{2}$ to 3 ft., B. & B	3.50	28.00	
3 to $3\frac{\pi}{2}$ ft., B. & B	4.50	37.50	-
—nana, 2½'-3' Dwa	rf Plur	ne Retin	080000
An excellent, hardy, dwarf variet			
pact foliage.	y with	uaik gree	II, COIII-
8 to 10 in., B. & B	1.10	9.50	75.00
10 to 12 in., B. & B	1.35	11.00	90.00
12 to 15 in., B. & B	1.90	14.50	125.00
—sieboldi, 8'-10'			
Unusual variety; assumes rich dee	p purpl	e color in	winter.
15 to 18 in., B. & B	1.10	9.50	
18 to 24 in., B. & B	1.35	11.00	
2 to $2\frac{1}{2}$ ft., B. & B	1.90	14.50	
2½ to 3 ft., B. & B	2.25	19.00	
squarrosa sulphurea, 20'-25' Sulph	hur Mo	ss Retin	ospora
Has light yellow tips.			
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.10	9.50	75.00
18 to 24 in., B. & B	1.90	14.50	125.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.00	25.00	
3 to 3½ ft., B. & B	3.50	28.00	-
-veitchi, 25'-30'	7.1.	D-4:	
		ss Retin	
Evergreen. Foliage blue-gray, fea	thery a	nd dense	, giving
soft woolly appearance. Broad pyoung.	yramid	al outlin	e when
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	1.00	8.50	70.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.90	14.50	125.00
$2\frac{1}{2}$ to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	340	28.00	225.00
4 to 5 ft., B. & B	4.50	37.50	
— —nana, 2½'-3'	Dwar	Moss C	voress
Dwarf dense growth. Light blue-g			J pr 033
9 to 12 in., B. & B	1.65	13.50	
12 со 13 ин, р. сс р	2.25	15.00	

GILAR A POWDA DIG			
CHAMAECYPARIS—continued		Per 10	
thyoides ericoides, 6'-8'		r Retin	
Compact shrub form. Erect dense foliage.	habit, w	ith heat	her-like
12 to 15 in., B. & B	1.35	11.00	
15 to 18 in., B. & B	1.65	13.50	
18 to 24 in., B. & B	2.25 3.00	19.00 25.00	
	_		
CHIONANTHUS virginica, 15'-18		ite Fri	_
Fragrant, tassel-like, white flow black, plum-like fruits follow.	wers. M	a y- June	. Blue-
18 to 24 in	·5 <i>5</i>	4.70	37.50
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	1.00	8.50 12.50	67.50 100.00
5 to 6 ft	2.25	19.00	150.00
CLADRASTIS lutea (tinctoria),			
A striking tree with long panicles	of fragra	ant, whi	te flow-
ers in June.			
2 to 3 ft	1.35	11.00	90.00
3 to 4 ft	2.00	17.00	135.00
4 to 5 ft	3.00	25.00	200.00
5 to 6 ft	3.40 3.75	28.00	
7 to 8 ft	3·13 4.50	31.00	
,	4.00		
CLEMATIS jackmani, 10'-15' Large, very showy, rich purple fl		man Cl	lematis
2 year No. 1	.80	6.50	52.50
montana rubens	Anan	none Cl	lamatic
Strong grower, coiling by tendrils			
when unfolding. Attractive pink June.			
2 to 3 ft., 3 in. pots	-55	4.70	
panioulata od ori	eet Aut	(1	lomotia
white, fragrant flowers. Septemalso attractive.			
2 year	.30	2.50	20.00
3 year	•3 <i>5</i>	2.80	22.50
4 year	.45	3.70	30.00
CLERODENDRON trichotomum	, <mark>4'-10'</mark> Harlequi	n Glory	vhower
Flowers white with conspicuous			
Bright blue fruit.			cary a.
2 to 3 ft	1.65	13.50	
3 to 4 ft	2.2 <i>5</i> 3.00	19.00 25.00	
	3.00		
CLETHRA alnifolia, 4'-5'		Summe	ersweet
Spikes of very fragrant flowers. moist, shady places. Also called			
12 to 18 in	·3 <i>5</i>	2.80	22.50
18 to 24 in	.45	3.70	
2 to 2½ ft	.55	4.50	35.00
$2\frac{1}{2}$ to 3 ft			05
3 to 4 ft	.60 .80	5.00 6.50	

	Each	Per 10	Per 100
COLUTEA arborescens, 8'-10' Co.			
Yellow flowers. June-August. Usef			
3 to 4 ft	45	3.75	
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.80	6.50	52.50
6 to 7 ft	.90	7.50	60.00
7 to 8 ft	1.10	9.50	
8 to 9 ft	1.35	11.00	
COMPTONIA asplenifolia, 3'-5'		Swe	et Fern
Leaves are fern-like. Have punger			
Splendid in masses for covering			
neglect. Stands severe exposures al			
18 to 24 in., collected clumps 2 to 3 ft., collected clumps		5.00	
CORNUS alba (sibirica), 8'-10' Red			
Bright red bark, porcelain blue useful for winter effect.	Truits.	Quick	grower;
18 to 24 in	.16	1.30	11.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
-elegantissima, 6'-8'	ilverbl	otch Do	ogwood
Leaves are edged with creamy whi			
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	1.00	8.50	67.50
alternifolia, 15'-18'		Blue Do	
Branches spread horizontally; m			e. Blue-
black fruit. Also called Pagoda Do			20.00
2 to 3 ft	.60	3.70 5.00	30. 00
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	1.10	9.50	75.00
6 to 7 ft	1.45	12.00	97.50
amomum (sericea), 8'-9'	5	Silky Do	ogwood
Pale blue fruits; young twigs			
places.			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft 5 to 6 ft	.60	3.70 5.00	30.00
6 to 7 ft	.80	6.50	
*florida, 15'-25' White	eff our e	ring De	varrood.
Among the best of the spring-fl			
Nursery grown, well-formed stock		S, 5111a1	i tices.
2 to 3 ft	.45	3.75	30.00
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	1.00	8.50	67.50
5 to 6 ft	1.90	14.50	125.00
8 to 10 ft	3.00 4.50	25.00 37.50	200.00
	•		
		ring Do	
Double-flowering form of the native teresting accent tree.	e whit	le Dogwe	ood. In-
· · · · · · ·	3.50		
4 to 5 ft	4.50		
	5.50		

CORNUS—continued	Each	Per 10	Per 100
*florida rubra, 15'-20'	Redflowe	ring Do	gwood
The pink flowers are more persi		_	_
2 to 3 ft		9.50	75.00
3 to 4 ft		14.50	125.00
4 to 5 ft		25.00	200.00
5 to δ ft		37.50	300.00
6 to 8 ft		62.50	500.00
8 to 10 ft	11.50	95.00	750.00
kousa, 16'-18'	K	ousa Do	gwood
White flowers in June. Conspi-			_
fruits, attractive to birds.	caoab, circ	11, 1110,	500120
18 to 24 in	•55	4.70	37.50
2 to 3 ft		5.50	45.00
3 to 4 ft	1.00	8.50	67.50
4 to 5 ft		12.50	100.00
5 to 6 ft		19.00	150.00
6 to 7 ft		25.00 31.00	200.00 250.00
8 to 9 ft		47.00	
mas, 20'-25'		rnelian-	_
Handsome, large shrub. Small, Shining scarlet fruit in fall.	yellow fl	owers in	April.
18 to 24 in	45	3.50	30.00
2 to 3 ft		5.00	40.00
3 to 4 ft		7.50	60.00
4 to 5 ft	. 1.10	9.50	75.00
nuttalli, 25'-40'		cific Do	gwood
Dense growth. Red and orange f			•
6 to 8 ft	. 6.00	50.00	-
paniculata, 10'-12'		Gray Do	powood
Numerous, small, white flower			
white fruits on red stems.			wed by
18 to 24 in		2.50	20.00
2 to 3 ft		2.80 4.70	
4 to 5 ft		6.50	52.50
paucinervis, 5'-6'		eleaf Do	
From Central China. Half ever character. Handsome refined sh			
12 to 18 in	75	6.00	
18 to 24 in		8.50	
stolonifera, 7'-8'	Red-c	voice Do	arwood.
Spreading habit; dark red bar in moisture.	k, white f	ruits. Do	oes well
2 to 3 ft	22	1.90	15.00
3 to 4 ft	· · ·35	2.80	22.50
—lutea, 6'-7'	Golden	twig Do	gwood
Has distinct yellow bark; fine	for winter	effects.	
18 to 24 in	22	1.90	15.00
2 to 3 ft		2.80	
3 to 4 ft		3.75	30.00

			_
		Per 10	
· -		rican H	
One of our native, nut-bearing attractive addition to natural pla	shrubs inting.	that ma	
2 to 3 ft	.45 .60	3.75	30.00
3 to 4 ft	.85	5.00 7.00	40.00 55.00
5 to 6 ft	.90	7.50	60.00
avellana atropurpurea, 12'-15'		Purple	
Purple-leaved form. Useful for o shrub border.	ccasiona		s in the
3 to 4 ft	3.75 5.25	30.00 4 <i>5</i> .00	
COTONEASTER acuminata, 10'-1	2′		
Erect shrub. Deciduous. Large dee to Cotoneaster simonsi.	p-scarle	et fruits.	Similar
12 to 15 in., B. & B	.70	5.50	
15 to 18 in., B. & B 18 to 24 in., B. & B	.90 1.10	7.50 9.50	******
2 to 2½ ft., B. & B	2.00		
acutifolia, 10'-12'		ng Coto	
Small pink flowers in clusters, fol		•	
7-in pots	.70 .45	5.50 3.70	4 <i>5</i> .00
3 to 4 ft., field grown	.70	5.50	45.00
4 to 5 ft., field grown 5 to 6 ft., field grown	.90 1.10	7.50	60.00
adaraga TOU a."	~ .		
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers	ters. E	xtremely	
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B	ters. E sistent.	xtremely -75	hardy. 6.00
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers	ters. E sistent.	xtremely	hardy. 6.00
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B	ters. E sistent. .90 Di	•75 els Coto 6.50	hardy. 6.00
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B	sters. E sistent. .90 Di .80	•75 els Coto	hardy. 6.00
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B	ters. E sistent. .90 Di	•75 els Coto 6.50	hardy. 6.00
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B	.90 Di .80 1.10 2.00 2.25	.75 els Coto 6.50 9.50 —— ng Coto	6.00 neaster
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B	.90 Di .80 1.10 2.00 2.25 Spreadi	of the contract of the contrac	6.00 neaster
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B	.90 Di .80 1.10 2.00 2.25 Spreadi red fru 1.90	of the street of	hardy. 6.00
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B. dielsiana, 6'-8' Bright red fruit. 9 to 12 in., 4 in. pots 15 to 18 in., 5 in. pots 18 to 24 in., 6 in. pots 2 to 2½ ft., 7 in. pots divaricata, 5'-6' Handsome shrub bearing bright 18 to 24 in., 5 in. pots 2 to 2½ ft., 7 in. pots 2 to 2½ ft., 7 in. pots	.90 Di .80 1.10 2.00 2.25 Spreadi red fru 1.90 2.25 2.25	6.50 9.50 ng Coto its. 14.50 19.00	6.00 neaster
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B. dielsiana, 6'-8' Bright red fruit. 9 to 12 in., 4 in. pots	.80 1.10 2.00 2.25 Spreadi red fru 1.90 2.25	6.50 9.50 ng Coto its. 14.50 19.00	6.00 neaster
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B. dielsiana, 6'-8' Bright red fruit. 9 to 12 in., 4 in. pots 15 to 18 in., 5 in. pots 18 to 24 in., 6 in. pots 2 to 2½ ft., 7 in. pots divaricata, 5'-6' Handsome shrub bearing bright 18 to 24 in., 5 in. pots 2 to 2½ ft., 7 in. pots 2 to 2½ ft., 7 in. pots	.80 1.10 2.00 2.25 Spreadi red fru 1.90 2.25 2.25 3.00	6.50 9.50 ng Cotonits. 14.50 19.00 19.00 25.00	hardy. 6.00 neaster oneaster
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B. dielsiana, 6'-8' Bright red fruit. 9 to 12 in., 4 in. pots 15 to 18 in., 5 in. pots 18 to 24 in., 6 in. pots 2 to 2½ ft., 7 in. pots divaricata, 5'-6' Handsome shrub bearing bright 18 to 24 in., 5 in. pots 2 to 2½ ft., 7 in. pots 2 to 2½ ft., 7 in. pots 3 to 4 ft., B. & B. foveolata, 6'-10'	.80 1.10 2.00 2.25 Spreadired fru 1.90 2.25 2.25 3.00	6.50 9.50 ng Cotonits. 14.50 19.00 19.00 25.00	hardy. 6.00 neaster oneaster fall. 55.00
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B. dielsiana, 6'-8' Bright red fruit. 9 to 12 in., 4 in. pots 15 to 18 in., 5 in. pots 18 to 24 in., 6 in. pots 2 to 2½ ft., 7 in. pots 4 to 2½ ft., 7 in. pots 2 to 2½ ft., 7 in. pots 2 to 2½ ft., 7 in. pots 3 to 4 ft., B. & B. foveolata, 6'-10' Fruits black; foliage turns bright 18 to 24 in. 2 to 2½ ft.	.80 1.10 2.00 2.25 Spreadired fru 1.90 2.25 2.25 3.00 t scarlet .80 1.10	.75 els Coto 6.50 9.50 mg Coto its. 14.50 19.00 19.00 25.00 t in the 7.00 9.50	fall. 55.00 75.00
Most prostrate of the Cotoneas Flowers and fruit red. Leaves pers 6 to 9 in., B. & B. dielsiana, 6'-8' Bright red fruit. 9 to 12 in., 4 in. pots 15 to 18 in., 5 in. pots 18 to 24 in., 6 in. pots 2 to 2½ ft., 7 in. pots 4 to 2½ ft., 7 in. pots 2 to 2½ ft., 7 in. pots 2 to 2½ ft., 7 in. pots 3 to 4 ft., B. & B. foveolata, 6'-10' Fruits black; foliage turns bright 18 to 24 in. 2 to 2½ ft.	.80 1.10 2.00 2.25 Spreadired fru 1.90 2.25 2.25 3.00 t scarled .80 1.10 Franciariety white to	75 els Coto 6.50 9.50 mg Coto 19.00 19.00 25.00 t in the 7.00 9.50 het Coto with sponentum	fall. 55.00 neaster reading

COTONEASTER—continued	Each	Per 10	Per 100
horizontalis (davidiana), 2'-3'	Ro	ck Coto	neaster
Evergreen. Small, box-like leave effective among rocks.			
6 to 9 in., B. & B	-55	4.70	37.50
9 to 12 in., B. & B	.85	7.00	50.00
12 to 15 in., B. & B	1.00	8.50 11.00	67.50
15 to 18 in., B. & B	1.35	8.50	90.00
15 to 18 in., 5 in. pots	1.50	12.50	
—perpusilla, 2'-3'			
Smaller leaves and larger fruit th			
15 to 18 in., B. & B	1.10	9.50	75.00
—prostrata, 8'-10'			
Evergreen shrub with long archir dense mass. Attractive foliage with	h red f	ruits.	g a low
12 to 15 in., 4 in. pots 15 to 18 in., 5 in. pots	1.00	8.50 11.00	
18 to 24 in., 6 in. pots	1.3 <i>5</i> 1.90		
2 to 2½ ft., 7 in. pots	2.25	19.00	
microphylla, 1½'-2'			kspray
Evergreen. Very small leaves, v		p green.	Rather
more bushy than the Rock Cotone		r r0	4500
6 to 9 in., B. & B	.70 .90	5.50 7.50	45.00 60.00
12 to 15 in., 4 in. pots	1.10	9.50	75.00
15 to 18 in., 5 in. pots	1.35	11.00	75.00
18 to 24 in., 6 in. pots			
rotundifolia (buxifolia), 1½'-2' F Evergreen. Prostrate-growing. Sen small, round green foliage and br	ni-everg	green shr	ub with
12 to 15 in., 4 in. pots	_	8.50	67.50
15 to 18 in., 5 in. pots		11.00	
18 to 24 in., 6 in. pots	1.90		
2 to $2\frac{1}{2}$ ft., 7 in. pots		19.00	
salicifolia, 10'-12' W Hardy. Partly evergreen. Graceful Beautiful in autumn when covere	and sp		n habit.
9 to 12 in., 4 in. pots	.70		***************************************
15 to 18 in., 5 in. pots	.90	7.50	
18 to 24 in., 6 in. pots	1.10		
simonsi, 5'-6' Almost evergreen. Good grower		ns Coto ose habit	
6 to 9 in., B. & B	.70	5.50	45.00
12 to 15 in., B. & B		7.50	60.00
12 to 15 in., 4 in. pots		11.00	
15 to 18 in., 5 in. pots	1.90 2.25		
*CRATAEGUS arnoldiana, 20'		nold Ha	wthorn
An open-headed tree having which bright crimson fruit in August.			
2 to 3 ft	.80	6.50	52.50
3 to 4 ft	1.10	9.50	75.00
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	2.25	19.00	150.00
6 to 7 ft	3.00	25.00 28.00	200.00
8 to 9 ft	3.50 3.75		
	3.13		

CRATAEGUS—continued	Each	Per 10	Per 100
carrierei, 15'-20'	Carr	iere Hav	wthorn
A variety of Hawthorn very selde			
large with red disc and followed	d by la	rge oval	fruits.
bright orange or brick red.	a by la	ige, ovai	i iiuits,
3 to 4 ft	1.10	9.50	75.00
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	3.00	25.00	200.00
6 to 7 ft	3.40	28.00	
coccinea, 15'-20'	,	cket Ha	wthorn
Shrubby habit with long curved			
leaves. Has large, white flowers as in autumn.			
3 to 4 ft	1.10	9.50	75.00
4 to 5 ft	1.50	12.50	100.00
5 to 6 ft	2.25	19.00	150.00
	3.00	25.00	200.00
6 to 7 ft	-	28.00	200.00
7 to 8 ft	3.50		
8 to 9 ft., heavy	4.50	37.50	
9 to 10 ft., heavy	5.50	47.00	
coccinioides, 15'-20'			
Tree branches spreading, forming	na a b	road ha	ndroma
head; foliage tinged red, turning			
fall.	g scarre	t and or	ange m
5 to 6 ft	2.25	19.00	
6 to 7 ft	3.00	25.00	200.00
7 to 8 ft	3.50	28.00	
8 to 9 ft	3.75	31.00	
	x 7 1 •		.1
		gton Ha	
Berries are small, brilliant red, winter. Brilliant autumn foliage.	and p	ersist ne	arl y all
2 to 3 ft	1.35	11.00	
3 to 4 ft	1.90	14.50	
4 to 5 ft	2.25		
		1	7 01
*crusgalli, 15'		Cockspur	
Deep green, shiny leaves make th		horn dis	tinctive;
white flowers are also conspicuo	us.		
2 to 3 ft	.55	4.70	37.50
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.90	14.50	125.00
6 to 7 ft	2.25	19.00	150.00
7 to 8 ft., heavy	3.50	28.00	
8 to 9 ft., heavy	4.50	37.50	
9 to 10 ft., heavy	5.50	47.00	
*mollis, 15'	Do	wny Ha	wthorn
Vigorous, large leaves; red berrie			
		14.70	10 # 00
4 to 5 ft	1.90	14.50	125.00
5 to 6 ft	2.25	19.00	150.00
6 to 7 ft	3.00	25.00	200.00
7 to 8 ft	3.50	28.00	
8 to 9 ft	3.75	31.00	
9 to 10 ft	4.50	37.50	

CRATAEGUS—continued	Each	Per 10	Per 100
*oxycantha, 12'-15'	Eng	lish Haw	thorn
Single, white flowers.			
2 to 3 ft	·55	4.70	37.50
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.35	11.00	90.00
6 to 7 ft	1.90 2.25	14.50 19.00	125.00
8 to 9 ft	3.00	25.00	
9 to 10 ft., heavy	3.75		
10 to 12 ft., heavy	5.50		
	ul Eng	lish Hav	vthorn
Double, scarlet flowers.			
2 to 3 ft	1.35	11.25	
3 to 4 ft	1.90 2.25	14.50° 19.00	
5 to 6 ft	3.00	25.00	
6 to 7 ft	3.40	28.00	
7 to 8 ft	3.75	31.00	
*—double white, 12'-15'			
2 to 3 ft	1.35	11.00	
3 to 4 ft	1.90	14.50	
4 to 5 ft	2.25	19.00	
5 to 6 ft	3.00	25.00	
6 to 7 ft	3.50		
7 to 8 ft	5.25		
*—double pink, 12'-15'			
2 to 3 ft	1.35	11.00	
3 to 4 ft	1.90		
4 to 5 ft	2.25	-	
5 to 6 ft	3.00		
6 to 7 ft	3.50		
pedicellata, 15'-20'	1.	1	1.
Small tree having slender, spi branches, forming a symmetrical		and aso	ending
2 to 3 ft		11.00	90.00
3 to 4 ft	1.35 1.90	14.50	125.00
4 to 5 ft	2.25	19.00	
			(1,
*punctata, 25'-30'		otted Hav	
Broad-headed, small tree with I May; dull red, spotted fruit in C			vers III
3 to 4 ft	1.10		
4 to 5 ft	1.90		125.00
5 to 6 ft	2.25	19.00	150.00
6 to 7 ft	3.00	25.00	
pyracantha lalandi (See PYRAC	CANTI	HA)	
CRYPTOMERIA japonica lobbi,			•
Forms		bb Crypt	
Forms narrow, irregular columnesque, rich bronze winter color. drained location.			
2 to 3 ft., B. & B	1.90	14.50	125.00
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B	5.50	47.00	375.00
5 to 6 ft., B. & B	8.00	65.00	525.00
6 to 7 ft., B. & B	10.00	85.00	675.00
7 to 8 ft., B. & B	13.50	110.00	
8 to 9 ft., B. & B	19.00	145.00	

	Each	Per 10	Per 100
CYDONIA japonica, 4'-5'	F1c	owering	Quince
Scarlet flowers in April, May.		•	
12 to 18 in	.20	1.50	12.50
18 to 24 in	.30 •35	2.50 3.10	20.00
	•35	30	25.00
-HYBRIDS, 4'-5'			
alba, whiteflowering.	7041120		
atrococcinea plena, double redflow	vering.		
Boule de feu, redflowering.			
cardinalis, redflowering.			
coccinea erecta, redflowering.			
superba atrosanguinea, redflower	ing.		
vermillion, redflowering.	1.10	0.70	
18 to 24 in	1.10 1.65	2 2	
CYTISUS praecox alba			
Of garden origin. Slender upright Flowers yellowish-white.	nt or a	rching b	ranches.
12 to 18 in., pot grown	.90	7.50	
scoparius, 4'-6'		Scotch	Broom
Slender, arching shrub with yello	w flow	ers.	
12 to 15 in., pot grown	.70	5.50	
A.D.S.			
—→———————————————————————————————————	• ;=====		
DAPHNE cneorum, 1'	•	Rose 1	Daphne
	low sp	reading.	•
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B	low sp atful fr .80	oreading. ragrance. 6.50	Pretty, 52.50
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh	low spatful from .80	reading.	Pretty, 52.50 75.00
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B	low spatful from .80	oreading. ragrance. 6.50 9.50 13.50	Pretty, 52.50 75.00
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B	low spatful from .80 1.10 1.65	oreading. ragrance. 6.50 9.50 13.50 Dov	Pretty, 52.50 75.00 110.00 76 Tree 2 white
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B	low spatful from .80 1.10 1.65 with voly hare	oreading. ragrance. 6.50 9.50 13.50 Dov ery large dy north	Pretty, 52.50 75.00 110.00 76 Tree 2 white
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B	low spatful from .80 1.10 1.65 with voly hard	oreading. ragrance. 6.50 9.50 13.50 Dovery largedy north	Pretty, 52.50 75.00 110.00 76 Tree 2 white
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots	low spatful fine .80 1.10 1.65 with voly hard 13.50 19.00	oreading. ragrance. 6.50 9.50 13.50 Dovery largedy north	Pretty, 52.50 75.00 110.00 76 Tree 2 white
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots	low spatful from .80 1.10 1.65 with voly hard 13.50 19.00	oreading. ragrance. 6.50 9.50 13.50 Dovery largedy north	Pretty, 52.50 75.00 110.00 Tree white of New
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably york City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ DEUTZIA gracilis, 3' Profuse bloomer, pure white, May	low spatful from .80 1.10 1.65 with voly hard 13.50 19.00 A)	Dovery largedy north	Pretty, 52.50 75.00 110.00 Tree white of New ——— Deutzia "shrub.
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ) DEUTZIA gracilis, 3' Profuse bloomer, pure white, May 12 to 15 in.	low spatful from .80 1.10 1.65 with voly hards. 13.50 19.00 A)	Dovery largedy north 110.00 145.00 Slender I 1 "facing	Pretty, 52.50 75.00 110.00 7e Tree e white of New ——— Deutzia "shrub. 11.00
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ) DEUTZIA gracilis, 3' Profuse bloomer, pure white, May 12 to 15 in. 15 to 18 in. 18 to 24 in.	low spatful from .80 1.10 1.65 with voly hard 13.50 19.00 A)	Dovery largedy north	Pretty, 52.50 75.00 110.00 76 Tree white of New Deutzia "shrub. 11.00 15.00
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ) DEUTZIA gracilis, 3' Profuse bloomer, pure white, May 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	low spatful from .80 1.10 1.65 with voly hard 13.50 19.00 A) Solution .16 .22 .30 .35	Dovery largedy north 110.00 145.00 Slender I 1 "facing 1.30 1.90 2.50 3.00	Pretty, 52.50 75.00 110.00 7e Tree white of New Deutzia "shrub. 11.00 15.00 20.00 25.00
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Delight 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ DEUTZIA gracilis, 3' Profuse bloomer, pure white, May 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	low spatful from .80 1.10 1.65 with voly hard 13.50 19.00 A) Usefu .16 .22 .30	Dovery largedy north 110.00 145.00 Slender I 1 "facing" 1.30 1.90 2.50 3.00 4.70	Pretty, 52.50 75.00 110.00 76 Tree white of New Deutzia shrub. 11.00 15.00 20.00 25.00 37.50
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ. DEUTZIA gracilis, 3' Profuse bloomer, pure white, May 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —rosea, 3'	low spatful from .80 1.10 1.65 with voly hard 13.50 19.00 A) Usefu .16 .22 .30 .35 .55	Dovery largedy north 110.00 145.00 Slender I 1 "facing 1.30 1.90 2.50 3.00 4.70 Rose	Pretty, 52.50 75.00 110.00 7e Tree white of New Deutzia "shrub. 11.00 15.00 20.00 25.00 37.50 Panicle
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ) DEUTZIA gracilis, 3' Profuse bloomer, pure white, May 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —rosea, 3' Similar in growth to above but we 12 to 15 in.	low spatful from .80 1.10 1.65 with voly hard 13.50 19.00 A) Usefu .16 .22 .30 .35 .55	Dovery largedy north 110.00 145.00 Slender I 1 "facing 1.30 1.90 2.50 3.00 4.70 Rose	Pretty, 52.50 75.00 110.00 76 Tree white of New Deutzia "shrub. 11.00 15.00 20.00 25.00 37.50 Panicle ers.
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ) DEUTZIA gracilis, 3' Profuse bloomer, pure white, May 12 to 15 in. 15 to 18 in. 2 to 2½ ft. 2½ to 3 ft. —rosea, 3' Similar in growth to above but w 12 to 15 in. 15 to 18 in.	low spatful from .80 1.10 1.65 with voly hard .13.50 19.00 A) Usefu .16 .22 .30 .35 .55	Dovery largedy north 110.00 145.00 Clender I 1 "facing 1.30 1.90 2.50 3.00 4.70 Rose kish flow 1.90 2.50	Pretty, 52.50 75.00 110.00 76 Tree white of New Deutzia "shrub. 11.00 15.00 25.00 37.50 Panicle ers. 15.00 20.00
DAPHNE cneorum, 1' Evergreen. Gray-green foliage, pink flowers in April-May. Deligh 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. DAVIDIA involucrata Rare and choice flowering tree floral bracts. Our strain not reliably York City. Makes a fine accent tree 2 to 3 ft., 5-in. pots 3 to 4 ft., 6-in. pots DESMODIUM (See LESPEDEZ) DEUTZIA gracilis, 3' Profuse bloomer, pure white, May 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —rosea, 3' Similar in growth to above but we 12 to 15 in.	low spatful from .80 1.10 1.65 with voly hard .13.50 19.00 A) Usefu .16 .22 .30 .35 .55	Dovery largedy north 110.00 145.00 Slender I 1 "facing 1.30 1.90 2.50 3.00 4.70 Rose kish flow 1.90	Pretty, 52.50 75.00 110.00 7e Tree white of New Deutzia "shrub. 11.00 15.00 20.00 25.00 37.50 Panicle ers. 15.00

DEUTZIA—continued	Each	Per 10	Per 100
lemoinei, 4'-5'	Le	moine I	Deutzia
Large, white flowers, June, grace	ful.		
12 to 18 in	.16	1.30	11.00
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·3 <i>5</i>	2.80	22.50
3 to 4 ft	.50	4.50	35.00
—mont rose, 4'-5'			
Very desirable new shrub of for dium grower with attractive pink			on. Me-
18 to 24 in	.70	5.50	45.00
2 to 2½ ft	.80	6.50	52.50
2½ to 3 ft	.90	7.50	60.00
3 to 4 ft	1.10	9.00	
scabra candidissima, 9'-10'		wflake D	eutzia –
Graceful habit, double white, Jun			
18 to 24 in	.16	1.30	11.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	·35	2.80	22.50
4 to 5 ft	.45	3.70 4.70	30.00
	•55		
- ·	Double	Pink D	eutzia
Pink, slightly fragrant, June.			
18 to 24 in	.16	1.30	11.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft	.45	3.70	30.00
5 to 6 ft	-55	4.70	
—magnifica, 9'-10'			
One of the most desirable newer and very showy panicles of large			
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft	-45	3.70	30.00
5 to 6 ft	·55	47.00	***************************************
		Flwd. D	eutzia
Vigorous, large flower tinged pink	_		
18 to 24 in	.16	1.30	11.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	-3 <i>5</i>	2.80	22.50
4 to 5 ft	·4 <i>5</i>	3.70	30.00
5 to 6 ft	.55	4.70	
DIERVILLA sessilifolia (lutea), 4 Southe		h-honey	suckle
Yellow, more vigorous than trifid	a, June-	July.	
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	·55	4.70 .	37.50
4 to 5 ft	.75	6.25	
trifida, 3' Dwa	rf Bus	h-honey	suckle
Yellow, June-July. A good low shi	rub for	shady pl	aces.
12 to 18 in		• -	
18 to 24 in	•45 •55	4.70	
•	33		

	Each	Per 10	Per 100
DIOSPYROS virginiana, 15'	Comm	on Persi	mmon
Handsome foliage.			
2 to 3 ft	·75	6.25	
3 to 4 ft	.90	7.50	
4 to 5 ft	1.10 1.65	9.50	
6 to 7 ft	3.00		
	J		
—————————————————————————————————————	• <u>*</u>		
ELAEAGNUS angustifolia, 15'-13	8′	Russia	n-olive
Silver-gray leaves and branchlet for massing.	ts, orang	e berries	; good
2 to 3 ft	·3 <i>5</i>	2.80	22.50
3 to 4 ft	•4 <i>5</i> •5 <i>5</i>	3.70 4.70	30.00
5 to 6 ft	.80	6.50	52.50
6 to 7 ft	1.00	8.50	67.50
7 to 8 ft	1.25	10.00	82.50
8 to 9 ft	1.50	12.50	
longipes, 6'-8'		erry Ela	_
Silvery leaves, fragrant, yellow : berries ripe in July.			
18 to 24 in	•45	3.70	30.00
2 to 3 ft	.70 .90	5.50 7.50	45.00 60.00
4 to 5 ft	1.10	9.50	75.00
5 to 6 ft	1.50	12.00	
pungens reflexa, 8'	Br_{O}	nze Ela	eagnus
Evergreen. Foliage somewhat smaller. Orange fruits.	like the	e longip	es but
2 to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	4.50		
4 to 5 ft., B. & B	5.50	47.00	
umbellata, 8'-10'		ımn Ela	
Attractive, silvery foliage and y flowers in May or June, followe in September.			
3 to 4 ft	.55	4.70	37.50
4 to 5 ft	.80	6.50	
5 to 6 ft	1.00	8.50 11.00	
ELSHOLTZIA stauntoni, 4'-5'	1.00		
Very attractive, late summer sh	rub dei	nse lilac	-nurnle
flowers. Very showy. 18 to 24 in			
2 to 2½ ft	•55 .80	4.70 6.50	37.50 52.50
ENKIANTHUS campanulatus, 2		ein Enki	
Handsome erect shrub of great of			-
lent when associated in plantir broadleaved evergreens. Prefers	ngs with	ericaceo	us and
15 to 18 in., B. & B	2.25		150.00
18 to 24 in., B. & B	3.00 3.40	25.00 28.00	200.00

	Each	Per 10	Per 100
EUONYMUS alatus, 9'-10'	Win	iged Euo	nymus
Interesting, corky bark, warm crin Makes fine specimen shrub.	nson a	utumn co	oloring.
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	·35 ·45 ·70 ·90	2.80 3.70 5.50 7.50	22.50 30.00 45.00 60.00 90.00
_		iged Euo	_
Dwarf, compact form of the type. 1 2 to $2\frac{1}{2}$ ft	.90 1.10 1.35 1.65 2.25	7.50 9.50 11.00 13.50 19.00	60.00 75.00 90.00 110.00
americanus, 7'-8'		rook Euo	nymus
Pink fruits; prefers moist location 2 to 3 ft	.45 .70 .90	3.70 5.50 7.50 9.50	30.00 45.00 60.00 75.00
atropurpureus, 20'-25'		thoo Euo	
Similar to Euonymus europaeus b Purple flowers. Crimson fruits whic			
18 to 24 in	·45 ·55 ·70	3.70 4.70 5.50	
bungeanus, 12'-14' Wi	nterb	erry Euo	nymus
Fruits profusely. The orange and on bush for a long time. Good au			persist
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft.	.35 .55 .75 1.00 1.15 1.35 1.65	2.80 4.70 6.50 8.00 9.50 11.00 13.50	22.50 37.50 50.00 65.00 75.00
europaeus, 12'-14'	iropea	an Burnir	ngbush
Pink fruits on long stalks, persisti	ng a l		
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft.	.35 .45 .70 .90 1.10	2.80 3.70 5.50 7.50 9.50	22.50 30.00 45.00 60.00
patens (sieboldianus), 6'-8'	Spread	ding Euo	nymus
Evergreen. Grows vigorously, form shrub; leaves persist until late fruits. Effective among denser confree from all insect attacks.	win	ter. Orna	mental
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.45 .55 .70 .90	3.70 4.70 5.50 7.50 9.50	30.00 37.50 45.00 60.00

EUONYMUS—continued	Each	Per 10	Per 100
radicans, climbing to 15'		Winterd	reeper
Evergreen. Self-clinging vine. Go walls, also useful for under plant	ood fo	or covering one covering one covering the covering covering to the covering terms of the	ng low greens.
9 to 12 in., 2 year	.22 .35	1.90 3.00	15.00 25.00
-acutus, 6'-12' Shar	rpleaf	Winterc	reeper
Evergreen. A graceful form, with white veins, purplish underneath.	long,	narrow	leaves,
9 to 12 in., 2 year	.22	1.90	15.00
12 to 15 in., 3 year	•3 <i>5</i> •4 <i>5</i>	2.80 3.70	22.00
—carrieri, 3'-4'	Hossy	Winterc	reener
Evergreen. Has large, shiny, pointe	_		
9 to 12 in., 2 year	.15	1.20	10.00
12 to 15 in., 2 year	.22	1.90	15.00
15 to 18 in., 3 year	·3 <i>5</i>	2.80	22.50
18 to 24 in., 4 year	-45	3.70	30.00
2 to 3 ft., 5 year	-55	4.70	37.00
colorata, 6'-12' Red1	eaved	Winterc	reeper
Evergreen. Long, narrow leaves tinged purple above. Very effective			rneath,
9 to 12 in., 2 year	.22	1.90	15.00
12 to 15 in., 3 year	•3 <i>5</i>	2.80	22.50
15 to 18 in., 3 year	45	3.70	30.00
-minimus (kewensis), 6"-12"	Baby	Winterc	reeper
Evergreen. Has tiny, evergreen leav habit. Charming rock subject.	ves and	l dainty, t	railing
3 in. pots	·3 <i>5</i>	2.80	22.00
-variegatus, 12"-15" Variegate	edleaf	Winterc	reeper
Evergreen. Leaves veined and m and pink. Clinging vine.	arked	yellowish	n-white
9 to 12 in., 2 year	.22	1.90	15.00
12 to 15 in., 3 year	·3 <i>5</i>	2.80	22.00
15 to 18 in., 3 year	.45	3.70	
		Winterc	
Evergreen. Bushy, interesting gr			
dull green; bright scarlet fruits, f some among evergreens. Also cal sweet.			
9 to 12 in., 2 year	-35	2.80	22.50
12 to 15 in., 3 year	. 45	3.70	30.00
15 to 18 in., 3 year	.55	4.70	37.00
18 to 24 in., 4 year	.70	5.50	45.00
2 to 2½ ft., 5 year	.80	6.50	52.50
2½ to 3 ft., 6 year	.90	7.50	60.00
Wilsoni, 15'-20'	Wil	son Euo	nymus
Climbing shrub with lance-shap			
flowers and fruit. Tender species.			
2 to 3 ft	.80	6.50	
3 to 4 ft	1.00	8.50	
4 to 5 ft	1.35	11.00	

	Each	Per 10	Per 100
EXOCHORDA grandiflora, 6'-9'		mon Pea	
Dazzling, white flowers, May. Is in	nprove	d by pru	ning.
18 to 24 in	.16	1.30	11.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft	-45	3.70	30.00
5 to 6 ft	.55	4.70	37.50
6 to 7 ft	.80	6.50	52.50
———	• >		
DACITO	A	•	TD1
FAGUS americana, 75'-100'		merican	
Beautiful spreading native tree of Clean, smooth, gray bark. Excell			
windbreaks.			
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	5.50	47.00	
*sylvatica, 75'-100'		uropean	Beech
Slow-growing. Makes a large, hand	dsome 1	tree.	
18 to 24 in	1.35	11.00	90.00
2 to 3 ft	1.65	13.50	110.00
3 to 4 ft	2.25	19.00	150.00
4 to 5 ft	3.50	28.00	225.00
5 to 6 ft	4.50	37.50	
-asplenifolia, 20'-30'		Fernleaf	Beech
Graceful. Slow of growth. Makes			
with finely cut leaves. Desirable f			
18 to 24 in., B. & B			
	3.50	28.00	
—pendula, 25'-40'	7	Neeping	Beech
The green-leaved European We		Beech.	
18 to 24 in., B. & B	3.00	25.00	
2 to 3 ft. B. & B	4.50	37.50	
3 to 4 ft., B. & B	6.00	50.00	
4 to 5 ft., B. & B	8.25	70.00	
5 to 6 ft., B. & B	11.00	95.00	
numuras 60' ar' Du	ento E		Pooch
	_	uropean	
The purple-leaved European Beech			5.
18 to 24 in., B. & B		28.00	
2 to 2½ ft., B. & B	4.50	37.50	
-Riversi, 40'-60'	zer's E	uropean	Beech
Compact of habit. Darker purple	e leave	s than th	he var.
purpurea.			
18 to 24 in., B. & B	3.75	31.00	
	5.50	47.00	
FORSYTHIA intermedia, 6'-8'	Po	rder Fo	reathic
Bright yellow flowers in April bef	ore lea	ives unio.	id. Pro-
18 to 24 in	.16	1.35	11.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	·35	2.80	22.50
4 to 5 ft	45	3.75	30.00
5 to 6 ft	.55	4.70	
,			

42 PRINCETON NURSE	ERIES		
FORSYTHIA—continued	Each	Per 10	Per 100
intermedia spectabilis, 6'-8' Sho	wy Bo	rder Fo	rsythia
Most profuse of all, with large riers.	•		
18 to 24 in	.20	1.50	12.50
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	·35 ·45	2.80 3.75	22.50
5 to 6 ft	·43 ·55	3·73 4.70	37.50
ovata, 6'-8'	Ko	rean Fo	rsythia
An introduction from Northern Ko Forsythias. Flowers pale primrose- than the other varieties.			
18 to 24 in	.70 1.00	5.50 8.00	45.00
suspensa, 4'-6'	Wee	ping Fo	rsythia
Graceful, drooping habit; excellen	t for m	assing of	r banks.
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·35 ·45	2.80 3.75	22.50 30.00
4 to 5 ft	.55	4.70	37.50
5 to 6 ft	.80	6.50	52.50
—fortunei, 7'-8'		tune Fo	rsythia
Good habit; arching branches; vi		grower.	
18 to 24 in	.17	1.30	11.00
2 to 3 ft	.22	1.90 2.80	15.00 22.50
4 to 5 ft	.45	3.75	30.00
5 to 6 ft	.55 .80	4.70 6.50	37.50 52.50
		tem Fo	
Most vigorous; has green bark leaves. Last to flower.			_
18 to 24 in	.17	1.30	11.00
2 to 3 ft	.22	1.90 2.80	15.00
3 to 4 ft	∙3 <i>5</i> •4 <i>5</i>	3.75	22.50 30.00
FOTHERGILLA major	.,		
Hardy, densely branched shrub, li siderable garden merit. Fragrant autumnal foliage.			
6 to 12 in	1.10	9.00	75.00
FRANKLINIA alatamaha (Gordon	nia)		
Choice ornamental tree. Large whe shining foliage.	nite flow	wers. Ha	ndsome
3 in. pots	1.10	9.00	75.00
FRAXINUS americana, 70'-80'			te Ash
Fairly rapid grower; assumes pleautumn; good in moist soils.			
6 to 8 ft	1.35		90.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.90 2.25	14.50 19.00	150.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	25.00	190.00
12 to 14 ft., $1\frac{3}{4}$ to 2 in	4.00	35.00	260.00
$2\frac{1}{2} \text{ to } 3 \text{ in.} \dots$	5.25 6.00	44.00 50.00	340.00

F	RAXINUS—continued	Each	Per 10	Per 100
	excelsior, 75'-100'		Europea	ın Ash
	Large spreading tree. A desirable prominent black buds.	lawn	specime	n with
	4 to 5 ft	.70	5.50	
	5 to 6 ft	.90	7.50	Marie Communication of the Com
	6 to 8 ft	1.35		
	ornus, 35'-50'		Flowerin	og Ash
	Valuable small tree with intere			
	flowers.	sting	WIIILE I.	ragram
	3 to 4 ft	1.35	11.00	
	4 to 5 ft	1.90	14.50	
	5 to 6 ft	2.25	19.00	150.00
	6 to 7 ft	3.00	25.00	
ı	— → G >>	•		
G	ALAX aphylla			Galax
	Transplanted collected clumps	.30	2.50	20.00
G	ENISTA scoparia (See CYTISUS	3)		
	tinctoria, 3'-5'		Woad	waxen
	Excellent low branching shrub a	s a gi	cound co	ver, to
	naturalize in dry locations. Light yellow pea-shaped flowers.	greer	leaves.	Bright
	18 to 24 in	.45	3.70	30.00
	2 to 3 ft	·55	4.70	37.00
	3 to 4 ft	.80	6.50	
	4 to 5 ft	1.10	9.00	
G	INKGO biloba (Salisburia), 50'-75	' N	Iaidenha	ir-tree
	Picturesque, interesting, quite disting maidenhair fern; immune from in		aves shap	ed like
	6 to 8 ft	3.50	28.00	225.00
	8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.25	45.00	350.00
	10 to 12 ft., 1½ to 1¾ in	6.75	55.00	450.00
	13/4 to 2 in	9.00	75.00	600.00
	2 to $2\frac{1}{4}$ in	1.25	95.00	
G	LEDITSIA triacanthos, 60'-70' C			
	Thorny tree with fragrant, white for gravelly soil. Not affected by b		s in May	; good
	4 to 6 ft	.80	6.50	52.00
	6 to 8 ft	1.10	9.50	75.00
	8 to 10 ft	1.90	14.50	110.00
	8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	19.00	
	10 to 12 ft., $1\frac{3}{4}$ to 2 in	3.00	25.00 35.00	
C				footman
G	YMNOCLADUS dioica, 40'-50' Light, blue-green foliage of slow outline.			
	2 to 3 ft	.70	5.50	45.00
	3 to 4 ft	1.10	9.50	75.00
	4 to 5 ft	1.90	14.00	110.00
	5 to 6 ft	2.25	19.00	150.00
	6 to 7 ft	3.00	25.00	
	'7 to 8 ft	3.50	27.50	

		*	
	Each	Per 10	Per 100
HALESIA tetraptera, 12'-15'		Great Si	
Snow-white, bell-shaped flowers			
along the branchlets. Can be grow	wn as si	ngle spec	imen or
massed.			
2 to 3 ft	. 35	2.80	22.00
3 to 4 ft	.55	4.70	37.00
4 to 5 ft	.80	6.50	52.00
5 to 6 ft	1.10	9.00	75.00
6 to 8 ft	1.50 2.00	12.00	97.00 135.00
10 to 12 ft	3.25		
HAMAMELIS japonica, 20'-30'	Tanana	se Witc	h-hazel
Interesting Japanese form, blosso			
Lemon-yellow flowers often purp			
2 to 3 ft		19.00	-
3 to 4 ft	3.00		
virginiana, 10'-12'		on Witc	
Yellow, ribbon-like flowers, Octo			
habit, good foliage. Succeeds be places.	est in n	noist, na	ir-snady
18 to 24 in	20	2 50	10.00
2 to 3 ft	.30 •45	2.50 3.70	19.00 30.00
3 to 4 ft	.70	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.10	9.00	75.00
6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	2.25	19.00	
HEDERA helix, 20'-50'		Engl	ish Ivy
Evergreen. Good ground cover ideal wall cover.	in shac	dy location	ons. An
15 to 18 in., 2 in. pots	.22	1.90	15.00
18 to 24 in., 3 in. pots	·35	2.80	22.00
2 to 3 ft., 4 in. pots	45		
—baltica, 15'-25'	Har	dy Engl	ich Tyy
Small-leaved form differing littl			The second second
in its greater hardiness.	ic Hom	the type	except
12 to 18 in	-35	2.80	
18 to 24 in	.45	3.70	
—gracilis, 8'-10'	Miniati	re Engl	ish Tvv
Evergreen. Similar to English Ivy			
foliage. A most graceful vine.	, , , , , , , ,	iliuli, dal	n green
2 year, 3 in. pots	45	3.70	30.00
HIBISCUS syriacus (Althea), 10	0'-12'	Shrub	-althea
Our stock all Eastern grown.		0	W10110W
Rather formal in outline, flower	ing in .	August a	nd Sep-
tember. Pink, purple, red, white	e, and		
double. Also called Rose-of-Share	on.		
anemonaeflorus, double pink.			
ardens, double rose violet.			
boule de feu, double bright red.			
coelestis, single blue.			
coereuleus plena, semi-double p	urple.		

comte de Hainault, double pink, Duchess de Brabant, double red. elegantissima, single pink. Jean d'Arc, semi-double pink. peniceno plena, small double pink purpurea plena, double purple. rubis, single red. Snowdrift, pure white single. totus alba, single white.	white r	Per 10 in nottled.	Per 100
W. R. Smith, single white. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	•35 •45 .65 .80	2.80 3.75 5.50 6.50 9.00	22.50 30.00 45.00 52.50 75.00
variegated, 6'-8' Variegated L Leaves striped yellow; compact a		Rose-of-S	Sharon
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.45 .80 1.10 1.35	3.70 6.50 9.00 11.00	50.00 75.00
HYDRANGEA arb. grandiflora al	ba (ste	rilis), 4'-	5' owhill
Large double white flower panicl 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	es, very .22 .30 .45	showy.	
paniculata (type), 8'-9'	Pani	icle Hyd	
Bears long, loose panicles of whit 18 to 24 in		1.90	15.00 22.50
—grandiflora, 8'-9'	Pee	gee Hyd:	rangea
Very showy, blooming in August. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.22 .30 .40 .55	1.90 2.50 3.50 4.70	15.00 19.00 26.00
— standard Useful for formal effects in the ga		ree Hyd	range a
2 to 3 ft., medium		3.75 5.50 8.50	30.00 45.00 67.50
petiolaris, 30'-50' Attractive, rampant-growing vine against large brick or stone build 3 in. pots, 3 year	e. Spler ings. Cl 1.10	ings by ro 9.00	n used
5 in. pots, heavyquercifolia, 3'-4'		eaf Hydi	rangea
Leaves shaped like an oak leaf. I ing; succeeds in shade. Very desir	3eautifu		_
18 to 24 in		4.70 6.50 9.00	37.50 50.00 75.00

	Each	Per 10	Per 100
HYPERICUM aureum, 3'-4'	Golden	St. Joh	nswort
Yellow. July-August. Blue-green	foliage;		
18 to 24 in	.30 .40	2.50 3.50	19.00
3 to 4 ft	.55	4.70	
4 to 5 ft	.80	6.50	52.50
buckleyi, 1'	Iountair	St. Joh	nswort
Low spreading plant from the Likes a sunny, well-drained posing Rich yellow flowers about one in	ition in t	he rock	
8 to 10 in	•55 .80	4.70 6.50	37.50
densiflorum, 4'-5'			
Yellow, July-Sept. Free flowering	g; good f	or sandy	soil.
18 to 24 in	.40	3.50	26.00
2 to 2½ ft	.55 .70	4.70 5.50	37.50 45.00
3 to 3½ ft	.75	6.00	43.00
kalmianum, 3'-5'	Ka	ılm Hyp	ericum
18 to 24 in	-3 5	2.80	
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	.55 .80	4.70	37.50
moserianum, 2'	.00	Gal	lflower
Hybrid form. Useful in the po	erennial		
yellow flowers over two inches a	cross.		Gorden
9 to 12 in	.30	2.50	19.00
15 to 18 in	•4 <i>5</i> •5 <i>5</i>	3.70 4.70	30.00
prolificum, 4'-5'	Shrubby	St. Joh	nswort
Strong, vigorous grower. Masses very dry or sandy soils.		-	
18 to 24 in	.40	3.50	26.00
2 to 3 ft 3 to 4 ft	.55 .80	4.70	37.50
3 60 4 10	.60	6.50	
———	• <u> </u>		
ILEX convexa (bullata), 4'-5'			
Choice evergreen form of slow foliage. Makes a distinctive specim	v growth nen.	. Shiny	convex
6 to 9 in., B. & B	.90		60.00
9 to 12 in., B. & B	1.10 1.45	9.00 12.00	75.00 97.50
crenata, 8'-10'			
Evergreen. Box-like leaves, rich, ing, makes a good hedge. Black	deep gre	Japanese en. Stiff	
12 to 15 in., B. & B	1.10	9.00	75.00
15 to 18 in., B. & B	1.90	14.50	110.00
18 to 24 in., B. & B	3.00	25.00	190.00
2½ to 3 ft., B. & B.	4.00 5.25	35.00 45.00	260.00
3 to 3½ ft., B. & B	6.00	50.00	

II EV andiment	n 1	D	D
ILEX—continued		Per 10	
		Japanese	
Evergreen. Smaller leaves and ming.	ore har	dy than	preced-
12 to 15 in., B. & B	1.90	14.50	110.00
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.00	25.00	190.00
$2^{1/2}$ to 3 ft., B. & B	4.50 6.00	37.50 50.00	400.00
3 to 3½ ft., B. & B	8.00	65.00	
glabra, 5'-6'		In	kberry
Evergreen. Shining, dark green l ter; black berries. Useful for sha in sun.			
12 to 15 in., B. & B	1.10	9.00	75.00
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	3.00	25.00	190.00
2 to $2\frac{1}{2}$ ft., B. & B	3.50 4.50	28.00 37.00	225.00 300.00
		in Winte	_
Deciduous shrub. Light brown Rather large leaves. Fruit scarlet, the Black Alder.			
3 to 4 ft	1.65		***************************************
4 to 5 ft	1.90	25.00	
5 to 6 ft	3.00 3.40	25.00 28.00	
opaca, 45'-50'	A	Merican	Holly
Evergreen. Does best in moist,	partiall	y shaded	l place.
Rather difficult to transplant.			
_	4.50	37.50	
2 to 3 ft., B. & B	7.00	55.00	
2 to 3 ft., B. & B	7.00 9.00	55.00 75.00	=
2 to 3 ft., B. & B	7.00 9.00 11.00	55.00 75.00 90.00	
2 to 3 ft., B. & B	7.00 9.00 11.00 13.50	55.00 75.00	
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	7.00 9.00 11.00	55.00 75.00 90.00 110.00	erherry
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8'	7.00 9.00 11.00 13.50 16.50	55.00 75.00 90.00 110.00 Wint	erberry
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B.	7.00 9.00 11.00 13.50 16.50	55.00 75.00 90.00 110.00 Wint	aten by
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80	22.50
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla	55.00 75.00 90.00 110.00 ————————————————————————————	22.50 35.00
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50	22.50 35.00 45.00
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70 1.00	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 8.50	22.50 35.00 45.00 67.50
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50	22.50 35.00 45.00
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70 1.00 1.35	55.00 75.00 90.00 110.00 	22.50 35.00 45.00 67.50 90.00
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. INDIGOFERA amblyantha, 6' Low growing shrub bearing pear	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -70 1.00 1.35 1.65	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 8.50 11.00 13.50 Pink ose pink	22.50 35.00 45.00 67.50 90.00 110.00
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. INDIGOFERA amblyantha, 6' Low growing shrub bearing pea abundantly produced over a long	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -70 1.00 1.35 1.65	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 8.50 11.00 13.50 Pink ose pink	22.50 35.00 45.00 67.50 90.00 110.00
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. INDIGOFERA amblyantha, 6' Low growing shrub bearing pear	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -70 1.00 1.35 1.65	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 8.50 11.00 13.50 Pink ose pink	22.50 35.00 45.00 67.50 90.00 110.00
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. INDIGOFERA amblyantha, 6' Low growing shrub bearing pea abundantly produced over a long 2 to 3 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70 1.00 1.35 1.65	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 11.00 13.50 Pink ose pink	22.50 35.00 45.00 67.50 90.00 110.00 Indigo flowers
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. INDIGOFERA amblyantha, 6' Low growing shrub bearing pea abundantly produced over a long 2 to 3 ft. 3 to 4 ft. 3 to 4 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70 1.00 1.35 1.65	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 8.50 11.00 13.50 Pink ose pink . 7.50 9.50 Potanin	22.50 35.00 45.00 67.50 90.00 110.00 Indigo flowers
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. INDIGOFERA amblyantha, 6' Low growing shrub bearing pea abundantly produced over a long 2 to 3 ft. 3 to 4 ft. potanini, 6' A native of China. Has rosy pur tractive when used in masses. 2 to 3 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70 1.00 1.35 1.65	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 11.00 13.50 Pink ose pink 7.50 9.50 Potanin vers in Ju 8.50	22.50 35.00 45.00 67.50 90.00 110.00 Indigo flowers
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to mbirds. Prefers moist soil. Also call to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. INDIGOFERA amblyantha, 6' Low growing shrub bearing pea abundantly produced over a long 2 to 3 ft. 3 to 4 ft. potanini, 6' A native of China. Has rosy pur tractive when used in masses. 2 to 3 ft. 3 to 4 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70 1.00 1.35 1.65	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 8.50 11.00 13.50 Pink ose pink 7.50 9.50 Potanin vers in Ju 8.50 11.00	22.50 35.00 45.00 67.50 90.00 110.00 Indigo flowers
2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B. verticillata (primos), 6'-8' Bright red berries persisting to m birds. Prefers moist soil. Also call 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. INDIGOFERA amblyantha, 6' Low growing shrub bearing pea abundantly produced over a long 2 to 3 ft. 3 to 4 ft. potanini, 6' A native of China. Has rosy pur tractive when used in masses. 2 to 3 ft.	7.00 9.00 11.00 13.50 16.50 nid-wint lled Bla -35 -55 -70 1.00 1.35 1.65	55.00 75.00 90.00 110.00 Wint er; not e ck Alder. 2.80 4.50 5.50 11.00 13.50 Pink ose pink 7.50 9.50 Potanin vers in Ju 8.50	22.50 35.00 45.00 67.50 90.00 110.00 Indigo flowers

	Fach	Per 10	Per 100
ITEA virginica, 3'-4'	Lacii		etspire
Spikes of fragrant, white flowers,	July.		_
places; brilliant autumn coloring. 18 to 24 in	.45	3.75	30.00
2 to 2½ ft	.70	5.50	45.00
2½ to 3 ft	.90	7.50 9.00	60.00 75.00
3 to $3\frac{1}{2}$ ft	1.10	11.00	75.00
4 to 5 ft	1.65	13.50	
-2 T (-			
	•		
JASMINUM nudiflorum, 3'		Winter J	
Yellow. April-May. Needs protect		northern	States.
One of the first to bloom in the spri		2.80	22.50
18 to 24 in	·35 ·45	3.75	30.00
2 to 3 ft	.55	4.70	37.50
stephanensis, 3'			
Large fragrant flowers of soft pale	e pink	. Tender	species.
18 to 24 in		4.70	37.50
2 to 3 ft	.70		45.00 60.00
3 to 4 ft	.90	7.50	00.00
JUGLANS nigra, 80'-100'		Black V	
Tall, erect native tree, with widesp	preadi	ng branch	es. Has
compound foliage. Edible fruit. 8 to 10 ft., 2 to 2½ in	4.00		
10 to 12 ft., $2\frac{1}{2}$ to 3 in	5.25		
12 to 14 ft., 3 to $3\frac{1}{2}$ in	6.75		
JUNIPERUS chinensis, 15'-20'	(Chinese]	uniper
Formal columnar outline, gray-gre	en fol	iage. A sp	olendid,
hardy evergreen.			
2 to 2½ ft., B. & B	2.25	19.00 28.00	150.00 225.00
2½ to 3 ft., B. & B	3.50 4.50	37.50	300.00
4 to 5 ft., B. & B	6.00	50.00	
5 to 6 ft., B. & B	8.00	65.00	
-albovariegata, 6' to 7' White	eleaf (Chinese]	Juniper
Light bluish foliage intermingle	ed wit	ch cream	-colored
branches making very distinctive pridal shape.	plant o	of formal	pyram-
12 to 15 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	2.25		
2½ to 3 ft., B. & B	3.50	28.00	225.00
3 to 4 ft., B. & B	4.50	37.50	
—columnaris (pyramidalis), 15'-20'			T
Evergreen. Grows rapidly, forming		Chinese :	
of gray-green foliage. Spire-like			
evergreen planting.		·	
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	3.00	25.00 28.00	190.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	6.75	55.00	450.00
6 to 7 ft., B. & B	9.00	75.00	
	11.00	90.00 12 5.00	

WALDEDIIG 1	- 1		
UNIPERUS—continued		Per 10	Per 100
chinensis columnaris viridis, 15'- Green Co	∙ 20' olumn C	Chinese]	Juniper
A light green form of the algrowth.	pove slig	ghtly slo	wer in
2 to 2½ ft., B. & B	3.00	25.00	190.00
$2\frac{1}{2}$ to 3 ft., B. & B	4.00	35.00	260.00
3 to 4 ft., B. & B	5.50	47.00	
4 to 5 ft., B. & B	6.75	55.00	600.00
5 to 6 ft., B. & B	9.00	75.00	600.00
6 to 7 ft., B. & B	11.00 13.50	90.00 110.00	
8 to 9 ft., B. & B	15.00	125.00	
—femina, 5'-6'		Reeves]	luniper
Spreading type. Slender branches			_
female flowers and fruit.			
2 to 2½ ft., B. & B	3.00	25.00	
2½ to 3 ft., B. & B	4.00	35.00	
3 to 4 ft., B. & B	5.50	47.00	
-neaboriensis, 7'-8'	Conical	Chinese	Juniper
Evergreen. Very formal, narrow	pyramic	l. Prickly	leaves.
Useful accent plant.			
18 to 24 in., B. & B	1.65	13.50	
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	4.00	35.00	
5 to 6 ft., B. & B	8.00		
-pfitzeriana, 5'-6'		Pfitzer 1	funiper
	Crav-ar	Pfitzer J	
—pfitzeriana, 5'-6' Evergreen. Broad, bushy habit. ing feathery appearance. A most		een folia	ge, giv-
Evergreen. Broad, bushy habit. ing feathery appearance. A mos		een folia	ge, giv-
Evergreen. Broad, bushy habit. ing feathery appearance. A mos green; highly recommended.	t adapta	een folia ble, hard	ge, giv- ly ever-
Evergreen. Broad, bushy habit. ing feathery appearance. A mosgreen; highly recommended. 15 to 18 in., B. & B	t adapta	een folia ble, hard 9.00	ge, giv- ly ever-
Evergreen. Broad, bushy habit. ing feathery appearance. A mosgreen; highly recommended. 15 to 18 in., B. & B	1.10 1.45	een folia ble, hard 9.00 12.00	ge, giv- ly ever- 75.00 97.50
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B	1.10 1.45 2.00	9.00 12.00	ge, giv- ly ever- 75.00 97.50 128.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.45 2.00 3.00	9.00 12.00 14.50 25.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.10 1.45 2.00 3.00 4.00	9.00 12.00 14.50 25.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50	9.00 12.00 14.50 25.00 47.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00	9.00 12.00 14.50 25.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00	9.00 12.00 14.50 25.00 47.00 65.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00	9.00 12.00 14.50 25.00 47.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. Evergreen. Prostrate habit, grass A valuable ground cover and roce.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00	9.00 12.00 14.50 25.00 47.00 65.00 Sargent	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½ ' Evergreen. Prostrate habit, grass A valuable ground cover and rocation in the same and rocation. B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00	9.00 12.00 14.50 25.00 47.00 65.00 Sargent	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½ ' Evergreen. Prostrate habit, grass A valuable ground cover and rocal to 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00	9.00 12.00 14.50 25.00 35.00 47.00 65.00 Sargent Joliage.	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½ ' Evergreen. Prostrate habit, grass A valuable ground cover and rocal to 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00	9.00 12.00 14.50 25.00 35.00 47.00 65.00 ———————————————————————————————————	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 ———————————————————————————————————
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½ ' Evergreen. Prostrate habit, grass A valuable ground cover and rocal to 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00	9.00 12.00 14.50 25.00 35.00 47.00 65.00 Sargent Joliage.	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 ———————————————————————————————————
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½ ' Evergreen. Prostrate habit, grass A valuable ground cover and rocal straight for the same an	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00 Segreen fick plant. 2.25 3.00 4.00 5.25	9.00 12.00 14.50 25.00 35.00 47.00 65.00 ———————————————————————————————————	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 Juniper
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½ ' Evergreen. Prostrate habit, grass A valuable ground cover and rown and the same	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00 Segreen for the plant of the plant	9.00 12.00 14.50 25.00 35.00 47.00 65.00 ——— Sargent oliage 19.00 25.00 45.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 Juniper
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½ ' Evergreen. Prostrate habit, grass A valuable ground cover and rought to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. 2 to 3 ft., B. & B. communis, 15'-25' Evergreen. Forms a vase-shaped 15 to 18 in., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00 6-green f ck plant. 2.25 3.00 4.00 5.25	9.00 12.00 14.50 25.00 35.00 47.00 65.00 —— Sargent Joliage. 19.00 25.00 35.00 45.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 Juniper
Evergreen. Broad, bushy habit. ing feathery appearance. A mosgreen; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. -sargenti (green), 1½ ' Evergreen. Prostrate habit, grass A valuable ground cover and roal to 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. communis, 15'-25' Evergreen. Forms a vase-shaped 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00 Segreen f ck plant 2.25 3.00 4.00 5.25	9.00 12.00 14.50 25.00 35.00 47.00 65.00 —— Sargent oliage	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 Juniper 52.50 Juniper
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 18 to 24 in., B. & B. 2½ to 18 in., B. & B. 2 to 2½ ft., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00 Segreen fick plant 2.25 3.00 4.00 5.25 Coplant 80 1.10 1.35	9.00 12.00 14.50 25.00 35.00 47.00 65.00 —— Sargent oliage. 19.00 25.00 35.00 45.00 0mmon 6.50 9.00 11.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 Juniper 52.50 Juniper
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 18 to 24 in., B. & B. 2 vergreen. Prostrate habit, grass A valuable ground cover and rought for the state of the	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00 6-green f ck plant. 2.25 3.00 4.00 5.25 Co plant80 1.10 1.35 2.25	9.00 12.00 14.50 25.00 35.00 47.00 65.00 Sargent oliage. 19.00 25.00 35.00 45.00 0mmon 6.50 9.00 11.00 20.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 Juniper 52.50 Juniper
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 5 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B. 3 to 4 ft., B. & B.	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00 6-green f ck plant 2.25 3.00 4.00 5.25 Co plant80 1.10 1.35 2.25 3.50	9.00 12.00 14.50 25.00 35.00 47.00 65.00 Cargent oliage. 19.00 25.00 35.00 45.00 11.00 20.00 28.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 Juniper 52.50
Evergreen. Broad, bushy habit. ing feathery appearance. A most green; highly recommended. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 7 ft., B. & B. 18 to 24 in., B. & B. 2 vergreen. Prostrate habit, grass A valuable ground cover and rought for the state of the	1.10 1.45 2.00 3.00 4.00 5.50 8.00 11.00 6-green f ck plant. 2.25 3.00 4.00 5.25 Co plant80 1.10 1.35 2.25	9.00 12.00 14.50 25.00 35.00 47.00 65.00 Sargent oliage. 19.00 25.00 35.00 45.00 0mmon 6.50 9.00 11.00 20.00	ge, giv- ly ever- 75.00 97.50 128.00 190.00 250.00 375.00 Juniper 52.50

JUNIPERUS—continued	Each	Per 10	Per 100
communis aurea, 6'-10'		Golden J	uniper
Evergreen. Low-spreading habit. C			
	Joidell	Tomagu, I	Jar Licu-
larly bright in spring.	.90	7.50	
15 to 18 in., B. & B	1.35	11.00	
18 to 24 in., B. & B	2.25	19.00	150.00
$2^{\frac{1}{2}}$ to 3 ft., B. & B	3.00	25.00	190.00
3 to 3½ ft., B. & B	4.00	35.00	
	·		
—canadensis, 5'-6'		Canada J	
Evergreen. Forms a low vase-sha green above, bluish underneath.	ped bu	ish. Leave	es dark
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.50		
4 to 5 ft., B. & B	5.25		
—cracovica, 20'-30'		Polish J	uniper
Evergreen. Upright, branching fro	m groi		
narrow column.	III grot	***********	118 (01)
2 to 2½ ft., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.65		110.00
3 to 4 ft., B. & B	3.00	25.00	190.00
4 to 5 ft., B. & B	4.00	35.00	
			Luninar
—depressa (prostrata), 2'-3'		rostrate	
Evergreen. Branches spread almos	st along	g ground	. A use-
ful ground cover and rock plant.	. 6 =	10.50	110.00
18 to 24 in., B. & B	1.65		110.00
2 to 2½ ft., B. & B	3.00	25.00 35.00	260.00
2½ to 3 ft., B. & B	4.00 5.25	45.00	200.00
3 to 4 ft., B. & B	6.75	55.00	
· · · · · · · · · · · · · · · · · · ·	• •		Tuninar
——plumosa, 2'-3' Plum			
New, exceedingly hardy, assumes a	a very a	attractive	, purpre
color in winter. Transplants read		9.00	75.00
12 to 15 in., B. & B	1.10	13.50	110.00
18 to 24 in., B. & B	2.00	17.00	135.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	4.50	37.50	
3 to 4 ft., B. & B	6.00	50.00	
4 to 5 ft., B. & B	8.25		
—hibernica, 20'-30'		Trish	Juniper
Evergreen. A very narrow pyram	id Use		
like effect.			<u>-</u>
18 to 24 in., B. & B	.80	6.50	52.00
2 to $2\frac{1}{2}$ ft., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.00	25.00	190.00
4 to 5 ft., B. & B	4.00	35.00	260.00
5 to 6 ft., B. & B	6.00	50.00	400.00
6 to 7 ft., B. & B	8.50	72.00	
—oblonga, 7'-8'			
Evergreen. Forms a broad, irregu	lar pyr	amid wit	h feath-
ery branches. Grayish foliage.	1.0.		
18 to 24 in., B. & B	1.10	9.00	
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	3.00	25.00	190.00
3 to 4 ft., B. & B	4.00	35.00	-
4 to 5 ft., B. & B	5.50	47.00	
5 to 6 ft., B. & B	8.00	65.00	
6 to 7 ft., B. & B	10.00		

UNIPERUS—continued	Each	Per 10	Per 100
communis suecica, 20'-30'	5	Swedish .	Juniper
Quick growing. Narrow, upright f	orm.		
18 to 24 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	1.35	11.00	90.00
2½ to 3 ft., B. & B	2.00	17.00 25.00	135.00 190.00
4 to 5 ft., B. & B	4.00	35.00	
– —nana, 5'-6'	warf S	Swedish [Tuniper
Evergreen. A narrow, compact co	_		
Good foundation or rockery plant			
12 to 15 in., B. & B	.80	6.50	
15 to 18 in., B. & B	1.10	9.00 13.50	110.00
2 to 2½ ft., B. & B	2.25	20.00	
excelsa stricta, 4'-5'	Spin	y Greek	Juniper
Evergreen. Compact, well-shaped		id. Foliag	ge gray-
green. Most useful for formal eff	ects.		
6 to 9 in., B. & B 9 to 12 in., B. & B	.55 .80	4.70	37.50
12 to 15 in., B. & B	1.00	6.50 8.50	52.50 67.50
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50 4.50	28.00 37.50	225.00 300.00
3½ to 4 ft., B. & B	5.50	47.50	
4 to 4½ ft., B. & B	8.00	65.00	-
horizontalis (sabina prostrata), 1	'-I ¹ /2'	Creeping	g Savin
Evergreen. Branches trail along gr	cound.	Adapted	to rock-
work and ground covering.		0	
12 to 15 in., B. & B	1.00	8.50 12.50	67.50
18 to 24 in., B. & B	1.50 2.25	19.00	97.50 150.00
2 to 2½ ft., B. & B	3.00	25.00	
2½ to 3 ft., B. & B	3.50	28.00	
3 to $3\frac{1}{2}$ ft., B. & B	4.50	37.50	
-douglasi, 1'-1½'	Wa	ukegan J	Juniper
Evergreen. Long branches trailing			
blue foliage. A splendid ground among rocks. Distinct purple hue			enective
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.25	_	150.00
2 to 2½ ft., B. & B	3.50	28.00 37.50	
3 to 3 ¹ / ₂ ft., B. & B	4.50 5.50	47.50	
-glauca, 1'-1½'	Blue	Creeping	Savin
2 to 2½ ft., B. & B	3.00		
2½ to 3 ft., B. & B	4.00	35.00	
3 to 4 ft., B. & B	5.25 6.75	45.00 55.00	350.00
4 to 5 ft., B. & B			
hudsonica, 1'-1½' Excellent, trailing plant useful		Hudson J ock work	
rapid growth.	101 10	CK WUIK	railly
12 to 15 in., B. & B	1.10		75.00
15 to 18 in., B. & B	1.50	12.50	100.00

JUNIPERUS—continued	Each	Per 10	Per 100
japonica, 6'-8'	Ja	panese J	uniper
Evergreen. Low grower, spreading leaves. Adapted to rock planting.	g branc	ches, dark	
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	2.25	20.00	150.00
2 to 2½ ft., B. & B	3.50 4.50	28.00 37.50	225.00 300.00
2½ to 3 ft., B. & B	5.50	47.00	
—aurea, 5'-6' Golden Dy Low growing form. Tips of brance	varf Ja chlets g	panese J colden ye	uniper llow.
18 to 24 in., B. & B	2.50 4.00	20.00 35.00	
sabina, 6'-7'	4.55	Savin J	uniper
Evergreen. Dense, dark green folia	ige. Spr	eading br	anches,
forming irregular, vase-shaped pl	ant.		
12 to 15 in., B. & B	.80	6.50	
15 to 18 in., B. & B	1.10 1.65	9.50 13.50	110.00
18 to 24 in., B. & B 2 to 2½ ft., B. & B	2.25	19.00	150.00
$2\frac{1}{2}$ to 3 ft., B. & B	3.00	25.00	200.00
3 to 3½ ft., B. & B	3.75	31.00	250.00
3½ to 4 ft., B. & B	5.50	47.50	
4 to 4½ ft., B. & B	6.75	C ·)	• • • • • •
		x Savin J	
Evergreen. A prostrate-growing ty of soft texture.			
15 to 18 in., B. & B	2.00	17.00 25.00	135.00
18 to 24 in., B. & B	3.00 3.50	28.00	
2½ to 3 ft., B. & B	4.50	37.50	
scopolorum, 35'-50'		olorado J	uniper
Native of Colorado. Forms a broad			
ing branches. Foliage yellowish g	reen.		
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50		
sphaerica (fortunei), 20'-30' Densely branched upright form.			
2½ to 3 ft., B. & B	3.50		
3 to 4 ft., B. & B	3 .7 5	31.00	
squamata meyeri, 3'-4'	c 1	Meyer	
A beautiful, deep blue evergreen desirable.			
12 to 15 in., B. & B	1.65	13.50	90.00
15 to 18 in., B. & B	2.00	17.00	110.00
18 to 24 in., B. & B	3.00 3.75	25.00 31.00	250.00
2 to 2½ ft., B. & B	5.25	45.00	350.00
3 to 3½ ft., B. & B	6.75	55.00	450.00
virginiana, 35'-50'		Re	edcedar
Our native Redcedar, all nursery g	grown.		
Evergreen. Forms a dense columpurplish in winter. Useful in f	nn, dee formal	ep green work, or	foliage, mixed
plantings.	2.00	25.00	200.00
3 to 4 ft., B. & B	3.00 3.75	25.00 31.00	250.00
5 to 6 ft., B. & B	6.00	50.00	400.00
6 to 8 ft., B. & B	9.00	75.00	600.00
8 to 10 ft., B. & B	12.50	100.00	825.00
10 to 12 ft., B. & B	15.00	125.00	

JUNIPERUS—continued	Each	Per 10	Per 100
virginiana special selected blue s	train, 3	35'-50'	
We offer a selected strain of Ceda uniformity of shape and even, blu			or their
3 to 4 ft., B. & B	3.50	28.00	
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	6.7 <i>5</i>	55.00 85.00	450.00
—burki, 10'-12'		Burks J	luniper
Evergreen. Distinct blue, forming	a dense	e column	
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.00	25.00	
4 to 5 ft., B. & B	3.7 <i>5</i> 5.50	31.00 47.00	
5 to 6 ft., B. & B	7.00	60.00	475.00
6 to 7 ft., B. & B	10.00	85.00	
cannarti, 12'-15'		nnart Re	
Evergreen. Very deep, rich blacki growing columnar form. An aris		n foliage.	Dense-
2 to 2½ ft., B. & B	2.25	19.00	150.00
$2\frac{1}{2}$ to 3 ft., B. & B	3.50	28.00	225.00
3 to 4 ft., B. & B	4.50 5.50	37.50 47.00	
5 to 6 ft., B. & B	6.75	55.00	
-elegantissima, 12'-15'	Go	oldtip Re	edcedar
Evergreen. Bright yellow tips to be in winter. Pyramidal habit.	ranches	s, turning	bronze
2½ to 3 ft., B. & B	3.50	28.00	
3 to 4 ft., B. & B	4.50	37.50	300.00
4 to 5 ft., B. & B	5.50	47.00	
— glauca, 15'-20'		Silver Re	
Evergreen. Distinct, blue-gray fol a tall, narrow column.	liage. Ti	ree devel	ops into
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50 4.50	28.00 37.50	225.00 300.00
4 to 5 ft., B. & B	5.50	47.00	375.00
5 to 6 ft., B. & B	6.75	55.00	450.00
6 to 7 ft., B. & B	8.25	70.00	550.00
7 to 8 ft., B. & B	10.00	85.00	
8 to 9 ft., B. & B., specimen	16.50 19.00	135.00 145.00	
10 to 11 ft., B. & B., specimen	22.50	190.00	
11 to 12 ft., B. & B., specimen	30.00	250.00	
—globosa, 3'-4' Dwarf compact form with bright		Globe Ro	edcedar
18 to 24 in., B. & B		37.50	
2 to 2½ ft., B. & B	5.50	47.00	
—keteleeri, 15'-18'	Ket	teleer Re	edcedar
A splendid evergreen of pyramid green, scale-like leaves. Compact			
2 to 2½ ft., B. & B	2.25	19.00	150.00
2½ to 3 ft., B. & B	3.50		
3 to 4 ft., B. & B	4.50 5.50	37.50 47.00	300.00 37 <i>5</i> .00
5 to 6 ft., B. & B	8.00	65.00	
6 to 7 ft., B. & B	10.00	85.00	

JUNIPERUS—continued	Each	Per 10	Per 100
virginiana Kosteriana, 3'-4'	K	oster Re	dcedar
Semi-dwarf type of horizontal grov foliage.			
18 to 24 in., B. & B	3.75	31.00	
2 to 2½ ft., B. & B	5.00	40.00	
2½ to 3 ft., B. & B	6.75	55.00	
3 to 3½ ft., B. & B	8.00	65.00	
3½ to 4 ft., B. & B	9.00		
—pendula, 25'-30'		ping Re	
A weeping form of the Redcedar branches.	with slo	ender pei	ndulous
2½ to 3 ft., B. & B	4.50	37.50	
3 to 4 ft., B. & B	5.50	47.00	
4 to 5 ft., B. & B	6.75	55.00	
—pyramidalis, 35'-50' Columnar in outline with dense co		nidal Re habit.	dcedar
18 to 24 in., B. & B		13.50	110.00
2 to 2½ ft., B. & B	3.00		200.00
2½ to 3 ft., B. & B	3.50	~	225.00
-schotti, 12'-15'	S	chott Re	edcedar
Evergreen. Has fresh green fol columnar habit. Good winter colo			formal,
2 to $2\frac{1}{2}$ ft., B. & B	2.25		150.00
2½ to 3 ft., B. & B	3.50		225.00
3 to 4 ft., B. & B	4.50	37.50	
4 to 5 ft., B. & B	5.50 7.00	47.00 60.00	
6 to 7 ft., B. & B	9.50		
—smithi, 6'-8'	S	Smith Re	edcedar
Choice variety. Compact pyramic	l—brigh	nt green	foliage.
18 to 24 in., B. & B	3.00	25.00	
2 to 2½ ft., B. & B	3.50		
$2\frac{1}{2}$ to 3 ft., B. & B	4.50	37.50	
—tripartita, 4'-5'	Fou	ntain R	edcedar
Evergreen. A bushy, half-upright branches.	t growe	er with :	feathery
2½ to 3 ft., B. & B	3.50	28.00	
3 to 4 ft., B. & B	4.50	37.50	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	6.7 <i>5</i> 9 . 00	55.00 75.00	
waukegan (See horizontalis dou		• • •	
waamegam (occ norizontans dou	grasi)		
—————————————————————————————————————	•		
KATMTA latifalia 9/ -a/	7	\f_a	. 1 1
KALMIA latifolia, 8'-10'		Mountai	
Evergreen. Most effective in Jur	wher	the cit	isters of

pink flowers open. This stock is nursery grown. Good foliage; likes shade. 1.50 12.00 97.50 2.00 17.00 135.00 3.00 25.00 200.00 3.75 31.00 250.00

47.00

5.50

	Each	Per 10	Per 100
KERRIA japonica, 4'-5'		Single	
Golden-yellow flowers. June-Septe Useful for winter effects.	ember.	Green br	anches.
2 to 3 ft	1.15	9.50	
—fl. pl., 4'-5'		Double !	Kerria
Similar to the preceding variety b	ut with	n double f	flowers.
2 to 3 ft	1.35	11.00	
KOELREUTERIA paniculata, 25'	-30′	Varni	ishtree
Has bright yellow flowers in Jul flowering tree. Also called Gold			e small
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.65	13.50	110.00
6 to 7 ft	2.25	19.00	150.00 200.00
7 to 8 ft	3.00 3.75	25.00 31.00	200.00
	0,0		
KOLKWITZIA amabilis, 6'-8'	1 1 .		tybush
A beautiful shrub somewhat simil any of the Weigelas. Covered in e			
pink flowers.			
18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft	.45	3.70	30.00
3 to 4 ft	•55 .80	4.70 6.50	37.50
5 to 6 ft	1.35		52.50 90.00
, , , , , , , , , , , , , , , , , , , ,			7
——— ≪ L >>>			
			nchain
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes.	0)	Golde	
LABURNUM vulgare, 30' Attractive, small tree with yello	ow, pe	Golde a-shaped 9.50	
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes. 3 to 4 ft	ow, per	Golde a-shaped 9.50 13.50 European	flowers,
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes. 3 to 4 ft	ow, per	Golde a-shaped 9.50 13.50 European	flowers,
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-66 Especially good for spring effects 2 to 3 ft., B. & B.	ow, per 1.15 1.65 o' I ; grow 1.15	Golde a-shaped 9.50 13.50 European s rapidly. 9.50	flowers,
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60 Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.15 1.65 o' I ; grow 1.15 1.65	Golde 9.50 13.50 European s rapidly. 9.50 13.50	flowers, Larch
LABURNUM vulgare, 30' Attractive, small tree with yellowin long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60 Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25	Golde 9.50 13.50 European s rapidly. 9.50 13.50 19.00	flowers, Larch
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60 Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00	Golde 9.50 13.50 European s rapidly. 9.50 13.50 19.00 25.00	flowers, Larch
LABURNUM vulgare, 30' Attractive, small tree with yellowin long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60 Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.50	Golde 9.50 13.50 European s rapidly. 9.50 13.50 19.00 25.00 28.00	flowers, Larch
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60 Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00	Golde 9.50 13.50 European s rapidly. 9.50 13.50 19.00 25.00 28.00	flowers, Larch
LABURNUM vulgare, 30' Attractive, small tree with yellowin long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60 Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.50 3.75 5.25	Golde 9.50 13.50 European s rapidly. 9.50 13.50 19.00 25.00 28.00 31.00	flowers, Larch
LABURNUM vulgare, 30' Attractive, small tree with yellowin long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60 Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.50 3.75 5.25	Golden-shaped 9.50 13.50 European s rapidly. 9.50 13.50 19.00 25.00 28.00 31.00 45.00	flowers, Larch
LABURNUM vulgare, 30' Attractive, small tree with yellowin long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60' Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.50 3.75 5.25	Golden-shaped 9.50 13.50 European s rapidly. 9.50 13.50 19.00 25.00 28.00 31.00 45.00 Japanese above.	flowers, Larch
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60' Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 3 to 4 ft., B. & B. 10 to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.50 3.75 5.25	Golden-shaped 9.50 13.50 European s rapidly. 9.50 13.50 19.00 25.00 28.00 31.00 45.00 Japanese above.	flowers, Larch Larch 75.00 110.00
LABURNUM vulgare, 30' Attractive, small tree with yello in long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60' Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 to 6 ft., B. & B. 8 to 10 ft., B. & B. 9 to 3 ft., B. & B. 9 to 3 ft., B. & B. 9 to 3 ft., B. & B. 9 to 5 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.50 3.75 5.25	Golden-shaped 9.50 13.50 European s rapidly. 9.50 19.00 25.00 28.00 31.00 45.00 Japanese above. 9.50 13.50 19.00	flowers, Larch Larch 75.00 110.00 150.00
LABURNUM vulgare, 30' Attractive, small tree with yellowin long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60' Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 8 to 10 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 3 to 4 ft., B. & B. 10 to 5 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 11 to 5 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.50 3.75 5.25	Golden-shaped 9.50 13.50 European s rapidly. 9.50 13.50 19.00 28.00 31.00 45.00 Japanese above. 9.50 19.00 25.00	flowers, Larch T5.00 110.00 150.00 200.00
LABURNUM vulgare, 30' Attractive, small tree with yellowin long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60' Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 6 to 8 ft., B. & B. 7 to 6 ft., B. & B. 8 to 10 ft., B. & B. 9 to 6 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.75 5.25	Golden-shaped 9.50 13.50 European s rapidly. 9.50 13.50 19.00 28.00 31.00 45.00 Japanese above. 9.50 13.50 19.00 25.00 23.00	flowers, Larch 75.00 110.00 150.00 200.00 250.00
LABURNUM vulgare, 30' Attractive, small tree with yellowin long racemes. 3 to 4 ft. 4 to 5 ft. LARIX europaea (decidua), 50'-60' Especially good for spring effects 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 3 to 4 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 10 to 12 ft., B. & B. 11 to 5 ft., B. & B. 12 to 3 ft., B. & B. 13 to 4 ft., B. & B. 14 to 5 ft., B. & B. 15 to 6 ft., B. & B. 16 to 8 ft., B. & B. 17 to 5 ft., B. & B. 18 to 5 ft., B. & B. 19 to 6 ft., B. & B.	1.15 1.65 0' I ; grow 1.15 1.65 2.25 3.00 3.50 3.75 5.25	Golden-shaped 9.50 13.50 European s rapidly. 9.50 13.50 19.00 25.00 28.00 31.00 45.00 Japanese above. 9.50 13.50 19.00 25.00 25.00 25.00 25.00 25.00	flowers, Larch T5.00 110.00 150.00 200.00

	Each	Per 10 I	Per 100
LEIOPHYLLUM buxifolium, 1'-2'	' I	Box Sandi	nyrtle
Interesting low-spreading shrub similar to Boxwood. Flowers are May-June. Prefers peaty soil.	with e white	vergreen twith pink	foliage tips—
6 to 8 in., B. & B	.90 1.10	7.50 9.50	60.00 75.00
LESPEDEZA bicolor, 8'-10'	Sh	rub Bush	clover
Rose and white flower, July-Augshrub; attractive; clover-like folio		Slender, g	raceful
3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	.55 .65 .90	4.70 5.50 7.50 9.50	37.50 45.00 60.00
formosa (Desmodium penduliflor	r <mark>um),</mark> Pu	<mark>8'-10'</mark> rple Bush	clover
Rosy, purple flower conspicuous is tive, herbaceous shrub.	n Sept	ember. An	attrac-
2 year	·3 <i>5</i>	2.80	22.50
3 year	•4 <i>5</i> •5 <i>5</i>	3.70 4.70	30.00
4 year, extra heavy	1.10	9.50	75.00
LEUCOTHOE catesbaei, 3'-4'	Droc	ping Leu	cothoe
Evergreen. Attractive, white flo- lustrous leaves, rich autumn color planting in shade.			
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.35 2.00	11.2 <i>5</i> 17.00	90.00
2 to 2½ ft., B. & B	3.00	25.00	
LIBOCEDRUS decurrens, 60'-75'		Incense	Cedar
Handsome tall growing tree form head. Bark reddish. Deep green for tree.	ning n	arrow pyr	amidal
2 to 3 ft., B. & B	5.50	47.50	
3 to 4 ft., B. & B	8.00	65.00	
4 to 5 ft., B. & B	11.00	95.00 125.00	
6 to 7 ft., B. & B	19.00	145.00	
7 to 8 ft., B. & B	22.50		
8 to 9 ft., B. & B	30.00		
LIGUSTRUM amurense, 14'-15' Half evergreen; very hardy.		Amur	Privet
18 to 24 in	.09	.75	6.00
2 to 3 ft	.14	1.10	9.00
3 to 4 ft	.20	1.40	12.50
4 to 5 ft	.30	2.50 3.70	20.00
3 to 0 it	.45		
ibolium, 8'-10'		Ibolium	
Upright, vigorous grower, simils but much hardier.			
2 to 3 ft		1.50	
3 to 4 ft	.25	1.90	15.00

LIGUSTRUM—continued	Each	Per 10	Per 100
ibota, 9'-10'		Ibota	Privet
Good dense habit; flowers and froblack berries. Very hardy.	uits fr	eely. Deco	orative,
18 to 24 in	.12	1.00	7.50
2 to 3 ft	.17	1.50	11.00
3 to 4 ft	.30	2.50 3.70	20.00 30.00
5 to δ ft	·45 .65	5.30	42.50
	,		
—regelianum (cuttings), 5'-6'		_	Privet
Makes a splendid, low, dense hedge bery or evergreen plantings. Very			
15 to 18 in	.17	1.50	11.00
18 to 24 in	.25	1.90 2.80	15.00
2 to 2½ ft	·35 ·45	3.75	22.50 30.00
3 to 4 ft	•55	4.70	37.50
4 to 5 ft	.90	7.50	
—vicary, 8'-10'	Gold	en I·bota	Privet
Striking foliage of clear, even yel	low.		
18 to 24 in	•45	3.75	30.00
2 to 3 ft	•55	4.70	37.50
3 to 4 ft	.70	5.50 7.50	45.00
4 10 3 11	.90	7.50	
lodense (nana), 2½' Very compact, dwarf form.		Pygmy	Privet
9 to 12 in	.25	1.90	15.00
12 to 15 in	·3 <i>5</i>	2.80	22.50
15 to 18 in	45	3.70	30.00
	.55	4.70	
lucidum (macrophyllum), 20'-25'			
Evergreen. Very attractive privet of Hardy in the North in sheltered Waxleaf Privet.	with ri	ch, glossy ions. Also	called
2 to 2½ ft., B. & B	3.00	25.00	
2½ to 3 ft., B. & B	3.50	28.00	
3 to 4 ft., B. & B	4.50	37.50	
4 to 5 ft., B. & B	6.75	55.00	
ovalifolium, 12'-15' Most popular hedge plant. We of		alifornia	
stock well worth the price.	800		
		Per 100	
12 to 18 in	·3 <i>5</i>	3.00	26.00
18 to 24 in	.55	4.50	
2 to 3 ft	.85 1.25	6.70 10.00	
4 to 5 ft	1.70		
5 to δ ft., hvy. trsp	7.50		
Clober			
-Globes	Each	Der 10	Der 100
Sheared, compact specimens.	Each	Per 10	Per 100
15 to 18 in., B. & B	.8o		52.50 75.00
18 to 24 in., B. & B	1.65	13.50	
	1.05	13.50	110.00
—pyramidalis			
4 to 5 ft., B. & B		37.50	
5 to 6 ft., B. & B	6.75		

LIGUSTRUM—continued	Each	Per 10	Per 100
ovalifolium Standard, Tree Form			
Sheared, round hedge, straight st		*	
2 to $2\frac{1}{2}$ ft. stem, 3 yr. head 3 to $3\frac{1}{2}$ ft., 4 yr. head	2.2 <i>5</i> 3.00	19.00 25.00	-
—aureum, 8'-9'		Golden	Privet
Grows rather slowly.		0	
18 to 24 in	·3 <i>5</i> ·4 <i>5</i>	2.80 3.70	22.50
3 to 4 ft	.55	4.70	37.50
4 to 5 ft	.80 1.10	6.50 9.50	52.50 75.00
Standard, Tree Form		<i>y y</i>	, ,
2 to 2½ ft. stem	2.25	19.00	
$2\frac{1}{2}$ to 3 ft. stem	3.00	25.00	
3 to 3½ ft. stem	3.50	28.00	
vulgare, 10'-12'		uropean	Privet
Creamy-white flowers. June-July. 18 to 24 in	.20	1.50	12.50
2 to 3 ft	.23	2.00	15.00
3 to 4 ft	-35	2.80	22.50
4 to 5 ft	.4 <i>5</i> .80	3.7 <i>5</i> 6.50	30.00 52.50
	.00	0. ,0	72.70
—atrovirens, 10'-12' Strong grower. Small-leaved form	. Good	hedge pl	ant.
3 to 4 ft	.30	2.50	
4 to 5 ft	.55	4.70	
*LIQUIDAMBAR styraciflua, 50'- One of the best trees for autum	n color	; grows	eetgum well in
moist places; has corky bark; r	ather d	ifficult t	o trans-
4 to 5 ft	1.65	13.50	110.00
5 to 6 ft	2.00	17.00	135.00
8 to 10 ft	3.00 3.75	25.00 31.00	200.00
10 to 12 ft	5.50	47.00	
*LIRIODENDRON tulipifera, 60	'-8o'	T_1	liptree
A quick grower; the yellow, tul duced in June.			
6 to 8 ft	1.65	13.50	110.00
8 to 10 ft	2.25	19.00	150.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	28.00	225.00
$2 \text{ to } 2\frac{1}{2} \text{ in}$	4.50 5.50	37.50 47.50	
2½ to 3 in	6.75		
LONICERA belgica, 12'-15'	D	utch Wo	oodbine
Thick, dark green leaves, unde creamy flowers, purple outside.	erside b	oluish. F	ragrant,
2 year 3 year	·35 ·45	2.80	22.50 30.00
		3.70	•
Grows vigorously.	ite Bel	le Hone	ysuckle
18 to 24 in	.17	1.40	11.00
2 to 3 ft	.23 .35	2.00 2.80	15.00
4 to 5 ft	·33 ·45	3.70	30.00
5 to 6 ft	•55	4.70	37.50

LONICERA—continued	Each	Per 10	Per 100
fragrantissima, 6'-8'	Winte	r Honey	suckle
Fragrant, white flower, April-M	ay. Hali	f-evergree	en.
18 to 24 in	.30	2.50	20.00
2 to 3 ft	·3 <i>5</i> ·4 <i>5</i>	2.80 3.70	22.50 30.00
4 to 5 ft	.55	4.70	
5 to 6 ft	.80	6.50	
heckrotti, 15'-20' Everl			
Flowers purple outside, yellow i			nber.
2 year 3 year	•3 <i>5</i> •4 <i>5</i>	2.80 3.70	
4 year	•55	4.70	
japonica, 15'-20'	Japanes	e Honey	suckle
Rapid growing vine, blooming f			
tember. Almost evergreen and valuable for covering steep ban		oe found	1 very
2 year	.23	2.00	15.00
3 year	•35	2.80	22.50
4 year	•45	3.70	30.00
—aureoreticulata Yellownet]		e Honey	suckle
Leaves veined with golden-yello	.23	2.00	15.00
3 year	·35	2.80	
-halliana, 15'-25' Hall	Japanes	e Honey	suckle
Grows rampantly. Blooms freely		_	
2 year			
3 year 4 year	·3 <i>5</i> ·4 <i>5</i>	2.80 3.70	22.50 30.00
korolkowi floribunda Broad		•	
18 to 24 in	.35	_	22.50
2 to 3 ft	.55	4.70	
3 to 4 ft	.80 1.00	6.50 8.50	
maacki, 12'-15' Vigorous grower. Thrives unde		r Honey	
spreading. White flowers in May			
ripening in September. 3 to 4 ft	.55	4.70	
4 to 5 ft	.70	5.50	
5 to 6 ft	.90	7.50	
—podocarpa, 8'-9'		e Honey	
Smaller, pinkish flowers, better maacki and holds leaves longer.			variety
18 to 24 in	.30	2.50	20.00
2 to 3 ft	·3 <i>5</i>	2.80	22.50
3 to 4 ft	.45	3.70	30.00
4 to 5 ft	·55 .80	4.70 6.50	37.50
6 to 7 ft	1.10	9.50	
minutiflora, 7'-8' Attractive bush form, with red form		y Honey	suckle
18 to 24 in	.30	2.50	20.00
2 to 3 ft	·3 <i>5</i>	2.80	_
3 to 4 ft	-45 -55	3.70 4.70	30.00 37.50
5 to 6 ft	• • • • • •	/V	

LONICERA—continued	Each	n Per 10	Per 100
morrowi, 7'-8'	Morro	ow Hone	ysu c kle
Spreading habit, white, May- foliage.	June. I	Red fruit	s, good
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.17 .23 .35 .45	1.50 2.00 2.80 3.70	11.00 15.00 22.50 30.00
nitida, 3'	Shi	ny Hone	ysuckle
A neat evergreen for the rock g leaves. Needs protection.	garden v	with smal	l glossy
9 to 12 in., 4 in. pots	.70 1.00 1.35	5.50 8.50 11.00	45.00 67.50 90.00
pileata, 1½'-2'	Priv	vet Hone	ysuckle
An evergreen prostrate form wind and purple fruits. Suitable for to location.			
9 to 12 in	.80	6.50	
12 to 15 in	1.00	8.50	
	1.03	11.00	
punicea Moderate-growing vine. Twining flower with orange-red corolla.	ng by	stems. At	ttractive
18 to 24 in	-45	3.70	30.00
2 to 3 ft	-55		
3 to 4 ft		5.50	
Creamy-white flowers, June.		an Hone	
18 to 24 in	.17	1.50	11.00
2 to 3 ft	.23	_	15.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft	.45 .55	3.70 4.70	30.00 37.50
6 to 7 ft	.80	6.50	52.50
sempervirens, 15'-20'		pet Hone	•
Thrifty, high climbing vine. Shir or orange-red.	ny folias	ge. Flower	s scarlet
2 year 3 year	•3 <i>5</i> •4 <i>5</i>	2.80 3.70	
syringantha, 4'-5'	Li	lac Hone	vsuckle
Attractive, but little known, s grant, pale, rosy-lilac flowers.			
18 to 24 in		2	
2 to 2½ ft		6.00	
—Wolfi, 4'-5'		olf Hone	
Graceful refined shrub for the l prostrate branches. Bluish-greer	leaves		
18 to 24 in	.45 .55		

LONICERA—continued	Each	Per 10	Per 100
tatarica, Pink and White, 9'-10'	Tataria:	n Honey	rsuckle
Flowers and fruit freely produ			
shrub.			
18 to 24 in	.17	1.50	11.00
2 to 3 ft	.23	2.00	15.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft	·4 <i>5</i>	3.70	30.00
5 to 6 ft	·5 <i>5</i>	4.70	37.50
-pulcherrima, 9'-10' Bright Red	Tataria	n Hones	vsuckle
Handsome red-flowered form of		n 110mc	ysuchic
18 to 24 in	·35	2.80	22.50
2 to 3 ft	•45	3.70	30.00
3 to 4 ft	.55	4.70	37.50
4 to 5 ft	.80	6.50	
sibirion of rot	Tataria	n Honor	rought 1-10
	Tataria:		ysuckie
18 to 24 in	.23 ⋅35	2.00 2.80	22.50
3 to 4 ft	•35 •45	3.70	30.00
4 to 5 ft	•43 •55	4.70	
thibetica, 3'-4'		n Honey	
Small, gray-green foliage and f		purple	flowers.
Handsome, small shrub for rock			
15 to 18 in	.80	6.50	
18 to 24 in	1.10	9.50	
2 to 3 ft	1.65	13.50	
LYCIUM chinense, 10'-12' Cl	ninese M	Latrimo	ny-vine
Violet flowers in June, followed 1			. *
ful for holding banks or hangi-			
18 to 24 in	.17	1.50	11.00
2 to 3 ft	.23	2.00	15.00
3 to 4 ft	·3 <i>5</i>	2.80	22.50
————— M ≫	*************************************		
MAGNOLIA acuminata, 70'-80'		Cucun	bertree
Pyramidal habit, vigorous growt	h: large		
greenish-yellow; pink fruit.	,	104,	***************************************
3 to 4 ft	1.65	-	-
4 to 5 ft	2.25		
5 to 6 ft	3.00		
6 to 7 ft	3.50		
conspicus or' co'			Yulan
conspicua, 25'-30'			
Tree with spreading branches; la		te, sweet	-scented
flowers before leaves in April or	-	47.00	
2 to 3 ft., B. & B	5.50 8.00	47.00 65.00	525.00
4 to 5 ft., B. & B	10.00	85.00	
4 to 3 tt., <i>b</i> . & <i>b</i>	10.00		
glauca, 15'-20'			veetbay
Delightfully fragrant, creamy fl			Slaucous
leaves, nearly evergreen. Prefers	_		
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.50		225.00
4 to 5 ft., B. & B	4.50 6.75	37.50 55.00	300.00
5 to 6 ft., B. & B	6.7 <i>5</i> 13.50	110.00	
6 to 7 ft., heavy specimens	16.50	135.00	
O O O TOTAL ALONE TO TO TO THE TOTAL OF THE			

MAGNOLIA—continued	r. ob	Dom 10	Dam 100
		Per 10	
grandiflora, 60'-75'		thern Ma	
Handsome evergreen specimen tr shiny, leathery leaves. Flowers ca grant.			
3 to 4 ft., B. & B	3.00	25.00	
4 to 5 ft., B. & B	4.50	37.50	
5 to 6 ft., B. & B	6.75	55.00	
6 to 8 ft., B. & B	10.00	85.00	
—lanceolata, 60'-75' Narrowle Similar to the type, with narrow			
2 to 3 ft., B. & B	2.25	20,00	
3 to 4 ft., B. & B	4.50	37.50	
kobus, 20'-30'	K	obus M	agnolia
White flowers in April or May be hardiest magnolias.	efore lea	aves; one	of the
2 to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B	5.50	47.00	375.00
5 to 6 ft., B. & B	7.50	62.50	500.00
6 to 7 ft., B. & B	9.00	75.00	
lilliflora nigra, 8'-10' Purple	eleaved	Lily M	agnolia
Large shrub with conspicuous flow outside and pink on the inside.	vers. Da	rk purple	on the
2 to 2½ ft., B. & B	2.25	19.00	
2½ to 3 ft., B. & B	3.00	25.00	
macrophylla, 25'-40'		gleaf M	-
Rapid-growing, medium-sized t large, from 1-3' long. Flowers a across.			
18 to 24 in., B. & B	3.00	25.00	
2 to 3 ft., B. & B	3 . 75	30.00	
3 to 4 ft., B. &. B	5.25	45.00	
4 to 5 ft., B. & B	6.00	50.00	
5 to 6 ft., B. & B	8.00	65.00	
parviflora, 25'-30'	Oy	yama Ma	agnolia
A native of Japan. Small tree washaped flowers produced in June. men tree.			
2 to 3 ft., B. & B	6.75	55.00	
3 to 4 ft., B. & B	9.00	75.00	
soulangeana, 15'-18'	Sa	ucer M	agn olia
Large, purplish-pink and white	flowers	s in Ma	y. Best
transplanted in early spring.			
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.75	81.00	250.00
4 to 5 ft., B. & B	5.50	47.00	375.00
5 to 6 ft., B. & B	~ ~ ~		6
	9.00	75.00	
7 to 8 ft R & R	12.00	105.00	825.00
7 to 8 ft., B. & B	_		600.00 825.00

MAGNOLIA—continued	Each	Per 10	Per 100
soulangeana alba superba, 15'-18	,		
	arge Sa	ucer M espects 1	
2 to 3 ft., B. & B	3.75	31.00	250.00
3 to 4 ft., B. & B	6.00	50.00	400.00
4 to 5 ft., B. & B	9.00	75.00	
		3.6	1.
—lennei, 15'-18'		enne M	agnolia
Rich, deep purple flowers in Apri			
2 to 3 ft., B. & B	6.00	50.00	400.00
3 to 4 ft., B. & B	9.00 12.50	75.00	600.00
5 to 6 ft., B. & B	16.50	135.00	1000.00
6 to 7 ft., B. & B	20.00		
	-	ucer M	agnolia
Hybrid variety of soulangeana. F			
2 to 3 ft., B. & B	4.50	37.50	
3 to 4 ft., B. & B	9.00	55.00	
5 to 6 ft., B. & B	11.00	75.00 95.00	
6 to 7 ft., B. & B	13.50		
stellata, 8'-1c'			agnolia
Spreading, shrubby habit, fragr	ant sem		
flowers appearing long before th			, WIIICC
• • •	3.00	25.00	
2 to 2½ ft., B. & B	4.50	37.50	200.00
$2\frac{1}{2}$ to 3 ft., B. & B	6.75	55.00	300.00
3 to 4 ft., B. & B	10.00	85.00	450.00
4 to 5 ft., B. & B	13.50	110.00	675.00
5 to 6 ft., B. & B	16.50	-	-
tripetala, 30'-40'		rella M	
Very large leaves; flowers white,			
3 to 4 ft	1.35	11.00	90.00
4 to 5 ft 5 to 6 ft	1.65 2.00	13.50 17.00	110.00
6 to 7 ft	3.00	25.00	200.00
7 to 8 ft	3.50	28.00	225.00
8 to 9 ft	3.75	31.00	
9 to 10 ft	4.50	37.50	
MAHONIA aquifolium, 4'-5'	Oreg	on Hol	lygrape
Evergreen. Shining, green leaves			
tumn; striking in May when		flowers	appear;
blue-black fruits. Best in half-sh			
9 to 12 in	.70	5.50	45.00
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.25 1.65	9.50 13.50	75.00
2 to 2½ ft., B. & B	2.25	19.00	
2½ to 3 ft., B. & B	3.00	25.00	
3 to $3\frac{1}{2}$ ft., B. & B., specimen	3.75	31.00	
$3\frac{1}{2}$ to 4 ft., B. & B., specimen	5.50		
bealei (japonica), 8'-10'	eatherl	eaf Hol	lygrape
Native of the Orient. Holly-like			
the leaves are much larger than o			
a sheltered location.			
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. &. B	3.00	25.00	
2 to 2/2 It., D. & D	4.50	37.50	

	Each	Per 10	Per 100
MALUS aldenhamensis, 25'-40'			
A variety popular in Europe. Redo Fine tree for the border screen.	dish cas	st to the	foliage.
5 to 6 ft	2.25		
6 to 8 ft	3.50	25.00 28.00	
8 to 10 ft	3.30		
arnoldiana, 8'-10' White flowers. Compact habit.		Arno	ld Crab
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50	12.50	100.00
atrosanguinea, 10'-15'		Carmin	ne Crab
Single, red flowers freely borne.			
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50 2.00	12.50 17.00	100.00
6 to 8 ft	3.00		
baccata, 20'-25'		Siberia	ın Crab
Very hardy; one of the earliest	to blo		
blossoms in great profusion, follow or red fruit.	wed by	wax-like	, yellow
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50 2.00	12.50	100.00
coronaria, 15'-20'		ild Swe	et Crab
	W		
coronaria, 15'-20'	W		ole. 60.00
coronaria, 15'-20' Fragrant, blush-pink flowers in ear 3 to 4 ft	W rly spri .90 1.20	ng. Doul 7.50 9.00	60.00 75.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early to 4 ft	W rly spri .90 1.20	ng. Doub 7.50 9.00 12.50	60.00 75.00
coronaria, 15'-20' Fragrant, blush-pink flowers in ear 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	W rly spri .90 1.20 1.50 2.00	ng. Doul 7.50 9.00	60.00 75.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early to 4 ft	W rly spri .90 1.20	7.50 9.00 12.50 17.00	60.00 75.00 100.00 135.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early at 0 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. dekoni echtermeyer, 10'-15' 3 to 4 ft.	W rly spri .90 1.20 1.50 2.00	7.50 9.00 12.50 17.00 25.00	60.00 75.00 100.00 135.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. dekoni echtermeyer, 10'-15' 3 to 4 ft. 4 to 5 ft.	Wrly spri .90 1.20 1.50 2.00 3.00	7.50 9.00 12.50 17.00 25.00	60.00 75.00 100.00 135.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. dekoni echtermeyer, 10'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	Wrly spri .90 1.20 1.50 2.00 3.00	7.50 9.00 12.50 17.00 25.00	60.00 75.00 100.00 135.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. dekoni echtermeyer, 10'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.00 3.50	7.50 9.00 12.50 17.00 25.00	60.00 75.00 100.00 135.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. dekoni echtermeyer, 10'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. floribunda, 10'-15' Japa Literally covered with single, 1	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.00 3.50	7.50 9.00 12.50 17.00 25.00 13.50 17.00 25.00	60.00 75.00 100.00 135.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.00 3.50 nese H	7.50 9.00 12.50 17.00 25.00 17.00 25.00 ———————————————————————————————————	60.00 75.00 100.00 135.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits. coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.00 3.50 .nese H	7.50 9.00 12.50 17.00 25.00 13.50 17.00 25.00 ———————————————————————————————————	60.00 75.00 100.00 135.00 ag Crab wers in 60.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.00 3.50 nese H	7.50 9.00 12.50 17.00 25.00 17.00 25.00 ———————————————————————————————————	60.00 75.00 100.00 135.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits. coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.00 3.50 nese Herose-column	7.50 9.00 12.50 17.00 25.00 17.00 25.00 Towering ored flo	60.00 75.00 100.00 135.00 ag Crab wers in 60.00 75.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 7 ft. 9 Japan Literally covered with single, rearly spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.50 .nese H	7.50 9.00 12.50 17.00 25.00 13.50 17.00 25.00 Flowering ored flo 7.50 9.00 12.50 17.00	60.00 75.00 100.00 135.00 ag Crab wers in 60.00 75.00 100.00
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 7 to 7 ft. Japan Literally covered with single, rearly spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.50 nese Heose-column	7.50 9.00 12.50 17.00 25.00 13.50 17.00 25.00 Clowering ored flo 7.50 9.00 12.50 17.00 Purp	60.00 75.00 100.00 135.00 ag Crab wers in 60.00 75.00 100.00 le Crab
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. floribunda, 10'-15' Japan Literally covered with single, rearly spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.00 3.50 .nese H .90 1.20 1.50 2.00	7.50 9.00 12.50 17.00 25.00 13.50 17.00 25.00 Clowering ored flo 7.50 9.00 12.50 17.00 Purple of the al	60.00 75.00 100.00 135.00 ag Crab wers in 60.00 75.00 100.00 —————————————————————————————
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. floribunda, 10'-15' Japa Literally covered with single, rearly spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.50 .nese H .sose-coll .90 1.20 1.50 2.00	7.50 9.00 12.50 17.00 25.00 13.50 17.00 25.00 Clowering ored flo 7.50 9.00 12.50 17.00 Purple of the al 7.50 9.00	60.00 75.00 100.00 135.00 ag Crab wers in 60.00 75.00 100.00 le Crab ove.
coronaria, 15'-20' Fragrant, blush-pink flowers in early 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. dekoni echtermeyer, 10'-15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. floribunda, 10'-15' Japa Literally covered with single, rearly spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. —purpurea, 10'-15' A very attractive, purple-foliaged 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 5 to 6 ft.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.00 3.50 nese If rose-cold .90 1.20 1.50 2.00	7.50 9.00 12.50 17.00 25.00 13.50 17.00 25.00 Clowering ored flo 7.50 9.00 12.50 17.00 Purple of the al 7.50 9.00 12.50	60.00 75.00 100.00 135.00 ag Crab wers in 60.00 75.00 100.00 le Crab ove.
coronaria, 15'-20' Fragrant, blush-pink flowers in early spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. floribunda, 10'-15' Japa Literally covered with single, rearly spring. Yellow fruits. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	.90 1.20 1.50 2.00 3.00 1.65 2.00 3.50 .nese H .sose-coll .90 1.20 1.50 2.00	7.50 9.00 12.50 17.00 25.00 13.50 17.00 25.00 Clowering ored flo 7.50 9.00 12.50 17.00 Purple of the al 7.50 9.00	60.00 75.00 100.00 135.00 ag Crab wers in 60.00 75.00 100.00 le Crab ove. 100.00

MALUS—continued	Each	Per 10	Per 100
— —eleyii, 10'-15'	Ely l	Flowerin	g Crab
A free-blossoming Crab with rec	_		_
5 to 6 ft	1.35		
6 to 7 ft	1.65		
7 to 8 ft	2.2 <i>5</i> 3.00		
halliana parkmani, 10'-15'	3.00	Parkma	n Crah
Semi-double pink; flowers on le	ong ste		
pact habit, and grows rather slow		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.35 2.00	12.00 15.00	90.00 125.00
5 to 6 ft	2.25	19.00	
6 to 7 ft	3.00		
hoppi, 12'-15' Hopa	Red I	Flowerin	g Crab
Bright, rose-red, double flowers			_
inside and out, making this new,	very h	ardy vari	ety ex-
tremely attractive.		0.40	
3 to 4 ft	1.20	9.50 12.00	
5 to 6 ft	2.00	14.50	125.00
6 to 7 ft	2.25	19.00	150.00
ioensis plena, 10'-15'		Bechte	1 Crab
Large, double, pure pink flower	rs with	noticeab	le fra-
grance; vigorous growers—last to			
2 to 3 ft	-45	3.75	30.00
3 to 4 ft	.80 1.20	6.50 9.00	52.50
5 to 6 ft	1.50	12.50	75.00
New Red, 10'-15'			
Double flowers of deep crimson. I	arge fi	mits.	
4 to 5 ft	3.00		
5 to 6 ft	3.50	28.00	
6 to 7 ft	3 . 75	31.00	
Oekonomierat Echtermeyer, 10'-	15'		
Carmine-rose flowers. Dark brown	nish-red	d fruit. V	Veeping
form of Crab.	107	11.00	
3 to 4 ft	1.3 <i>5</i> 2.00	11.00	
5 to 6 ft	2.25	19.00	
6 to 8 ft	3.00	25.00	
neidzwetzkyana, 15'-25'		Redvei	n Crab
The twigs, flowers and fruits of	of this	variety	have a
reddish hue. Free-growing type.	70	6.00	
2 to 3 ft	.70 .90	7.50	60.00
4 to 5 ft	1.20	9.00	75.00
5 to 6 ft	1.50	12.50	100.00
6 to 7 ft	2.00	15.00 17.00	
8 to 9 ft	3.00		-
pendula, 10'-15'		Weepin	g Crab
Flowering Crab of weeping or dro	ooping		3 0-45
2 to 3 ft	1.25	10.00	
3 to 4 ft	1.65	13.50	

MALUS—continued	Each	Per 10	Per 100
sargenti, 6'-8'		Sargen	t Crab
Low growing form with rigid sp flowering.	reading	branche	s. Free
2 to 3 ft	.90 1.35	7.50 11.00	60.00
scheideckeri, 10'-15'	Sch	ieidecke:	r Crab
Lasting, double, pink flowers in ha yellow fruits.	ndsome	clusters.	Large,
3 to 4 ft	.90 1.20	7.50 9.00	60.00 75.00
4 to 5 ft	1.50	12.50	100.00
6 to 8 ft	2.00 3.00	17.00 25.00	
spectabilis, 10'-15'	inese F	lowering	g Crab
Beautiful, double pink flowers; s		ented.	
4 to 5 ft 5 to 6 ft	1.10	12.50	
6 to 8 ft	2.00	17.00	
8 to 9 ft	3.00		
theifera, 15'-20'			a Crab
Sturdy, spreading tree with entire flowers which are white or tinte of the finest.			
3 to 4 ft	2.00	17.00	
4 to 5 ft	3.00 3.50	25.00 28.00	-
MITCHELLA repens		Partridg	eherry
2-in. pots	-35	3.00	
MORUS alba, 35'-50'		hite Mu	ilherry
The Mulberry cultivated in China ally thick-topped, rapid-growing a fruits attractive to birds.	for the	Silk wor	m. Usu-
6 to 8 ft	1.25	9.00	75.00
8 to 10 ft	1.65 2.25	13.50 19.00	110.00
—pendula, 8'-10' Te	as Wee	eping Mı	ılberry
The most popular, small "weepin			#2 #0
1 year heads	.80 1.20	6.50 9.00	<i>52.50 75.00</i>
3 year heads	1.65	13.50	110.00
4 year heads	2.25	19.00	150.00
—tartarica, 35'-50'	Ru	ssian Mı	ilberry
Rather spreading tree with fru creamy-white to almost black.	it that	varies :	from a
5 to 6 ft	.70	5. 50	
	.90	7.50	
MYRICA carolinensis, 4'-5' Does well in poor, gravelly soi berries, and glossy, green foliage	l. Has		e, gray
15 to 18 in	. Good	3.75	30.00
18 to 24 in	.70	5.50	45.00
2 to 2½ ft	.90	7.50 9.50	60.00
3 to 4 ft	1.25 1.50	12.50	

— ≪ N >>---

	Each	Per 10	Per 100
NANDINA domestica, 4'-6'		N	Tandina
Evergreen. One of the handsom greens in the South. Foliage is li fall coloring. Has large trusses of	ight in	effect. B	
15 to 18 in., B. & B	1.65		
18 to 24 in., B. & B	2.25 3.50	19.00 28.00	
2½ to 3 ft., B. & B	5.00		
*NYSSA sylvatica, 40'-60'		So	urgum
One of our finest, ornamental tree age, assuming brilliant autumn t places. Also called Tupelo.	es, with ints. W	handsor	ne foli-
2 to 3 ft	1.50	12.50	90.00
3 to 4 ft	2.00	15.00 20.00	125.00
5 to 6 ft	3.00		Processing
6 to 7 ft	3.50	•	
——— ↔ O ﴾	• 1		
OSMANTHUS aquifolium, 3'-4'	Но	lly Osm	anthus
Evergreen shrub, with holly-like glossy. Suitable for protected loca	leaves,		
15 to 18 in., own roots, B. & B 18 to 24 in., B. & B		13.50 19.00	110.00
OSTRYA virginiana, 25'-30'		Hophor	nbeam
Slender, spreading branches; foliage, clear yellow in autumn. S hop-like fruits. Useful for dry loc	Smooth,		
4 to 6 ft	2.00	15.00	
6 to 8 ft	2.2 <i>5</i> 3.00	20.00 25.00	
10 to 12 ft	3.50	28.00	
OXYDENDRUM arboreum, 25'-30	,	Son	rwood
Graceful clusters of white flower ery foliage. Fine autumn coloring	s. Augu		
2 to 3 ft., B. & B	.90	7.50	60.00
3 to 4 ft., B. & B	1.3 <i>5</i> 2.00	11.00 15.00	90.00 125.00
5 to 6 ft., B. & B	2.25	19.00	150.00
6 to 7 ft., B. & B	3.00	25.00	
——— P ≽—	•		
PACHISTIMA canbyi, 1'	Can	by Pach	istima
Native of the Alleghanies. A low- ground-cover with tiny dark-gree	spreadir	ng everg	reen or
plant for wall crevices.	4.0	0.7.5	20.00

3.75

6.00

.4*5*

30.00

PACHYSANDRA terminalis, 6"-8 Evergreen. One of the best bed	•	_	
effect in shady places.		w)	
Pot grown	1.50	12.50	100.00
, , , , , , , , , , , , , , , , , , ,		recian S	
Ornamental vine. Vigorous. Hand by stems. Fragrant flowers followed seed-pods.	lsome f l by con	foliage. ' spicuous	Twining slender
- C	Each		Per 100
2 to 3 ft	.60 .80	3.75 5.00 6.50	37.50
PHELLODENDRON chinense, 2	5'-30' Ch	inese C	orktree
A rapid-growing, tropical-appeari	ng, sma	ll tree.	
4 to 6 ft	1.65 2.25	13.50 19.00	110.00
8 to 10 ft	3.00	25.00	200.00
10 to 12 ft	3.50	28.00	225.00
sacchalinense, 40'-50' The most handsome tree of this generate with wide-spreading branches for head. Has compound foliage.	nus. Ta	chalin C ll, straigi well de	ht trunk
6 to 8 ft	3.50 4.50 5.50	28.00 37.50 47.00	225.00 300.00
PHILADELPHUS coronarius, 9'-	το′		
White, fragrant flowers profusely	Swe	et Moclin May	_
2 to 3 ft	.22	2.00	15.00
3 to 4 ft	•3 <i>5</i> •4 <i>5</i>	3.00 3.7 <i>5</i>	22.00 30.00
5 to 6 ft	•45	4.75	37.50
6 to 7 ft	.70	5.50	45.00
—aureus, 4'-5' Go Dwarf, compact form. Yeliow leav		af Mocl	corange
12 to 15 in	.17	1.50	11.00
15 to 18 in	.22	2.00	15.00
2 to 2½ ft	.30 .40	2.50 3.00	25.00
2½ to 3 ft	.55	4.75	37.50
3 to 3½ ft	.70	5.50	45.00
grandiflorus, 7'-8' Big S Large flowers lacking fragrance.	Scentle.	ss Mock	orange
2 to 3 ft	.22	2.00	15.00
3 to 4 ft	·3 <i>5</i> ·4 <i>5</i>	3.00 3.75	22.50 30.00
5 to 6 ft	•55 •70	4.75	37.50
sericanthus		5.50 se Mock	zoran ca
Late-flowering variety—large lea ally large.			_
4 to 5 ft	·5 <i>5</i>	4.75	
5 to 6 ft	.80	6.50	

PHILADELPHUS HYBRIDS	Each	Per 10	Per 100
atlas			
Tall variety with enormous flower			
4 to 5 ft	.55 .80	4.7 <i>5</i> 6. <i>5</i> 0	
avalanche, 4'-5' Graceful, arching habit.	Dwa	rf Mock	orange
18 to 24 in	.22	2.00	15.00
2 to 3 ft	·35	3.00	22.50
4 to 5 ft	·45 ·55	3.7 <i>5</i> 4.7 <i>5</i>	30.00
banniere, 7'-8'			
New, early, semi-double, pure whi			
2 to 3 ft	·3 <i>5</i> ·4 <i>5</i>	3.00 3.7 <i>5</i>	
4 to 5 ft	·43 ·55	4.7 <i>5</i>	
5 to 6 ft	.80	6.50	
bouquet blanc, 4'-5' White			orange
Low, dense habit. Blooms freely.	May-Jun .22	e. 2.00	15.00
2 to 3 ft	·35	3.00	22.50
3 to 4 ft	45	3.75	30.00
enchantment, 7'-8' Double white flowers in thick pan Blanc.	icles sin	nilar to 1	3o u quet
2 to 3 ft	-3 5	3.00	
3 to 4 ft	•4 <i>5</i> •5 <i>5</i>	3.7 <i>5</i> 4.7 <i>5</i>	
	•33	4.73	
girandole, 7'-8' Strikingly handsome variety, pro	fuce in	fower	
18 to 24 in		2.00	
2 to 3 ft		3.00	
3 to 4 ft	·4 <i>5</i>	3.75	
laxus, 7'-8' Similar to Grandiflora in flower. I		g Mock	
4 to 5 ft			
5 to 6 ft			
lemoine, 7'-8' Good, compact habit. Flowers swe		e Mock ited.	orange
18 to 24 in	.22	2.00	15.00
2 to 3 ft		3.00	
3 to 4 ft	•45 •55	3.7 <i>5</i> 4.7 <i>5</i>	30.00 37.50
maximus, 7'-8'			
Large-flowered variety:			
4 to 5 ft	·55	4.75	
5 to 6 ft	.80	6.50	
6 to 7 ft	1.25	9.00	
rosace, 7'-8' New French introduction.			
3 to 4 ft	-45	3.75	
4 to 5 ft	.55 .80	4.75	
5 to 6 ft	.00	6.50	

PHILADELPHUS HYBRIDS-			D-= 100
voie lactee, 7'-8'	Each	Per 10	Per 100
Large, single, white flowers, pure	white.	w)	
2 to 3 ft	·3 <i>5</i>		
3 to 4 ft	.45	3.75	
4 to 5 ft	.55	4.75	(Calculation Control of Control o
virginalis, 7'-8'			corange
Beautiful, semi-double flowers all summer.	produced	intern	nittently
18 to 24 in	.17	1.50	11.00
2 to 3 ft	.30 .40	2.50 3.00	
4 to 5 ft	.55	4.70	37.50
PHOTINIA subumbellata, 10'			0, 5
Slender branched shrub. Simil	ar to vil	llosa bu	it more
shrubby in character. Attractive			
2 to 3 ft	.70	5.50	45.00
3 to 4 ft	.90	7.50	60.00
4 to 5 ft	1.20 1.50	9.00	75.00
6 to 7 ft	2.00	17.50	
7 to 8 ft	3.00		200.00
8 to 9 ft	4.00	35.00	—
villosa, 12'-15'	Redbe	erried I	Photinia
Flowers white, June. Rich scarle			
in autumn. Splendid foliage for			
4 to 5 ft	1.25	9.50	75.00
5 to 6 ft	2.00	12.50	100.00
7 to 8 ft	3.00	25.00	133.00
PHYSOCARPUS opulifolius, 9'-			inebark
Creamy-white, June. Vigorous.	Good for	shade.	
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	∙3 <i>5</i> •4 <i>5</i>	2.70 3.70	22.50 30.00
5 to 6 ft	·45 ·55	4.70	37.50
			inebark
—aureus, 9'-10' Golden-leaved variety; white flo			
2 to 3 ft		2.00	
3 to 4 ft		2.70	
4 to 5 ft	.55	3.70	30.00
PICEA alcockiana, 75'-100'			Spruce
Introduction from Japan. Pyr spreading or ascending branche serves wider recognition.	ramidal tes. Vigoro	ree with	ver. De-
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50	37.50	
2½ to 3 ft., B. & B	5.50	47.00	
canadensis (alba), 50'-60' Evergreen. Silvery foliage; dev	elops into		Spruce ly speci-
men of close texture. 15 to 18 in., B. & B	.80	6.50	52.50
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft. B. & B	1.50	12.50	100.00
$2\frac{1}{2}$ to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.50	28.00	
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.50 6.00	37.50 50.00	
J to 0 1th, D. & D	3.00	50.00	

PICEA—continued	Each	Per 10	Per 100
glauca conica, 4'-6'	Dwarf	Alberta	Spruce
Narrow pyramid. Slow of grow	vth with	short,	twiggy
branches. Bright green leaves. Us			
9 to 12 in., B. & B	1.50 2.00	12.50 17.00	100.00
15 to 18 in., B. & B	3.00	25.00	200.00
—engelmanni, 75'-100'	-	elmann	~
Foliage bluish-green to steel-blu tree.	ue. Han	dsome sj	pecimen
3 to 4 ft., B. & B	6.75	55.00	
4 to 5 ft., B. & B	8.00	65.00	
5 to 6 ft., B. & B	10.00 12.50	85.00	
excelsa, 80'-100'	1	Vorway	Spruce
Evergreen. Has dark green folia Makes a good windbreak, and a trimmed hedges.			
SPECIAL NOTE—Our Norway Spruce of symmetrical plants as they are shaped pare these plants with those grown by	up every	year. Do	not com-
15 to 18 in., B. & B	-55	4.50	37.50
18 to 24 in., B. & B	.90	7.50	60.00
2 to 2½ ft., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.50	12.00	97.50
3 to 4 ft., B. & B	2.2 <i>5</i> 3.7 <i>5</i>	19.00 31.00	150.00 250.00
5 to 6 ft., B. & B	5.50	47.00	375.00
6 to 7 ft., B. & B	7.50	62.50	
7 to 8 ft., B. & B	9.00		
		Vorway	Spruce
Compact-growing, cone-shaped py			
6 to 9 in., B. & B	1.75	13.50	200.00
9 to 12 in., B. & B	3.00 3.50	25.00 28.00	200.00
—erecta, 15'-20'		Dwarf	
A dwarf form of excelsa with dist			it.
8 to 10 in., B. & B	1.75	13.50	
—inverta, 3'-5'			
Densely-branched pendulous form	1.		
9 to 12 in., B. & B	1.75		
12 to 15 in., B. & B	3.00 3.50		
—maxwelli, 3'-5'		laxwell	Spruce
Low, rounded, dense form. Leaves	s bright	green.	
	2.2 <i>5</i> 3.00		
—pumula			
Compact, dwarf habit. Splendid foliage.	for roc	kery. Ha	as dark
4 to 6 in., B. & B	1.75		
6 to 8 in., B. & B	3.00		

PICEA—continued	Each	Per 10	Per 100
—pyramidalis, 35'-50' Pyram	nidal I	Norway	Spruce
Narrow, pyramid type with bran	nches :	ascending	on an
9 to 12 in., B. & B	1.75	13.50	
12 to 15 in., B. & B	3.00 3.50	25.00 30.00	
koyamai, 40'-50'	F	Koyamai	Spruce
Narrowly pyramidal. Most attracti ing possibilities in landscape plan	ve foli		
9 to 12 in	1.7 <i>5</i> 3.00	13.50 25.00	110.00
omorika, 40'-50'		Serbian	Spruce
A rapid-growing, narrow, compa duced from Southeastern Europe.	ct pyr Good	amid typ	e intro-
9 to 12 in., B. & B	1.75	13.50	
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	3.50	30.00	
orientalis, 75'-100'		Oriental	Spruce
Graceful. Dark, glossy foliage. S branches to the ground making men. Stands close shearing.	low gr it a cl	owing. H	Tolds its on speci-
15 to 18 in., B. & B	3.75	31.00	250.00
18 to 24 in., B. & B	5.25	45.00	350.00
2 to 2½ ft., B. & B	6.75	56.00	
2½ to 3 ft., B. & B	9.00	75.00	
0 00 0/2 100, 20 00			
polita, 60'-75'		`iger-tail	Spruce
	Γ		
polita, 60'-75' Very distinct species. Has rigid lea	Γ		
polita, 60'-75' Very distinct species. Has rigid less senting a most striking effect. 6 to 9 in., B. & B	Taves on 1.35 1.65	stout lin	nbs, pre-
polita, 60'-75' Very distinct species. Has rigid less senting a most striking effect. 6 to 9 in., B. & B	Taves on	stout lin	90.00
polita, 60'-75' Very distinct species. Has rigid less senting a most striking effect. 6 to 9 in., B. & B	1.35 1.65 2.25	11.25 13.50 ————————————————————————————————————	90.00 110.00 ————————————————————————————
polita, 60'-75' Very distinct species. Has rigid less senting a most striking effect. 6 to 9 in., B. & B	1.35 1.65 2.25 whorls	11.25 13.50 ————————————————————————————————————	90.00 110.00 ————————————————————————————
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B	1.35 1.65 2.25 whorls	11.25 13.50 Colorado s, formin	90.00 110.00 ————————————————————————————
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B.	1.35 1.65 2.25 whorls	11.25 13.50 ————————————————————————————————————	90.00 110.00 Spruce ag hand- 45.00 67.50
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B.	1.35 1.65 2.25 whorls	11.25 13.50 ————————————————————————————————————	90.00 110.00
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B.	1.35 1.65 2.25 whorls	11.25 13.50 ————————————————————————————————————	90.00 110.00 Spruce g hand- 45.00 67.50 90.00
polita, 60'-75' Very distinct species. Has rigid less senting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B.	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50	11.25 13.50 ————————————————————————————————————	90.00 110.00
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B.	1.35 1.65 2.25 whorls	11.25 13.50 ————————————————————————————————————	90.00 110.00 Spruce g hand- 45.00 67.50 90.00
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B.	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50 4.50	11.25 13.50 ————————————————————————————————————	90.00 110.00
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft. 5 to 6 ft.	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50 4.50 6.75 10.00	11.25 13.50 ————————————————————————————————————	90.00 110.00
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft.	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50 4.50 6.75 10.00	11.25 13.50 ————————————————————————————————————	90.00 110.00 110.00 Spruce 18 hand- 45.00 67.50 90.00 150.00 225.00 300.00 Spruce
polita, 60'-75' Very distinct species. Has rigid less senting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft. 5 to 6 ft. —glauca, 60'-80' Similar to above, but of a please	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50 4.50 6.75 10.00	11.25 13.50 ————————————————————————————————————	90.00 110.00 110.00 Spruce 18 hand- 45.00 67.50 90.00 150.00 225.00 300.00 Spruce
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft. 5 to 6 ft. —glauca, 60'-80' Similar to above, but of a pleas plants. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50 4.50 6.75 10.00	11.25 13.50 ————————————————————————————————————	90.00 110.00 110.00 Spruce 150.00 150.00 225.00 300.00 Spruce Selected 110.00 200.00
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft. 5 to 6 ft. —glauca, 60'-80' Similar to above, but of a pleas plants. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 19 to 2½ ft., B. & B. 2 to 2½ ft., B. & B.	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50 4.50 6.75 10.00 Blue (sing bl	11.25 13.50 ————————————————————————————————————	90.00 110.00 Spruce 150.00 150.00 225.00 300.00 Spruce Selected 110.00 200.00 300.00
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft. 5 to 6 ft. —glauca, 60'-80' Similar to above, but of a pleas plants. 15 to 18 in., B. & B. 16 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2 to 2½ ft., B. & B. 2 to 3 ft., B. & B. 2 to 3 ft., B. & B.	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50 4.50 6.75 10.00 Blue 6 sing bl	11.25 13.50 ————————————————————————————————————	90.00 110.00 110.00 Spruce 150.00 150.00 225.00 300.00 Spruce Selected 110.00 200.00 450.00
polita, 60'-75' Very distinct species. Has rigid lessenting a most striking effect. 6 to 9 in., B. & B. 9 to 12 in., B. & B. 12 to 15 in., B. & B. pungens, 60'-80' Evergreen. Branches in distinct some lawn specimen. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft. 5 to 6 ft. —glauca, 60'-80' Similar to above, but of a please plants. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft. 5 to 6 ft. —glauca, 60'-80' Similar to above, but of a please plants. 15 to 18 in., B. & B. 2 to 2½ ft., B. & B. 3 to 4 ft., B. & B.	1.35 1.65 2.25 whorls .65 1.00 1.25 2.25 3.50 4.50 6.75 10.00 Blue (sing bl	11.25 13.50 ————————————————————————————————————	90.00 110.00 Spruce 150.00 150.00 225.00 300.00 Spruce Selected 110.00 200.00 300.00

PICEA—continued	Each	Per 10	Per 100
pungens kosteri, 60'-80'	Kost	er Blue	Spruce
Our own stock now offered in lunusually good. It was carefully every plant is well shaped.			
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 5 to 6 ft., B. & B. 7 to 8 ft., B. & B.	3.00 4.00 6.00 8.50 10.00 13.50 19.00 22.50 30.00 34.00	25.00 35.00 50.00 72.00 87.50 112.50 145.00 190.00 250.00 280.00	200.00 275.00 400.00 575.00 700.00
—specki, 60'-80'			
Bluish-white foliage. 12 to 15 in., B. & B	3.50 4.50 6.75	37.50 55.00	
PIERIS floribunda, 4'	Mount	ain Andr	omeda
Evergreen. Waxy-white flowers in foliage, best in half-shady place			p green
12 to 15 in., B. & B	2.25 3.50 4.50	19.00 28.00 37.50	150.00 225.00 300.00
japonica, 5'-6' Evergreen. Thick, shiny leaves,		ese Andı	
ter. Drooping clusters of small, May. Grows slowly. Best in moist	white	flowers of	open in
12 to 15 in., B. & B	1.65 2.25 3.50 4.50	13.50 19.00 28.00 37.50	110.00 150.00 225.00 300.00
mariana, 5'-6'		Stagg	erbush
Waxy-white flowers, May-June.			
15 to 18 in., B. & B	1.35 1.65 2.25 3.00	11.00 13.50 19.00 25.00	90.00
PINUS banksiana, 60'-70'		Jac	k Pine
Most northern of all Pines and exposed locations.	very h	ardy. Use	eful for
6 to 8 ft., B. & B	11.25 13.50 19.00	95.00 112.50 145.00	
cembra, 35'-50'	S	wiss Stor	ne Pine
Very slow growing. Makes a nea with dense, compact growth. Stan			
18 to 24 in., B. & B	3.50 4.00		
$2\frac{1}{2}$ to 3 ft., B. & B	4.50		
3 to 3½ ft., B. & B	5.50 6.75		

74 PRINCETON NURS	EKIES		
PINUS—continued	Each	Per 10	Per 100
densiflora, 60'-80'	Japa	anese Ro	ed Pine
Evergreen. Foliage dark green. A			
18 to 24 in., B. & B	.80	6.50	52.50
2 to 3 ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.25	28.00	225.00
5 to 6 ft., B. & B	4.50	37.50	300.00
6 to 7 ft., B. & B	6.75	55.00	
8 to 9 ft., B. & B	9.00 11.00	75.00 92.50	
-umbraculifera (tanyosho) Ja	panese	Umbrel	la Pine
Odd shape, short, stocky stems, will light green. Handsome and usef			
12 to 15 in., B. & B	2.00	17.50	135.00
15 to 18 in., B. & B	2.75	22.50	175.00
18 to 24 in., B. & B	4.00	35.00	275.00
2 to 2½ ft., B. & B	5.50	47.50	375.00
2½ to 3 ft., B. & B	7.50	62.50	
excelsa, 30'-60'		Himalaya	
Silvery, gray-green needles. Grawhite pine. A very handsome var	aceful liety.	n abit sin	nilar to
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 3 ft., B. & B	3.00	25.00	200.00
3 to 4 ft., B. & B	4.50	37.50	300.00
4 to 5 ft., B. & B	6.75	50.00	600.00
5 to 6 ft., B. & B	9.00 11.00	75.00 92.50	
flexilis, 30'-40'		Limb	er Pine
Evergreen. Dark, bluish-green fol	liage; vo	ery hard	у.
2½ to 3 ft., B. & B	4.50	37.50	
3 to 4 ft., B. & B	6.75	55.00	450.00
4 to 5 ft., B. & B	9.00	75.00	600.00
5 to 6 ft., B. & B	11.00	92.50	
6 to 7 ft., B. & B	13.50		
montana mughus, 3'-4'			o Pine
Evergreen. Forms a round-topp rock planting and foundation we	oed clui ork.	mp. Use:	ful for
9 to 12 in., B. & B	.70	5.50	45.00
12 to 15 in., B. & B	.90	7.50	60.00
15 to 18 in., B. & B	1.35	11.00	90.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	5.50	47.00	375.00
3 to 3½ ft., B. & B	8.00	65.00	
nigra, 60'-70'		Austria	n Pine
Evergreen. Rich, dark green. V Good for background. Thrives at			grower.
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	5.50	47.50	375.00
5 to 6 ft., B. & B	7.75	65.00	525.00
6 to 7 ft., B. & B	10.00	85.00	
7 to 8 ft., B. & B	12.50		

PINUS—continued	Each	Per 10	Per 100
ponderosa, 100'-150'	Weste	rn Yello	w Pine
Rugged picturesque outline when	n old.		
18 to 24 in., B. & B	2.25	19.00	
2 to 3 ft., B. & B	3.00	25.00	
3 to 4 ft., B. & B	3.75	31.00	
4 to 5 ft., B. & B	5.25	45.00	
5 to 6 ft., B. & B	6.75	55.00	
6 to 7 ft., B. & B	8.25	70.00	
7 to 8 ft., B. & B	10.00		
resinosa, 60'-70'		Re	d Pine
Dark green, stiff needles, vigorou	.s.		
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	3.75	31.00	250.00
5 to 6 ft., B. & B	6.00	50.00	
strobus, 80'-100'		Whi	te Pine
Evergreen. Probably our most ad	aptable	and usef	ul pine.
Very picturesque when old.	•		
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	4.50	37.50	300.00
5 to 6 ft., B. & B	6.75	56.00	450.00
6 to 7 ft., B. & B	9.00	75.00	
7 to 8 ft., B. & B	12.50		
8 to 10 ft., B. & B	16.50	135.00	
sylvestris, 25'-30'		Scoto	h Pine
Evergreen. A rapid-growing, ha when young. Good for windbrea		tree, es	pecially
18 to 24 in., B. & B	.80	6.50	52.00
2 to 3 ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	2.25	19.00	150.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	4.50	37.50	300.00
6 to 7 ft., B. & B	6.75	55.00	450.00
7 to 8 ft., B. & B			
	9.00	75.00	600.00
8 to 9 ft., B. & B	11.00	95.00	600.00
9 to 10 ft., B. & B	11.00	95.00 120.00	600.00
	11.00 15.00 19.00	95.00 120.00 145.00	
9 to 10 ft., B. & B	11.00 15.00 19.00 Japan	95.00 120.00 145.00 tese Blac	ak Pine
9 to 10 ft., B. & B	11.00 15.00 19.00 Japan e with	95.00 120.00 145.00 tese Blac rich, dar	k Pine
9 to 10 ft., B. & B	11.00 15.00 19.00 Japan e with for grou	95.00 120.00 145.00 tese Blac rich, dar	k Pine
9 to 10 ft., B. & B	11.00 15.00 19.00 Japan e with for grou	95.00 120.00 145.00 tese Blac rich, dar uping effe	k Pine k green ects.
9 to 10 ft., B. & B	11.00 15.00 19.00 Japan e with for grow	95.00 120.00 145.00 tese Blac rich, dar aping effe 13.50 25.00	k Pine k green ects.
9 to 10 ft., B. & B. 10 to 12 ft., B. & B. thunbergi, 80'-100' Evergreen. A large growing tre foliage and long needles; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	11.00 15.00 19.00 Japan e with for grou 1.65 3.00 3.75	95.00 120.00 145.00 tese Blac rich, dar iping effe 13.50 25.00 31.00	k Pine k green ects. 110.00 200.00
9 to 10 ft., B. & B. 10 to 12 ft., B. & B. thunbergi, 80'-100' Evergreen. A large growing tre foliage and long needles; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. PLATANUS occidentalis, 75'-100' American Planetree of	11.00 15.00 19.00 Japan e with for grou 1.65 3.00 3.75	95.00 120.00 145.00 tese Black rich, dar iping effection 13.50 25.00 31.00	k Pine k green ects. 110.00 200.00
9 to 10 ft., B. & B. 10 to 12 ft., B. & B. thunbergi, 80'-100' Evergreen. A large growing tre foliage and long needles; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. PLATANUS occidentalis, 75'-100' American Planetree of to 8 ft.	11.00 15.00 19.00 Japan e with for grou 1.65 3.00 3.75 or Ame	95.00 120.00 145.00 tese Black rich, dar uping effe 13.50 25.00 31.00	k Pine k green ects. 110.00 200.00
9 to 10 ft., B. & B. 10 to 12 ft., B. & B. thunbergi, 80'-100' Evergreen. A large growing tre foliage and long needles; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. PLATANUS occidentalis, 75'-100' American Planetree of to 8 ft. 8 to 10 ft.	11.00 15.00 19.00 Japan e with for grow 1.65 3.00 3.75 or Ame 1.10 1.50	95.00 120.00 145.00 tese Black rich, dar iping effection 13.50 25.00 31.00 rican Sy 9.00 12.50	k Pine k green ects. 110.00 200.00
9 to 10 ft., B. & B	11.00 15.00 19.00 Japan e with for grou 1.65 3.00 3.75 or Ame 1.10 1.50 2.00	95.00 120.00 145.00 dese Black rich, dar aping effe 13.50 25.00 31.00 rican Sy 9.00 12.50 17.00	k Pine k green ects. 110.00 200.00
9 to 10 ft., B. & B. 10 to 12 ft., B. & B. thunbergi, 80'-100' Evergreen. A large growing tre foliage and long needles; good 18 to 24 in. 2 to 3 ft. 3 to 4 ft. PLATANUS occidentalis, 75'-100' American Planetree of 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in	11.00 15.00 19.00 Japan e with for grow 1.65 3.00 3.75 or Ame 1.10 1.50	95.00 120.00 145.00 tese Black rich, dar iping effection 13.50 25.00 31.00 rican Sy 9.00 12.50	k Pine k green ects. 110.00 200.00

PLATANUS—continued	Each	Per 10	Per 100
orientalis, 70'-80'	Euro	pean Pla	anetree
A good tree for park and street u ly; withstands smoky city conditi		ws rathe	r quick-
6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 12 to 14 ft., 2 to 2¼ in 12 to 14 ft., 2¼ to 2½ in 2½ to 3 in 3 to 3½ in	.80 1.10 1.50 2.00 3.00 3.75 5.00 8.00	6.50 9.00 12.50 17.50 25.00 31.00 40.00 65.00 93.50	52.00 75.00 97.50 135.00 200.00 250.00 325.00 525.00
POLYGONUM auberti, 25'	Ch	ina Fle	ecevine
Climbing plant of vigorous graph foamy sprays of white flowers du	iring su	immer a	nd fall.
2 year strong		4.70	37.50
POPULUS bolleana, 50'-60' Leaves white underneath; similar Lombardy Poplar.		olleana nar char	
8 to 10 ft. 8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in 10 to 12 ft., 1 ¹ / ₂ to 1 ³ / ₄ in 1 ³ / ₄ to 2 in 2 to 2 ¹ / ₂ in 2 ¹ / ₂ to 3 in	1.00 1.35 1.65 2.25 3.00 3.50	8.50 11.00 13.50 19.00 25.00 28.00	67.50 90.00 110.00 150.00 200.00
eugenie, 75'-90'	С	arolina	Poplar
A rapid grower; succeeds even in seashore.			_
8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in 12 to 14 ft., 1¾ to 2 in	.90 1.35 2.00	7.50 11.00 17.00	60.00 90.00
nigra italica, 60'-80'	Lor	nbardy	Poplar
Tall spire-like character; valued f screens.	or land	scape w	ork and
6 to 8 ft	.45	3.50	30.00
8 to 10 ft	.70 1.00	5.50 8.50	40.00 67.50
simoni, 25'-30'		Simon 1	Poplar
Hardy, small, fastigate tree with a 8 to 10 ft	.80 .80	6.50	
10 to 12 ft	1.10	9.50 13.50	
POTENTILLA fruticosa, 3'-4'	Shrub	by Cin	quefoil
Blooms profusely, yellow, June-S able and useful shrub.		-	_
12 to 18 in	·35 ·45 ·55	2.50 3.50 4.50	22.50 30.00 37.50
—veitchi, 3'-4'	Vei	tch Cin	quefoil
Hardy variety from China having flowering from June till frost.	g pure	white bl	ossoms,
12 to 18 in	.45		

	Each	Per 10	Per 100
PRUNUS cerasifera pissardi, 12'-1			
Valued chiefly because of purpl			
pruned every year for best color			
3 to 4 ft	-45	3.50	30.00
4 to 5 ft	.65	5.50	
5 to 6 ft	.90 1.10	7.50 9.00	
10 to 12 ft	2.25		
	2,		
-othello, 12'-15' Oth		_	
A variety of the above, somewha	t strong	ger grow	er and
larger leaves. 3 to 4 ft	4.5	0.50	20.00
4 to 5 ft	·45 .65	3.50 5.50	30.00
4 9		J.J.	
glandulosa, 5'-6'	Flow	vering A	lmond
Flowers double, May; very show White varieties.	y; the	re are Pi	nk and
18 to 24 in	.45		30.00
2 to 3 ft	.65	5.50	45.00
lannesiana, 20'-30'		Hitoye (Cherry
Rather fast-growing tree with		-	anches,
single white flowers. Also called		•	
6 to 8 ft	_		
8 to 10 ft	3.00 3.7 <i>5</i>	25.00 31.00	
12 to 14 ft	5.00	42.50	
maritima, 9'-10'		Beach	Plum
Small white flowers, April. Fruit	_		olendid
subject for sandy soils or near s			20.00
12 to 18 in	•45 •55	3.7 <i>5</i> 4.7 <i>5</i>	30.00 37.50
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	.90	7.50	
padus, 30'-40'	Curopea	n Bird (Cherry
Decorative flowering tree; has lo white flowers, black fruit.	ng droo	ping race	mes of
5 to 6 ft	.80	6.50	52.50
6 to 8 ft	1.00	8.50	
8 to 10 ft	1.35	11.00	
10 to 12 ft	1.65	13.50	
persica (See Amygdalus Persica)		
serotina, 75'-100'		Black (Cherry
Largest of native Cherries. Makes Quick growing. Stands severe expe			
Coast. Thrives in sandy fields.			
6 to 8 ft	1.10		
10 to 12 ft	1.35 2.25		
12 to 14 ft	3.25		

Serrulata, 40'-60'	PRUNUS—continued	Each	Per 10	Per 100
large strong tree with wealth of white, semi-double blossoms in early spring. Foliage large, deep green, changing to brilliant shades of yellow and red in the fall. 5 to 6 ft	serrulata, 40'-60'		Oriental	Cherry
6 to 8 ft.	large strong tree with wealth of soms in early spring. Foliage lar	white,	semi-doul p green, c	ole blos-
Largest and hardiest of Oriental Cherries. Rich pink blossoms, fading to white. An ideal lawn specimen and accent tree. 5 to 6 ft.	6 to 8 ft	2.25 3.00 4.00	19.00 25.00 32.50	200.00
Largest and hardiest of Oriental Cherries. Rich pink blossoms, fading to white. An ideal lawn specimen and accent tree. 5 to 6 ft.	—sacchalinensis, 40'-60'		Yama	Cherry
8 to 10 ft	Largest and hardiest of Oriental soms, fading to white. An ideal l		s. Rich pi	nk blos-
Round topped shrub-like tree. Deep pink blossoms fading to white when fully open. One of the most beautiful flowering Cherries. 6 to 8 ft	6 to 8 ft	4.00	35.00	
Round topped shrub-like tree. Deep pink blossoms fading to white when fully open. One of the most beautiful flowering Cherries. 6 to 8 ft	subhirtella, 25'-30'		Higan	Cherry
8 to 10 ft	Round topped shrub-like tree. Do to white when fully open. One flowering Cherries.	eep pink e of th	k blossom:	s fading
		•		
—autumnalis, 25'-30' Autumn Flowering Higan Cherry Small tree. Semi-double pink blossoms flowering in October or early spring. 5 to 6 ft			47.00	
Small tree. Semi-double pink blossoms flowering in October or early spring. 5 to 6 ft		owerin	a Higan	Charry
6 to 8 ft	Small tree. Semi-double pink blos		_	
A most beautiful and graceful tree, covered with pink blossoms in early spring. 4 to 5 ft. stems, 1 yr. heads	6 to 8 ft	4.00		
A most beautiful and graceful tree, covered with pink blossoms in early spring. 4 to 5 ft. stems, 1 yr. heads	—pendula, 12'-15'	Weepin	g Japan	Cherry
5 to 6 ft. stems, 1 yr. heads extra	A most beautiful and graceful			
5 to 6 ft. stems, 2 yr. heads extra	5 to 6 ft. stems, 1 yr. heads	2.25		150.00
extra		3.25	28.00	225.00
2 to 2½ in	extra	4.50	37.50	300.00
2½ to 3 in	2 to 2½ in	9.00	75.00	600.00
3 to 3½ in. 13.50 112.50 — tomentosa, 6'-7' Nanking Cherry Fruits are light red. Flowers white, before leaves appear. Very showy. 2 to 3 ft. .45 3.75 30.00 3 to 4 ft. .55 4.50 37.50 4 to 5 ft. .80 6.50 52.50 5 to 6 ft. 1.00 8.50 67.50 6 to 7 ft. 1.35 11.00 90.00 triloba plena, 7'-8' Doubleflowering Plum Double pink flowers, April-May. Handsome and useful. 2 to 3 ft. .55 4.75 — 3 to 4 ft. .80 6.50 —		11.00	92.50	750.00
Fruits are light red. Flowers white, before leaves appear. Very showy. 2 to 3 ft		13.50	112.50	
Very showy. 2 to 3 ft. .45 3.75 30.00 3 to 4 ft. .55 4.50 37.50 4 to 5 ft. .80 6.50 52.50 5 to 6 ft. 1.00 8.50 67.50 6 to 7 ft. 1.35 11.00 90.00 triloba plena, 7'-8' Doubleflowering Plum Double pink flowers, April-May. Handsome and useful. 2 to 3 ft. .55 4.75 — 3 to 4 ft. .80 6.50 —	• -		_	_
3 to 4 ft		ite, befo	ore leaves	appear.
4 to 5 ft				_
5 to 6 ft. 1.00 8.50 67.50 6 to 7 ft. 1.35 11.00 90.00 triloba plena, 7'-8' Doubleflowering Plum Double pink flowers, April-May. Handsome and useful. 2 to 3 ft. .55 4.75 — 3 to 4 ft. .80 6.50 —				
6 to 7 ft	5 to 6 ft			
Double pink flowers, April-May. Handsome and useful. 2 to 3 ft	6 to 7 ft	1.35	11.00	
Double pink flowers, April-May. Handsome and useful. 2 to 3 ft	triloba plena, 7'-8'	Double	eflowerin	g Plum
3 to 4 ft	Double pink flowers, April-May.			
4 to 5 ft 1.00 8.50 —				
- , -	4 to 5 ft			

JAPANESE CHERRIES

We offer the following list of the choicest imported varieties. These are of upright habit and very desirable for landscape work. In addition to the list named we have lesser quantities of several other varieties as well as some larger sizes which we will be glad to quote on request. All of our cherries are eastern grown. They are heavy, well branched, well rooted specimens not to be compared with light one or two year whips.

with light one or two year whips.			
	Each	Per 10	Per 100
Amayodori, 25'-35'			
Flowers double white.			
5 to 6 ft	3.50	27.50	******
6 to 8 ft	5.25	45.00	
Ichiyo (hisakura), 25'-35'			
Flowers double pink.			
6 to 8 ft	5.25	45.00	350.00
8 to 10 ft	6.75	55.00	
10 to 12 ft	9.00	75.00	
J. H. Veitch (fugenzo), 30' Flowers double pink.			
4 to 5 ft	2.25	19.00	
5 to 6 ft	3.50	27.50	225.00
6 to 8 ft	5.25	45.00	350.00
8 to 10 ft	6.75	55.00	
Kanzan, 40'			
One of the best—flowers deep pin	k and v	ery dou	ble.
4 to 5 ft	2.25	19.00	150.00
6 to 8 ft	5.25	45.00	
8 to 10 ft	6.7 <i>5</i> 9.00	55.00 75.00	450.00
	9.00	73.00	
Ojochin, 25'	1 11	a	
Large tree with light pink, semi-d			
5 to 6 ft	3.50 5.25	45.00	350.00
8 to 10 ft	6.75	55.00	
Paul Wohlert, 25'-30'			
Double, deep pink flowers—semi-d	lwarf f	orm	
5 to 6 ft			
	J., J C	27.50	
Rosea superba, 30'			
Flowers double rose.			
6 to 8 ft	5.25	45.00	450.00
10 to 12 ft	6.7 <i>5</i> 9.00	55.00 75.00	450.00
	<i>y.</i> cc	75.00	
Shirofugen, 25'-35'			
Light pink buds opening to white-			
5 to 6 ft	3.50	27.50	0.50.00
6 to 8 ft	5.25 6.75	45.00 55.00	350.00
10 to 12 ft	9.00		
Watereri 201			
Shows double pink flowers			
Showy, double pink flowers. 5 to 6 ft	3.50	27.50	
6 to 8 ft	5.25	45.00	

PRUNUS—continued	Each	Per 10	Per 100
Yedoensis (yoshino cherry), 35'			
Single, pale pink.			
6 to 8 ft	5.25	45.00	350.00
8 to 10 ft	6.7 <i>5</i> 9.00	55.00 75.00	
PSEUDOTSUGA douglasi, 70'-80			ıglas-fir
Evergreen. Very hardy; dark blu fers well drained situation.	ush-gree	n colori	ng. Pre-
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	2.00	17.00	135.00
3 to 4 ft., B. & B	3.25 4.50	28.00 37.50	225.00 300.00
5 to 6 ft., B. & B	8.00	65.00	
6 to 7 ft., B. & B	11.00	92.50	
7 to 8 ft., B. & B	15.00 19.00	122.00	
8 to 9 ft., B. & B			
-glauca			glas Fir
A selected strain of the Colorado I teristic blue and silvery foliage.	Douglas	Fir with	charac-
18 to 24 in., B. & B	1.65	13.50	110.00
2 to 2½ ft., B. & B	3.00	25.00	200.00
2½ to 3 ft., B. & B	4.00	35.00	275.00
3 to 4 ft., B. & B	5.25 6.75	45.00 55.00	
	0.73		т ,
PTELEA trifoliata, 10'-12'	. 1 11		Hoptree
Has clusters of fruit that look as 3 to 4 ft	.70	5.50	ps
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.25	9.50	
6 to 8 ft	1.50	12.50	
PUERARIA thunbergiana, 60'			zu-bean
One of the fastest growing vines	in culti	vation;	fragrant
purple flowers. 1 year, strong	.20	1.70	
		1.,0	
PYRACANTHA coccinea lalandi		land Fi	rethorn
Evergreen. A beautiful broad-leav			
clusters of orange berries in the			
the North.	0-	6 40	40.40
9 to 12 in., B. & B	.80 1.2 <i>5</i>	6.50 9.50	52.50 75.00
15 to 18 in., B. & B	1.50	12.00	95.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 3 ft., B. & B	3.50	28.00	225.00
——— Q Þ>	•		
OHEDCHE alba		7771	ite Oak
QUERCUS alba, 100' Best planted in spring. The most	rugged		
in growth but makes magnificent		Oak Ul'a	211, SIOW
4 to 5 ft	1.65	13.50	110.00
5 to 6 ft	2.25	19.00	150.00
6 to 8 ft	3.50 4.50	28.00	225.00 300.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	6.00	50.00	400.00
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in			

QUERCUS—continued	Each	Per 10	Per 100
coccinea, 75'-90'		Scar	let Oak
Most striking autumn colors; tal cut leaves.	l, statel	y grower	, deeply
4 to 5 ft	1.25	9.50	75.00
5 to 6 ft	2.00	15.00	125.00
6 to 8 ft	3.00	25.00	200.00
8 to 10 ft	3.75	31.00	250.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	37.50	300.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.50	47.50	375.00
10 to 12 ft., 13/4 to 2 in	9.00	75.00	
12 to 14 ft., 2 to $2\frac{1}{4}$ in	11.00	90.00	
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in 14 ft., $2\frac{1}{2}$ to 3 in	13.50 16.50	110.00	
lyrata, 60'-75'		Overc	up Oak
Enjoys a moist soil and assoc	iates w	ell with	Nyssa,
Liquidambar, River Birch, etc.			
4 to 5 ft	3.00	25.00	200.00
5 to 6 ft	3.50	28.00	
6 to 8 ft	5.50	47.50	
macrocarpa, 75'-80'		Mossyc	
Vigorous grower of picturesque corky branches.	appeara	nce owir	ig to its
5 to 6 ft	1.65	13.50	200.00
6 to 8 ft	3.00	25.00	250.00
8 to 10 ft	3.75	31.00	300.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	37.50	375.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.50	47.50	-
12 to 14 ft., 13/4 to 2 in	8.00	65.00	
2 to 2 ¹ / ₄ in	10.00	80.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	12.00	100.00	
$2\frac{1}{2}$ to 3 in	14.00	120.00	
3 to 3½ in	16.50		
palustris, 75'-90'		F	'in Oak
Takes most kindly to cultivation			
is very adaptable. Particularly	fitting a	is a stre	et tree;
good autumn effects.			
5 to 6 ft	.90	7.50	60.00
6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	1.65	13.50	110.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	19.00	150.00
9 to 11 ft., 1½ to 1¾ in	3.50	28.00	225.00
9 to 11 ft., 134 to 2 in	4.50	37.50	300.00
11 to 12 ft., 2 to $2\frac{1}{4}$ in $2\frac{1}{4}$ to $2\frac{1}{2}$ in	6.00 8.00	50.00 65.00	400.00 525.00
$2\frac{7}{4}$ to $2\frac{7}{2}$ in	10.00	87.50	700.00
$\begin{array}{c} 272 \text{ to } 3 \text{ in} \\ 3 \text{ to } 3^{1/2} \text{ in} \\ \end{array}$	13.50	110.00	700.00
$3^{1/2}$ to 4 in	16.50	135.00	
4 to 4 ¹ / ₂ in	22.50	190.00	
Also larger sizes. Prices on applic		- ,	
		XX/:11c	w Oak
phellos, 50'-60'	not from		
Narrow willow-like leaves; disting of oak.			
5 to 6 ft	2.25	19.00	150.00
6 to 8 ft	3.50	28.00	225.00
8 to 10 ft	4.50	37.50	300.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	5.50	47.00	
10 to 12 ft., 1½ to 1¾ in	6.50 8.00	55.00 65.00	
10 to 12 ft., $1\frac{3}{4}$ to 2 in	9.00		
12 10 14 11., 2 10 2/4 111	9.00		

OHEDGUG			
QUERCUS—continued	Each	Per 10	Per 100
		al Engli	
Narrowly columnar. Makes a dep Effective when used as an accent i ment or for heavy formal effects.	n intima	long liv ite garde	ed tree. n treat-
3 to 4 ft	3.50	28.00	225.00
4 to 5 ft	5.50	47.00	
8 to 10 ft	8.00	65.00	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	11.00	90.00	
11 to 12 ft., 13/4 to 2 in., B. & B.		190.00	
11 to 12 ft., 2 to 2 ¹ / ₄ in., B. & B.		250.00	
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in., B. & B.	35.00	280.00	
12 to 14 ft., 2½ to 3 in., B. & B.	45.00		
12 to 14 ft., 3 to 3½ in., B. & B.	55.00		
rubra, 75'-90'	Con	nm on R	ed Oak
Comparatively quick growth; rigreens and reds.	ch autu	mn colo	oring in
4 to 5 ft	1.10	9.00	75.00
5 to 6 ft	1.35	11.00	90.00
6 to 8 ft	2.25	19.00	150.00
8 to 10 ft	3.50	28.00	225.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75 5.50	31.00 47.00	375.00
13/4 to 2 in	6.50	56.00	3/3.00
2 to 2½ in	9.00	75.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	11.00	90.00	
2½ to 3 in	17.00	135.00	
velutina, 75'-90'			ck Oak
Inhabits poor soils of dry and green foliage turning yellowisl autumn.			
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	1.65	13.50	110.00
6 to 8 ft	3.00	25.00	
0 to 10 It	3 .7 5		
—————————————————————————————————————	•		
RETINOSPORA (See CHAMAI	ECYPA	RIS)	
RHAMNUS caroliniana, 30'	Carol	ina Buc	kthorn
Has red fruit, turning black whe			
2 to 3 ft	.45	3.75	30.00
3 to 4 ft	•55	4.7 <i>5</i>	37.50
4 to 5 ft	.80	6.50	52.50
5 to 6 ft	1.10	9.00	
6 to 8 ft	1.65	13.50	
8 to 10 ft	3.50	28.00	

cathartica, 9'-10' Common Buckthorn Dark green leaves, black berries. Valuable background shrub. 3 to 4 ft. 2.80 22.50 .35 4 to 5 ft. 30.00 3.75 .45 5 to 6 ft.60 5.00 40.00 6 to 7 ft. 7.50 .90 60.00

RHAMNUS—continued	Each	Per 10	Per 100
frangula, 8'-9'	Glo	ssy Buc	kthorn
Berries red, changing to black.			
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft	.45	3.75	30.00
5 to 6 ft	.60	5.00	40.00
6 to 7 ft	.90	7.50	60.00
RHODODENDRON carolinanum	4'-6'		
		Rhodod	endron
These plants are nursery grown	and exc	entional	ly fine.
They are all well budded and so			
and height are about equal. This			
flowers in May or June and is one	e of the	best for	plant-
ing in open places.	0.04	10.00	1 60 00
15 to 18 in., B. & B	2.25 3.50	19.00 28.00	150.00 225.00
2 to 2½ ft., B. & B	4.50	37.50	
_ 00 1/2 10, 	4.5	07-5	
—album White Ca	rolina	Rhodod	endron
White blooming variety of the ab-	ove.		
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	3.50	28.00	
18 to 24 in., B. & B	4.50	37.50	
catawbiense, 6'-9'	tawba	Rhodod	endron
Nursery grown stock, perfectly			
bushy specimens. This variety flowers in May or June and pref	has la	rge rosy	-purple
15 to 18 in., B. & B	2.00	17.00	135.00
18 to 24 in., B. & B	3.00	25.00	200.00
2 to 2½ ft., B. & B	4.50 6.00	37.50 50.00	300.00 400.00
3 to 3½ ft., B. & B	9.00	75.00	
3 3/2 3 2 · · · 2 · · · · · · · · · · · · · ·	<i>y</i>	75.00	
maximum, 8'-12'	sebay	Rhodod	endron
Nursery Grown. Raised from seed.	•		
Evergreen. Beautiful light pink f	lowers	freely p	roduced
in May-June. Large, handsome fo	liage; n	nost effe	ctive in
masses.			
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 4 ft., B. & B	6.50	55.00	450.00
maximum			
Collected Clumps, Grown in Nurs	ery Fiv	e Years.	
2 to 3 ft., B. & B	3.75	31.00	250.00
3 to 4 ft., B. & B	5.50	47.00	375.00
		Rhodod	endron
Violet-pink flowers very early. I leaves in fall.	randson	ne scarle	::-tillted
12 to 15 in., B. & B	4.50	37.50	
15 to 18 in., B. & B	6.00	50.00	
18 to 24 in., B. & B	8.00	65.00	

	Each	Per 10	Per 100
HYBRID RHODODENDRONS,	3'-8'		
Strong growing varieties.	5		
Album elegans—Blush-pink.		•	
Catawbiense grandiflora—Rosy-	nurnle		
Everestianum—Rosy-lilac.	par pro.		
President Lincoln—Pink.			
Roseum elegans—Rich pink.			
12 to 15 in., B. & B	2.00	2 5 00	200.00
15 to 18 in., B. & B	3.00 3.7 <i>5</i>	25.00 31.00	200.00
18 to 24 in., B. & B	5.50	47.00	_
2 to 2½ ft., B. & B	8.00	65.00	525.00
2½ to 3 ft., B. & B	10.00	80.00	
Medium growing varieties.			
Amphion—Rose-pink.			
Candidissima—White.			
Caractacus—Red.			
Dr. Dresselhuis-Bright red.			
General Grant—Rosy-scarlet.			
Ignatius Sargent—Deep pink.			
Mrs. C. S. Sargent—Rich crimso	n.		
Purpureum grandiflorum—Large		ed nurn	le Late
Roseum superbum—Deep pink.	, 110 ** C1	ed parp	re. Date.
12 to 15 in., B. & B	3.50	27.50	
15 to 18 in., B. & B	4.50 6.00	37.50 50.00	
	0.00	30.00	
Compact or Dwarf varieties.			
Boule de Neige—White.			
12 to 15 in., B. & B	4.25	35.00	
15 to 18 in., B. & B	5.25 6.75	45.00 57.50	
24 m, 21 to 21 11 11 11 11 11 11 11 11 11 11 11 11	0.75	77.50	
HYBRID seedlings, mixed colors.			
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.50 6.50	37.50 55.00	
272 to 3 It., B. & B	0.50	33.00	
RHODOTYPOS kerrioides, 4'-5'		White	e Kerria
Fresh green foliage, pure white			
ing, black, bead-like berries all	winter.	Also ca	lled Jet
bead.			
18 to 24 in	.17	1.50	11.00
2 to 3 ft	.22	1.90 2.80	15.00 22.50
4 to 5 ft	·3 <i>5</i> ·55	4.70	37.50
5 to 6 ft	.80	6.50	
			~
RHUS canadensis (aromatica), 4	_	_	
Clusters of small yellow flowers,			
tive in June when covered with		red frui	ts. With
stands drought. Aromatic foliage			
18 to 24 in	·3 <i>5</i>	2.80	
2 to 3 ft	.60	3.75	30.00
4 to 5 ft	.80	5.00 6.50	40.00 52.50
5 to 6 ft	1.10	9.00	

RHUS—continued	Each	Per 10	Per 100
copallina, 12'-13'		Shining	Sumac
Showy crimson fruits; good aut show in poor arid situations; good	umn l for n	coloring.	Makes
15 to 18 in	·3 <i>5</i>	2.80	22.50
18 to 24 in	-4 <i>5</i> -5 <i>5</i>	3.7 <i>5</i> 4.70	30.00
3 to 4 ft	.80	6.50	37.50 52.50
*cotinus, 10'-12'	Com	mon Smo	ketree
Also called Purple Fringe.			
2 to 3 ft	·55 .80	4.70	37.50
3 to 4 ft	1.10	6.50 9.00	52.50 75.00
5 to 6 ft	1.35	11.00	90.00
6 to 8 ft	1.75	13.50	
—purpurea, 10'-12'	Pu	rple Smo	oketree
Purple leaved form of the type.	90		
18 to 24 in	.80		
3 to 4 ft	1.35		
glabra, 10'-12'		Smooth	Sumac
Crimson fruits in bunches; rich au in poor soils.	tumn	coloring;	thrives
3 to 4 ft	·3 <i>5</i>	2.80	_
4 to 5 ft	.45	3.75	30.00
5 to 6 ft	.6 <i>5</i>	5.50 9.00	45.00 75.00
8 to 10 ft	2.00	13.50	
	eaved	Smooth	Sumac
Cutleaved form of the type.	.80	6 40	
18 to 24 in	.00	6.50	
typhina, 15'-18'	S	taghorn	Sumac
Picturesque habit; brilliant autum	n effec		
3 to 4 ft	·3 <i>5</i>	2.80	22.50
4 to 5 ft 5 to 6 ft	.4 <i>5</i> .60	3.7 <i>5</i> 5.00	30.00 40.00
6 to 8 ft	.80	6.50	52.50
8 to 10 ft	1.10	9.00	75.00
—laciniata, 14'-15'	· S	hredded	Sumac
Leaves are finely cut, giving attra	ictive	feathery	appear-
2 to 3 ft	·45	3.75	30.00
3 to 4 ft	·55	4.70 6.00	37.50
4 to 5 ft 5 to 6 ft	•7 <i>5</i> •90	7.50	
6 to 8 ft	1.10	9.00	
ROBINIA hispida, 5'-6'			-acacia
Rosy pink, attractive flowers, Ma into a mass.	y-June	e. Soon d	
18 to 24 in	-	3.75	
2 to 3 ft	.65 .90	5.50 7.50	45.00 60.00
4 to 5 ft	1.10	9.00	

ROBINIA—continued —standard	Each	Per 10	Per 100
3 to 4 ft	1.65	13.50	
pseudoacacia, 60'-80'	C	ommon	Locust
Has fragrant white flowers in Ma	ıy.		
2 to 2½ in. cal	5.50		
2½ to 3 in. cal	8.00		
4 to 5 in. cal	22.50		
ROSA blanda, 4'-5'		Meado	w Rose
Pink, May. Almost thornless; rec	ldish b	anches.	
18 to 24 in	-45		_
2 to 3 ft 3 to 4 ft	.00 .80	5.00 6.50	•
		Rose o	
A very desirable border rose with flowers.	h ve ry :	att r active	e yellow
2 to 3 ft	.80	6.50	52.50
humilis, 2'-3'		Pastu	re Rose
The common wild rose of the pass	tures.		
12 to 18 in		3.75	
18 to 24 in	•55	4.70	
lucida, 5'-6'		Virgin	ia Rose
Useful for the shrub border or Thrives under neglect. Pink flowe			masses.
10 to 12 in	·3 <i>5</i>	2.80	_
12 to 15 in	.40	3.50	27.50
15 to 18 in	45	3.75	
multiflora, 9'-10'		Japanes	se Rose
White, June. Vigorous, free-flowe	ring and	d fragran	nt.
2 to 3 ft	. 45		30.00
3 to 4 ft	•55 .65		
nitida, 3'-4'	- ,,		ly Rose
Deep pink, June. Good for hole	ding ba		
mass planting; good autumn colo		iiks ailu	general
10 to 12 in	·3 <i>5</i>	2.80	22.50
12 to 15 in	.40 .45	3.50 3.75	27.50
palustris (carolina), 6'-8'			p Rose
Prefers moist situation. Pink flow	ers Iun		•
12 to 18 in	-35	2.80	
18 to 24 in	.40	3.50	27.50
2 to 3 ft	•55	4.75	37.50

F	ROSA—continued	Each	Per 10	Per 100
	rubiginosa, 5'-6'		Swe	etbrier
	Bright pink flowers, June. Good odor.	foliage	with a	romatic
	18 to 24 in	.45	3.75	
١	2 to 3 ft	-55	4.75	37.50
	3 to 4 ft	.65	5.75	45.00
	4 to 5 ft 5 to 6 ft	.80	6.50 8.50	52.50 67.50
	3 to 0 1t	1.00	0.50	07.50
۰	rubrifolia (ferruginea), 5'-6'		Redlea	f Rose
	Has distinct purplish-red leaves a subject.	ınd bar	k; good	winter
	18 to 24 in	-45	3.75	
	2 to 3 ft	.55	4.75	37.50
	3 to 4 ft	.65	5.75	45.00
	4 to 5 ft	.80	6.50	52.50
	5 to 6 ft	1.00	8.50	67.50
	rugosa, 4'-5'		Rugos	
	Handsome shrub, large pink flo Rich green foliage and large red to shrubbery border or as hedge.			
	15 to 18 in	.20	1.70	13.50
	18 to 24 in	.30	2.50	20.00
	2 to 3 ft	·3 <i>5</i>	2.75	22.50
	3 to 4 ft	·55	4.75	37.50
	alba at et	1X/15:+	Rugos	n Pose
-	-alba, 4'-5'	VV III LC	Rugos	a Rose
	White flowers. May-September.			
	15 to 18 in	·3 <i>5</i>	2.75	22.50
	18 to 24 in	45	3.75	30.00
	2 to 3 ft	.65	5.75	45.00
-	-Agnes, 10'-12'			
	Hardy rugosa hybrid with yellow	flowers	5.	
	18 to 24 in	.45	3.75	30.00
	2 to 3 ft	.55	4.75	37.50
1	-F. J. Grootendorst, 4'-6'			
	Small bright red flowers produce season. Vigorous plants — often use			growing
۰	18 to 24 in	.45		
	-Pink Grootendorst, 4'-6'			
	18 to 24 in	-45	3.75	30.00
ı	2 to 3 ft	.55	4.75	37.50
	setigera, 5'-6'		Prairi	e Rose
	Deep rose flower, June-July. Vigor	ous gr	ower.	
	18 to 24 in	.45		30.00
	2 to 3 ft	·43 ·55	4.75	37.50
	3 to 4 ft	.65	5.75	45.00
	4 to 5 ft	.90	7.50	
	wichuraiana, white, 10'-12'	W	ichuria:	n Rose
	Trailing plant with evergreen shin	ing foli	age. Pur	e white
	flowers. Blooms rather late in the		0-1-21	
	18 to 24 in., 1 year	.25	1.90	15.00
	2 to 3 ft., 2 year	-35	2.80	22.50

CLIMBING ROSES or RAMBLERS

Each Per 10 Per 100

Albertine. Semi-double, pale pink.

American Beauty Climbing. Red.

Aviateur Bleriot. Yellow.

Christine Wright. Wild rose-pink.

Dr. Van Fleet. Shell-pink.

Emily Gray. Semi-double, golden-buff.

Lady Duncan. Quite similar to Max Graf. Prostrate grower—single pink.

Max Graf. Trailing sort with glossy foliage and attractive pink flowers.

Mary Wallace. Semi-double, clear rose-pink.

Pauls Scarlet. Vivid scarlet.

Silver Moon. Yellowish-white.

Dorothy Perkins. White.

Excelsa. Red.


Tausendschon. Soft pink.

RUBUS odoratus, 6'

Flowering Raspberry

Makes excellent ground cover in shaded locations. Prefers moisture at roots. Rosy-purple flowers, June-September.

18 to 24 in	.45	3.75	30.00
2 to 3 ft	-55	4.70	37.50
3 to 4 ft	.65	5.50	45.00



SALISBURIA adiantifolia (See GINKGO)

SALIX babylonica, 50'-60' Babylon Weeping Willow Particularly appropriate for waterside planting with its long pendulous branches.

—salamoni, 40'-50' Salamon Weeping Willow

Similar to the above but less pendulous. A tree with ascending branches and pendulous branchlets.

6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	1.75	14.00	120.00
10 to 12 ft	2.25	19.00	150.00
12 to 14 ft	3.50	28.00	225.00

caprea (bush form), 15'-20'

Pussy Willow

Very desirable for spring effects. Will do well on dry as well as wet places.

3 to 4 ft		3.75	30.00
4 to 5 ft	-55	4.70	
8 to 10 ft	1.65	13.50	
10 to 12 ft	2.25	19.00	
12 to 14 ft	200	25.00	

SALIX—continued	Each	Per 10	Per 100
elegantissima, 60'-70' Ti	hurlow V	Veeping	Willow
Vigorous upright grower; best		t planting	g.
6 to 8 ft		11.00	90.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in		14.00	120.00
10 to 12 ft., 1½ to 2 in	. 3.00	25.00	200.00
12 to 14 ft., 2 to 2½ in		28.00	
14 to 16 ft., 2½ to 3 in			
incana (rosmarinifolia), 8'-10'		_	
An attractive, slow-growing W greatly resembling Sagebrush cance.			
2 to 3 ft		3.75	30.00
3 to 4 ft			37.50
4 to 5 ft 5 to 6 ft	_	5.50 7.50	45.00 60.00
pentandra, 20'-30'		Laurel	Willow
Shining, rich, dark green leave background; valuable for seas:			thwhile
4 to 5 ft	50	4.00	30.00
5 to 6 ft,	05	5.50 11.00	45.00
8 to 10 ft., 13/4 to 2 in		14.00	
vitellina aurea, 30'-40'			
Weeping to semi-weeping tree		s golden	yellow.
6 to 8 ft			
-britzensis, 20'-25'	Bronze	Golden	Willow
-britzensis, 20'-25' Particularly good when used v			
Particularly good when used v	vith the f	following 4.70	
Particularly good when used v 3 to 4 ft	vith the f5565	following 4.70 5.50	
Particularly good when used v	vith the f · .55 · .65 · .90	following 4.70 5.50	
Particularly good when used v 3 to 4 ft	vith the f ·55 · .65 · .90 · 1.35 Weeping	following 4.70 5.50 7.50 Golden	variety. —— —— Willow
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches.	vith the f556590 . 1.35 Weeping	Golden of but with	variety. —— —— Willow
Particularly good when used v 3 to 4 ft	vith the f 55 65 90 . 1.35 Weeping babylonica	Golden Golden Abut with	variety. —— —— Willow
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches.	with the f 55 65 90 . 1.35 Weeping babylonical	Golden Golden Abut with	wariety. Willow golden
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in 10 to 12 ft., 2 to 2½ in SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra	with the f 55 65 90 . 1.35 Weeping babylonical caps of the caps	Golden Golden Soo Golden Soo 37.50 American vers, June	wariety. Willow golden Elder -July.
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. -pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in 10 to 12 ft., 2 to 2½ in SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra 2 to 3 ft.	with the f 556590 . 1.35 Weeping abylonica . 3.25 . 4.50 grant flow	Golden 28.00 37.50 American vers, June	wariety. Willow golden Elder -July. 15.00
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in 10 to 12 ft., 2 to 2½ in SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra	with the f556590 . 1.35 Weeping babylonica . 3.25 . 4.50 grant flow2030	Golden Golden Soo Golden Soo 37.50 American vers, June	wariety. Willow golden Elder -July. 15.00 22.50
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in. 10 to 12 ft., 2 to 2½ in. SAMBUCUS canadensis, 8'-9' Useful for swampy places; frage to 3 ft. 3 to 4 ft. 4 to 5 ft. canadensis acutiloba, 7'-9'	with the f556590 . 1.35 Weeping babylonica . 3.25 . 4.50 grant flow203045 Cutleaf	Gollowing 4.70 5.50 7.50 Golden but with 28.00 37.50 American 1.90 2.80 3.75 American	wariety. Willow golden Elder -July. 15.00 22.50 30.00 Elder
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in 10 to 12 ft., 2 to 2½ in SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	with the f 556590 . 1.35 Weeping babylonica . 3.25 . 4.50 grant flow203045 Cutleaf e gives ex	Gollowing 4.70 5.50 7.50 Golden but with 28.00 37.50 American 1.90 2.80 3.75 American scellent lass	wariety. Willow golden Elder July. 15.00 22.50 30.00 Elder ndscape n Elder.
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in 10 to 12 ft., 2 to 2½ in SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. canadensis acutiloba, 7'-9' Deeply cut and fern-like foliag effect. Has same general charact 2 to 3 ft.	with the f 556590 . 1.35 Weeping babylonica . 3.25 . 4.50 grant flow203045 Cutleaf e gives exteristics a20	Gollowing 4.70 5.50 7.50 Golden but with 28.00 37.50 American 1.90 2.80 3.75 American cellent las American 1.90	wariety. Willow golden Elder July. 15.00 22.50 30.00 Elder ndscape n Elder. 15.00
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in 10 to 12 ft., 2 to 2½ in SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. canadensis acutiloba, 7'-9' Deeply cut and fern-like foliag effect. Has same general characters.	with the f 556590 . 1.35 Weeping babylonica . 3.25 . 4.50 grant flow203045 Cutleaf e gives exteristics a2030	Gollowing 4.70 5.50 7.50 Golden but with 28.00 37.50 American 1.90 2.80 3.75 American scellent lass	wariety. Willow golden Elder -July. 15.00 22.50 30.00 Elder ndscape n Elder. 15.00 22.50
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in. 10 to 12 ft., 2 to 2½ in. 10 to 12 ft., 2 to 2½ in. SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. canadensis acutiloba, 7'-9' Deeply cut and fern-like foliag effect. Has same general charact 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —aurea, 10'-12'	with the f 556590 . 1.35 Weeping abylonica . 3.25 . 4.50 grant flow203045 Cutleaf e gives exteristics a203045 Golden	Gollowing 4.70 5.50 7.50 Tolowing 4.70 5.50 7.50 Golden a but with 28.00 37.50 American 1.90 2.80 3.75 American cellent last American 1.90 2.80 3.75	wariety. Willow golden Elder July. 15.00 22.50 30.00 Elder ndscape n Elder. 15.00 22.50 30.00
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in. 10 to 12 ft., 2 to 2½ in. 10 to 12 ft., 2 to 2½ in. SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. canadensis acutiloba, 7'-9' Deeply cut and fern-like foliag effect. Has same general charact 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —aurea, 10'-12' Has conspicuous yellow foliage	with the f 556590 . 1.35 Weeping abylonica . 3.25 . 4.50 grant flow203045 Cutleaf e gives exteristics a203045 Golden e.	Gollowing 4.70 5.50 7.50 Tolowing 4.70 5.50 7.50 Golden a but with 28.00 37.50 American 1.90 2.80 3.75 American cellent last American 1.90 2.80 3.75	wariety. Willow golden Elder July. 15.00 22.50 30.00 Elder ndscape n Elder. 15.00 22.50 30.00 Elder
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. —pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in. 10 to 12 ft., 2 to 2½ in. 10 to 12 ft., 2 to 2½ in. SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. canadensis acutiloba, 7'-9' Deeply cut and fern-like foliag effect. Has same general charact 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —aurea, 10'-12' Has conspicuous yellow foliage 2 to 3 ft. 3 to 4 ft.	with the f 556590 . 1.35 Weeping abylonica . 3.25 . 4.50 grant flow203045 Cutleaf e gives exteristics a203045 Golden e2030	Gollowing 4.70 5.50 7.50 Golden but with 28.00 37.50 American 1.90 2.80 3.75 American 1.90 2.80 3.75 American 1.90 2.80 3.75 American 1.90 2.80	wariety. Willow golden Elder July. 15.00 22.50 30.00 Elder 15.00 22.50 30.00 Elder
Particularly good when used v 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. -pendula, 25'-30' Weeping tree similar to Salix b branches. 10 to 12 ft., 1½ to 2 in. 10 to 12 ft., 2 to 2½ in. 10 to 12 ft., 2 to 2½ in. SAMBUCUS canadensis, 8'-9' Useful for swampy places; fra 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. canadensis acutiloba, 7'-9' Deeply cut and fern-like foliag effect. Has same general charact 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. -aurea, 10'-12' Has conspicuous yellow foliage 2 to 3 ft.	with the f 556590 . 1.35 Weeping abylonica . 3.25 . 4.50 grant flow203045 Cutleaf e gives exteristics a203045 Golden e203055	Gollowing 4.70 5.50 7.50 Golden but with 28.00 37.50 American 1.90 2.80 3.75 American cellent las American 1.90 2.80 3.75 American 1.90 2.80 3.75	wariety. Willow golden Elder July. 15.00 22.50 30.00 Elder ndscape n Elder. 15.00 22.50 30.00 Elder

	Ench	Per 10	Dor 100
CACCATDAC			
SASSAFRAS variifolium, 30'-60'			
Beautiful orange foliage in fall. green with fragrant leaves.	Young	branches	bright
2 to 3 ft	•55 .80	4.70	37.50
3 to 4 ft	1.00	6.50 8.50	
5 to 6 ft	1.35	_	
6 to 8 ft	1.65	13.50	
SCHIZOPHRAGMA hydrangeoid		30' Sydrange	a.Vine
Beautiful climbing sort. More at		•	
Hydrangea petiolaris but less vigo	orous in	growth.	
		TT 4 4	
SCIADOPITYS verticillata, 50'-75'			
Distinctive ornamental evergreer habit. Slow growing. Shining growing specimen tree. Useful for heavy fo	reen fo	oliage—ar	ramidal n ideal
12 to 15 in., B. & B	3.50		
15 to 18 in., B. & B	4.50		
18 to 24 in., B. & B	6.7 <i>5</i> 9.00	55.00	
~ /	11.00		
SOPHORA japonica, 30'-40'	Chine	se Scho	lartroo
White flowers in late summer; no			
winter. Also called Pagoda Tree.			
2 to 3 ft	_	9.00	
4 to 5 ft	1.65 2.75	13.50 25.00	110.00
5 to 6 ft	3.25	28.00	
6 to 7 ft	5.00	42.50	
viciifolia, 6'-8'	Vet	chleaf S	onhora
Dwarf form with compound foliag pea-shaped blossoms. Prefers a we	e. Thor	ny shrub	. White
18 to 24 in	1.00	9.00	
2 to 3 ft	1.65	13.50	
3 to 4 ft	2.2 <i>5</i> 3.00		
SORBARIA aitchisoni, 4'-5',			
Graceful, compound foliage; flowers	ers cre a	my-white	e, July-
18 to 24 in	.20	1.90	15.00
2 to 3 ft	.30 .55	2.80 4.70	22.50
4 to 5 ft	.65	5.50	37.50 45.00
5 to 6 ft	.90	7.50	
sorbifolia, 4'-5' Fluffy heads of white flowers, Jun		al False-	spirea
2 to 3 ft		_	00.40
3 to 4 ft	.30 •4 <i>5</i>	2.80 3.75	22.50 30 . 00
SORBUS americana, 30' Am	erican	Mounta	in-ash
Attractive small tree with brigh clusters.	t red	fruits in	large
4 to 6 ft	1.65		
6 to 8 ft	2.25	19.00	
8 to 10 ft	3.00		

SORBUS—continued	Each	Per 10	Per 100
aucuparia, 25'-30'	European	Mounta	ain-ash
A valuable tree on a small la quite striking.	wn; the sca	arlet ber	ries are
4 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft., 1½ to 1¾ in 10 to 12 ft., 1¾ to 2 in 2 to 2¼ in	1.35 1.65 3.00	7.50 11.00 13.50 25.00 34.00	60.00
—pendula Weeping	European	Mounta	in Ash
With long and slender pendulo			
$1\frac{1}{2}$ in. cal., 4 to 6 year heads	. 5.50		
quercifolia, 20'-25'	Oakleaf	Mount	ain-ash
A hybrid form similar to typ with larger leaves resembling	e in genera that of the	l charac e oak.	ter, but
5 to 6 ft		11.00	
6 to 8 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in		13.50 25.00	
8 to 10 ft., 13/4 to 2 in			
SPIRAEA arguta, 5'-6'		Garland	_
Small light green leaves; very lar to, but more vigorous than			y. Simi-
15 to 18 in		1.20 1.90	10.00
billiardi, 5'-6'		Billiard	Spirea
billiardi, 5'-6' Bright pink, fluffy flower spil for dry places.		Billiard ctober. V	-
Bright pink, fluffy flower spil for dry places. 2 to 3 ft.	ces, July-Oo	ctober. V	aluable
Bright pink, fluffy flower spil for dry places. 2 to 3 ft	22 35	1.90 2.75	15.00 22.50
Bright pink, fluffy flower spil for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.		ctober. V	aluable
Bright pink, fluffy flower spil for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	22 35 45 65	1.90 2.75 3.75 5.50	15.00 22.50 30.00 45.00
Bright pink, fluffy flower spil for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	22 35 45 65	1.90 2.75 3.75 5.50 tumalda	15.00 22.50 30.00 45.00 Spirea
Bright pink, fluffy flower spil for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Ser "facing" shrub. 15 to 18 in.	xes, July-00	1.90 2.75 3.75 5.50 tumalda good,	15.00 22.50 30.00 45.00 Spirea dwarf,
Bright pink, fluffy flower spil for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Sep "facing" shrub. 15 to 18 in. 18 to 24 in.	xes, July-Oo	1.90 2.75 3.75 5.50 tumalda good, 1.90 2.75	15.00 22.50 30.00 45.00 Spirea dwarf,
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Ser "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	xes, July-Oo	1.90 2.75 3.75 5.50 rumalda good, 1.90 2.75 3.75	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Ser "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	Res, July-Oo	1.90 2.75 3.75 5.50 sumalda good, 1.90 2.75 3.75	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 ————————————————————————————————————
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Ser "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding summer. 12 to 15 in.	Res, July-Oc.	1.90 2.75 3.75 5.50 sumalda good, 1.90 2.75 3.75	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 ————————————————————————————————————
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Ser "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than precedit summer. 12 to 15 in. 15 to 18 in.	Res, July-Oc.	1.90 2.75 3.75 5.50 rumalda good, 1.90 2.75 3.75 Vaterer ree-flower	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 Spirea ring all
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Ser "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding summer. 12 to 15 in. 15 to 18 in. 15 to 18 in. 16 to 24 in. 17 to 18 in. 18 to 24 in.	Res, July-Od	1.90 2.75 3.75 5.50 numalda good, 1.90 2.75 3.75 Vaterer ree-flower	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 ————————————————————————————————————
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Sep "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than precedit summer. 12 to 15 in. 15 to 18 in. 15 to 18 in. 16 to 24 in. 2 to 2½ ft.	Res, July-Oc.	1.90 2.75 3.75 5.50 rumalda good, 1.90 2.75 3.75 Vaterer ree-flower	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 Spirea ring all
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Ser "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding summer. 12 to 15 in. 15 to 18 in. 15 to 18 in. 16 to 24 in. 17 to 18 in. 18 to 24 in.	Res, July-Oc.	1.90 2.75 3.75 5.50 numalda good, 1.90 2.75 3.75 Vaterer ree-flower 1.20 1.90 2.75 3.75	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 Spirea ring all 10.00 15.00 22.50 30.00 Spirea
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Sep "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding summer. 12 to 15 in. 15 to 18 in. 15 to 18 in. 16 to 24 in. 2 to 2½ ft. japonica (callosa alba), 3'	Res, July-Oo	1.90 2.75 3.75 5.50 numalda good, 1.90 2.75 3.75 Vaterer ree-flower 1.20 1.90 2.75 3.75	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 Spirea ring all 10.00 15.00 22.50 30.00 Spirea ung.
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Ser "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than preceding summer. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. japonica (callosa alba), 3' White, June-July. Purplish-green struck to 15 in. 15 to 15 in. 15 to 15 in. 15 to 15 in.	Res, July-Od	1.90 2.75 3.75 5.50 numalda good, 1.90 2.75 3.75 Vaterer ree-flower 1.20 1.90 2.75 3.75 apanese when yo 1.20 1.90	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 Spirea ring all 10.00 15.00 22.50 30.00 Spirea ung. 10.00 15.00
Bright pink, fluffy flower spill for dry places. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. bumalda, 3' Light pink flower, July-Sep "facing" shrub. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. —anthony waterer, 3' Deeper rose pink than precedi summer. 12 to 15 in. 15 to 18 in. 16 to 24 in. 2 to 2½ ft. japonica (callosa alba), 3' White, June-July. Purplish-green.	Res, July-Od	1.90 2.75 3.75 5.50 rumalda good, 1.90 2.75 3.75 Vaterer ree-flower 1.20 1.90 2.75 3.75 apanese when yo 1.20 1.90 2.75	15.00 22.50 30.00 45.00 Spirea dwarf, 15.00 22.50 Spirea all 10.00 15.00 22.50 30.00 Spirea ung. 10.00 15.00 22.50

SPIRAEA—continued	Each	Per 10	Per 100
latifolia (salicifolia), 4'-5'		Meadow	Spirea
White flowers.		ч	
18 to 24 in	.15	1.20	10.00
2 to 3 ft	.22	1.90 2.75	15.00 22.50
4 to 5 ft	.45	3.75	
margaritae, 4'-5'	\mathbf{N}	largarita	Spirea
Very handsome shrub with bright	_		
18 to 24 in	.22	1.90	15.00
2 to 3 ft	•3 <i>5</i> •4 <i>5</i>	2.7 <i>5</i> 3.7 <i>5</i>	22.50
nipponica rotundifolia, 6'-7'	Big	Nippon	Spirea
Vigorous shrub with white flower	s in]	uly. Darl	green
foliage until late fall. 3 to 4 ft	.65	5.25	42.50
4 to 5 ft	.80	6.50	42.50
opulifolia (See PHYSOCARPUS	opul	ifolia)	
prunifolia, 7'-8'		Bridal	wreath
White, May. Free-flowering; hands		dark gree	n, shin.
ing foliage, turning orange in au			
18 to 24 in	.22 .30	1.90 2.50	15.00
3 to 4 ft	.40	3.00	25.00
4 to 5 ft	•55	4.75	37.50
5 to 6 ft	.80	6.50	52.50
		-	~ .
reevesiana, 7'-8'	1 . *	Reeves	
reevesiana, 7'-8' Pure white, May-June. Graceful, leaves until late. Single or double		g habit;	
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in	variet	g habit; ies.	retains
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in	.22 .35	g habit; ies. 1.90 2.75	retains
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in	variet	g habit; ies. 1.90 2.75	retains
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in	.22 .35 .45 .55	g habit; ies. 1.90 2.75 3.75	15.00 22.50
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte	variet .22 .35 .45 .55	g habit; ies. 1.90 2.75 3.75 4.75	15.00 22.50 ————————————————————————————————————
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei.	variet .22 .35 .45 .55 Db1 r and	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering	15.00 22.50 ————————————————————————————————————
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte	variet .22 .35 .45 .55	g habit; ies. 1.90 2.75 3.75 4.75	15.00 22.50 ————————————————————————————————————
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in.	variet .22 .35 .45 .55 Db1 r and	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75	15.00 22.50 ————————————————————————————————————
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft.	variet .22 .35 .45 .55 Db1 r and .35 .45	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75	15.00 22.50 ————————————————————————————————————
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) with	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whit	retains 15.00 22.50 —— Spirea g habit 22.50 30.00 Spirea te flow-
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5'	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) with	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whit	retains 15.00 22.50 —— Spirea g habit 22.50 30.00 Spirea te flow-
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed ers, April-May. Small, feathery, lig able for seaside planting. 18 to 24 in. 18 to 24 in.	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) with	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whit	retains 15.00 22.50 —— Spirea g habit 22.50 30.00 Spirea te flow-
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed ers, April-May. Small, feathery, lig able for seaside planting. 18 to 24 in. 2 to 2½ ft.	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) With th gree	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whiteen leaves	15.00 22.50 ————————————————————————————————————
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed ers, April-May. Small, feathery, lig able for seaside planting. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	variet .22 .35 .45 .55 Db1 r and .35 .45 dfolia) Ti with .ht gre	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whiteen leaves 1.20 2.00 2.75	15.00 22.50 ————————————————————————————————————
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed ers, April-May. Small, feathery, lig able for seaside planting. 18 to 24 in. 2 to 2½ ft.	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) With th gree	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whiteen leaves	15.00 22.50 ————————————————————————————————————
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed ers, April-May. Small, feathery, lig able for seaside planting. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) Ti with .15 .25 .35 .45	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whiteen leaves 1.20 2.00 2.75 3.75 5.50	15.00 22.50 22.50 Spirea g habit 22.50 30.00 Spirea e flow- s. Valu- 10.00 18.00 22.50 30.00
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed ers, April-May. Small, feathery, lig able for seaside planting. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. tomentosa, 3'-4' Woolly, rose-pink flowers, July-Sep	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) Ti with .15 .25 .35 .45 .65	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whit en leaves 1.20 2.00 2.75 3.75 5.50 Han	15.00 22.50 22.50 Spirea g habit 22.50 30.00 Spirea te flow- s. Valu- 10.00 18.00 22.50 30.00 45.00 rdhack
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed ers, April-May. Small, feathery, lig able for seaside planting. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. tomentosa, 3'-4' Woolly, rose-pink flowers, July-Sep ish underside. Good in masses for l	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) Ti with .15 .25 .35 .45 .65	g habit; ies. 1.90 2.75 3.75 4.75 Reeves flowering 2.75 3.75 hunberg pure-whiteen leaves 1.20 2.00 2.75 3.75 5.50 Hanr. Leaves ound.	15.00 22.50 22.50 Spirea g habit 22.50 30.00 Spirea e flow- s. Valu- 10.00 18.00 22.50 30.00 45.00 rdhack brown-
Pure white, May-June. Graceful, leaves until late. Single or double 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —fl. pl., 7'-8' Arching shrub similar in characte to Spirea vanhouttei. 18 to 24 in. 2 to 3 ft. sorbifolia (See SORBARIA sorbit thunbergi, 4'-5' Slender, arching branches clothed ers, April-May. Small, feathery, lig able for seaside planting. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. tomentosa, 3'-4' Woolly, rose-pink flowers, July-Sep ish underside. Good in masses for l	variet .22 .35 .45 .55 Db1 r and .35 .45 folia) Ti with .15 .25 .35 .45 .65	g habit; ies. 1.90 2.75 3.75 4.75 . Reeves flowering 2.75 3.75 hunberg pure-whit en leaves 1.20 2.00 2.75 3.75 5.50 Han	15.00 22.50 22.50 Spirea g habit 22.50 30.00 Spirea e flow- s. Valu- 10.00 18.00 22.50 30.00 45.00 rdhack brown-

S	SPIRAEA—continued	Each	Per 10 P	er 100
	trichocarpa, 5'-6'		Korean S	Spirea
	White flowers in June.			
	2 to 3 ft	45	3.75	
	3 to 4 ft	.55 .80	4.75	
	4 to 5 ft	.00		
	vanhouttei, 8'-9'		anhoutte S	_
	White, May-June. Graceful habit. ing and very adaptable.	Extre	nely free-f	dower-
	18 to 24 in	.10	.90	7.50
	2 to 3 ft	.20	1.50	12.00
	3 to 4 ft	.30 .40	2.50 3.00	18.00 25.00
	5 to 6 ft	.55	4.75	37.50
	veitchi, 10'-12'		Veitch S	
	Tallest growing Spirea. Useful pla	ant for		•
	of the shrub border. Flowers heav	rily.		Tound
	4 to 5 ft	1.10	9.00 12.00	
2	STAPHYLEA colchica, 10'-12'		chis Blade	
	Flowers white, May-June. Fragran	t. Deco	rative seed	l pods.
	18 to 24 in		5.50	
	2 to 3 ft	.90 1.35	7.50 11.00	
	4 to 5 ft	1.90	15.00	
	5 to 6 ft	2.25	19.00	
	6 to 7 ft	3.00		—
S	STEPHANANDRA flexuosa, 5'-6'	Cutlos	ıf Stephan	andra
	Graceful, compact habit; handson			ianura
	18 to 24 in	.22	1.90	15.00
	2 to 3 ft	•3 <i>5</i>	2.75	22.50
	3 to 4 ft	-45	3 . 7 <i>5</i>	30.00
	4 to 5 ft	.60	5.00	40.00
	5 to 6 ft	.90	7.50	60.00
	tanakae, 6'		lo Stephar	
	More vigorous than the variety flex and flower clusters.	xuosa.	Has larger	leaves
	18 to 24 in	45	3.75	
	2 to 3 ft	.55	4.75	#O #O
	3 to 4 ft	.80	6.50 9.00	52.50
	4 to 5 ft	1.10	9.00	
2	STRANVAESIA davidiana, 12'-15'			
	Evergreen shrub. Attractive red fr	ruits.		
	12 to 18 in	1.50	12.50	
	undulata, 12'-15'			
	Tender woody evergreen shrub foliage and attractive red fruits.	with	handsome	shiny
	18 to 24 in	2.00		
	2 to 3 ft	3.00		

	Po-1	Descrip	Demonstra
STVPAY innonica rol rel		Per 10	
STYRAX japonica, 12'-15' White, bell-shaped, pendant flow		inese Si	
handsome specimen.	ers, jun	e-jury.	wakes a
3 to 4 ft	.70	5.50	45.00
5 to 6 ft	.90 1.35	7.50 11.00	60.00
6 to 8 ft	1.90	15.00	125.00
8 to 10 ft	2.25	19.00	
STYRAX obassia, 20'-30'	3.50		
Shapely specimen small tree with	_	grant Sr eaves an	
bell-shaped flowers.			d Wille
5 to 6 ft., B. & B 6 to 8 ft., B. & B	5.50 6.75	47.50 56.00	
SYMPHORICARPOS chenaulti,	6′-8′		
	Chena	ult Sno	
This is a very beautiful hybrid of Arboretum.	riginatin	g at the	Arnold
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·3 <i>5</i>	2.75	22.50
3 to 4 ft	-45	3.75	30.00
mollis, 6'-8'	Spreadi		
A more profuse berry producer a mosus.	and supe	erior to	S. race-
3 to 4 ft	·55	4.75	
racemosus, 5'-6'		Sno	wberry
Conspicuous, white berries, attract able, but best in half-shady, moist	tive folia	ige. Mos ns.	t adapt-
18 to 24 in	.17	1.40	11.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	•3 <i>5</i> •4 <i>5</i>	2.7 <i>5</i> 3.7 <i>5</i>	22.50 30.00
vulgaris, 4'-5'	•43		
	onah m		alberry
Coral-red berries persisting thr for shade, and bank planting. Currant.	Also kn	own as	Indian
18 to 24 in	.15	1.20	10.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	•3 <i>5</i>	2.75	22.50
SYMPLOCUS paniculata, 25'-40'		Sw	eetleaf
Deciduous shrub with slender sprewhite fragrant flowers.			
G	eading bi		Hardy;
15 to 18 in			Hardy;
SYRINGA chinensis (rothomager	.80	6.50	
SYRINGA chinensis (rothomager Slender branches, graceful habit.	.80 nsis), 8'-	6.50 Chines	e Lilac
SYRINGA chinensis (rothomager Slender branches, graceful habit. Free-flowering.	.80 nsis), 8'- Violet	6.50 Chines	e Lilac
SYRINGA chinensis (rothomager Slender branches, graceful habit. Free-flowering. 18 to 24 in.	.80 nsis), 8'- Violet	6.50 6.50 Chines flowers	e Lilac in May.
SYRINGA chinensis (rothomager Slender branches, graceful habit. Free-flowering. 18 to 24 in	.80 nsis), 8'- Violet : .22 .35	6.50 6.50 Chines flowers i	e Lilac in May.
SYRINGA chinensis (rothomager Slender branches, graceful habit. Free-flowering. 18 to 24 in.	.80 nsis), 8'- Violet	6.50 6.50 Chines flowers i	e Lilac in May.

SYRINGA—continued	Each	Per 10	Per 100
chinensis saugeana, 8'-9'		e Chines	
Deep purple flowers.	r dipi	c Omme.	
18 to 24 in	.22	1.00	15.00
2 to 3 ft	.22	1.90 2.75	15.00 22.50
3 to 4 ft	.45	3.75	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90	7.50	
6 to 7 ft	1.10	9.00	
japonica, 18'-20'	Tapa	nese Tre	ee Lilac
Loose bunches creamy-white flow some foliage; grows into well-sha	vers, J	une-July	
2 to 3 ft	-45	3 . 75	30.00
3 to 4 ft	.65	5.50	45.00
4 to 5 ft	.90	7.50	60.00
5 to 6 ft	1.10	9.50	75.00
6 to 7 ft	1.50 2.00	12.50 17.00	100.00
8 to 9 ft	3.00	25.00	
			T !!
josikaea, 9'-10' Violet flowers. June. Good, shining		Iungar i a green fo	
18 to 24 in	.22	1.90	15.00
2 to 3 ft	·3 <i>5</i>	2.75	22.50
3 to 4 ft	.45	3.75	30.00
5 to 6 ft	•55 •80	4.7 <i>5</i> 6.50	37.50 52.50
6 to 7 ft	1.00	8.50	
		Littlele	of T :100
microphylla, 5' Small fragrant pale pink flowers. C in October.	often h		
2 to 3 ft	.80	6.50	
3 to 4 ft	1.10	9.00	
4 to 5 ft	1.35	11.00	
5 to 6 ft	1.65		
persica, 9'-10' Blooms freely, lilac, May-June.		Persia	n Lilac
2 to 3 ft	-45	3.75	30.00
3 to 4 ft	·5 <i>5</i>	4.75	37.50
—alba, 5'-6' Fragrant white flowers in May or		te Persia	ın Lilac
18 to 24 in	-45	3.75	30.00
2 to 3 ft	-55	4.75	37.50
3 to 4 ft	.80	6.50	
reflexa, 10'-12' Strong rugged grower. Flowers clusters.	deep		ng Lilac compact
2 to 3 ft	.80	6.50	
3 to 4 ft	1.10	9.00	
4 to 5 ft	1.65	13.50	,
villosa, 7'-8'		La	te Lilac
Pale pinkish-lilac, June. Fragrant	: bush		
18 to 24 in	.22	1.90	
2 to 3 ft		2.75	
3 to 4 ft	-45	3.75	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.10	9.00	
6 to 7 ft	1.65	13.50	

CVDINGA	T }-	D	D
SYRINGA—continued	Eacn	Per 10	Per 100
vulgaris, 12'-15'	Common	n Purpl	e Lilac
Blooms in early May.			
18 to 24 in	.15	1.20	10.00
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	·3 <i>5</i>	2.75	22.50
4 to 5 ft	-45	3 . 75	30.00
5 to 6 ft	·5 <i>5</i>	4.75	37.50
6 to 7 ft	.80	6.50	52.50
—alba, 12'-15'	Commo	n Whit	e Lilac
White form of the common lila	с.		
18 to 24 in	.22	1.90	15.00
2 to 3 ft	-3 5	2.75	22.50
3 to 4 ft	.55	4.70	37.50
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	67.50
6 to 7 ft	1.35	11.00	

FRENCH LILACS—NAMED VARIETIES ALL ON OWN ROOTS

These are all grown from cuttings and are on their OWN ROOTS, which is the best method of propagation. The resulting plant is more permanent than the grafted stock commonly offered. We specialize in named Lilacs and are able to offer these superior grown plants at prices that compare favorably with inferior grafted stock. These named Lilacs generally grow from 6 to 12 ft. in height, depending on the variety and locality.

WE CAN OFFER THE FOLLOWING VARIETIES IN QUANTITY AT EXCEPTIONALLY ATTRACTIVE PRICES.

Alphonse Lavalle, light purple, double.

Charles Joly, red-mauve, semi-double.

Charles The Tenth, reddish-purple, single.

Ludwig Spaeth, reddish-purple, single.

Marie LeGray, white, single.

Michel Buchner, lilac, double.

Mme. Casimir Perrier, white, double.

Mme. Lemoine, white, double.

Pres. Grevy, blue, double.

Rubra de Marly, light blue, single.

Wm. Robinson, violet-pink, double.

18 to 24 in	·3 <i>5</i>	2.80	22.50
2 to 3 ft		4.70	37.50
3 to 4 ft	.80	6.50	52.50
4 to 5 ft	1.10	9.50	75.00

THE FOLLOWING VARIETIES WE HAVE IN LIMITED QUANTITY AT PRICES THAT COMPARE FAVORABLY WITH OTHERS.

Adelaide Dunbar, deep red-mauve, double.

Belle de Nancy, light violet-red, double.

Boussingault, light purple, double.

Captain Baltet, light violet, single.

Captain Perrault, rosy-mauve, double.

Colbert, medium mauve, double.

Congo, light pinkish-lilac, single.

Ellen Willmott, white, double.

SYRINGA—continued Each Per 10 Per 100 Florent Stepman, white, single. General Pershing, medium red-mauve, double. Georges Bellair, red-mauve, double. Hugo Koster, pale lilac, single. Jean van Tol, large white, single. Katherine Havemeyer, light mauve, double. Lamartine, light violet, single. Leon Gambetta, light mauve, double. Louvain, light purple, single. Leon Simon, medium violet-red, double. Lucie Baltet, light mauve, single. Mme. F. Morel, light mauve, single. Marceau, medium red-mauve, single. Marechal Foch, light violet-red, single. Marechal Lannes, light violet, double. Mons. T. de Messmaker, light violet-red, single. Negro, deep violet-red, single. Pasteur, mauve, single. Paul Deschanel, light red-mauve, double. Paul Heriot, red-mauve, double. President Lincoln, light blue, single. President Loubet, medium violet, double. President Poincare, violet, double. Reaumur, reddish-purple, single. Vestale, white, single. Volcan, deep violet-red, single. Waldeck Rousseau, light red-mauve, double. 18 to 24 in. -45 3.70 .70 5.50 8.50 1.00 4 to 5 ft. 1.35 11.00 TAMARIX africana, 12'-14' African Tamarix Pink, April-May. Has feathery gray-green foliage. Very effective near water; thrives at seashore. .22 2 to 3 ft. 15.00 1.90 2.80 3 to 4 ft. 22.50 .35 gallica, 8'-9' French Tamarix Light pink, May-June, blue-green foliage. 2 to 3 ft. 1.90 15.00 .22 2.80 22.50 3 to 4 ft. -35 4 to 5 ft. 3.80 30.00 -45 hispida, 3'-4' Kashgar Tamarix Pink flowers in dense racemes in late summer. 6.00 .70 Odessa Tamarix odessana, 5'-6' Characteristic bluish-green foliage with pink flowers in

2 to 3 ft.

3 to 4 ft.

2.80

3.80

-35

.45

TAMARIX—continued	Each	Per 10	Per 100
parviflora			
Slender and spreading growth. Dark purple bark. Likes very dry			April.
2 to 3 ft	.22	1.90	15.00
3 to 4 ft	∙3 <i>5</i> •4 <i>5</i>	2.80 3.80	22.00 30.00
5 to 6 ft	.60	5.00	
TAXODIUM distichum, 75'-100'	Commo	n Balde	cvpress
Tall, pyramidal, symmetrical deci- foliage. Distinct in appearance.			
2 to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B	3.50	28.00	225.00
4 to 5 ft., B. & B 5 to 6 ft., B. & B	4.50 5.50	37.50	
TAXUS baccata, 15'-20'	<i>J</i> ' <i>J</i> '	Fnalis	sh Yew
Broad-based, pyramidal tree wi	th dark		
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.25	19.00	150.00
2 to 2½ ft., B. & B	3.00	25.00	
2½ to 3 ft., B. & B	4.50	37.50	
3 to 4 ft., B. & B	6.75		
—compacta (adpressa erecta), 12'-1 Upright S	5' Shortlea	f Englis	sh Yew
Slow growth and of neat compact leaves.	habit. S	Short dee	p green
12 to 15 in., B. & B		11.00	90.00
15 to 18 in., B. & B	1.65	13.50	110.00
18 to 24 in., B. & B	2.25 3.50	19.00 28.00	150.00 225.00
2½ to 3 ft., B. & B	4.50	37.50	300.00
3 to 4 ft., B. & B., specimen	10.00		
4 to 5 ft., B. & B., specimen	15.00		
-erecta aurea, 12'-15' Golden Uprig			
Bushy form with slender upright slightly golden.	branches	. Tips of	foliage
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	4.00	35.00	
18 to 24 in., B. & B	5.75	50.00	
——lutea, 10'-12' 18 to 24 in., B. & B	Yello	w Fruit	ed Yew
2 to 2½ ft., B. & B	4.50		
2½ to 3 ft., B. & B	6.75		
3 to 3½ ft., B. & B	10.00		
—fastigiata (hibernica), 10' Columnar form with dense comp	pact gro		sh Yew
12 to 15 in., B. & B	3.00		
15 to 18 in., B. & B	4.00 5.75		
		or Engli	ch Vorr
—repandens, 18"-24" Spreading, horizonta green leaves. Valuable for low pl	1 branc	g Engli hes, d ar	
12 to 15 in., B. & B	1.65	13.50	110.00
15 to 18 in., B. & B	2.00	17.00	135.00
18 to 24 in., B. & B	3.00 4.00	25.00 35.00	190.00
	7.50	33.00	

TAXUS—continued	Each	Per 10	Per 100
baccata tardiva, 15'	Shortlea	f Englis	h Yew
Low tree of irregular habit with Distinct form.			
12 to 15 in., B. & B	3.00	25.00	
15 to 18 in., B. & B	3.50	28.00	225.00
18 to 24 in., B. & B	4.50	37.50	
2 to 2½ ft., B. & B	5.75	47.50	
2½ to 3 ft., B. & B	6.75	57.50	
			**
—Washingtoni, 4'-5'		ashingto	
A form of wide spreading habit v	vith golde	n yellow	leaves.
12 to 15 in., B. & B	1.65		
15 to 18 in., B. & B	2.00	17.50	
18 to 24 in., B. & B	3.00	25.00	***************************************
canadensis, 2'-21/2'		Canad	la Ye w
Evergreen. Spreading habit. Br	onzy in		
shade; good for underplanting.		WIIICCI.	ricicis
12 to 15 in., B. & B	1.90	15.00	
15 to 18 in., B. & B	2.25	20.00	
18 to 24 in., B. & B	3.00	25.00	
		_	~ ~
	reading	·	
Evergreen. Rich, deep green l			
habit. Valuable in foundation hardy.	plantings	s. Except	tionally
12 to 15 in., B. & B	1.10	9.00	75.00
15 to 18 in., B. & B	1.65	13.50	100.00
18 to 24 in., B. & B	2.00	17.00	135.00
2 to 2½ ft., B. & B	3.50	28.00	225.00
2½ to 3 ft., B. & B	5.75	47.50	375.00
3 to 3½ ft., B. & B	8.00	65.00	525.00
3½ to 4 ft., B. & B	10.00	85.00	675.00
4 to 5 ft., B. & B	13.50 19.00	115.00	
5 to 6 ft., B. & B	19.00	130.00	
—capitata, 25'-40'	Upright		se Yew
Evergreen. The upright type of			
15 to 18 in., B. & B	2.25	19.00	150.00
18 to 24 in., B. & B	3.50	28.00	225.00
2 to 2½ ft., B. & B	4.50	37.50	300.00
2½ to 3 ft., B. & B	5.75 8.00	47.50	375.00
3 to 3½ ft., B. & B	10.00	65.00 85.00	525.00
3½ to 4 ft., B. & B	13.50	115.00	
—hicksi, 20'-25'	13.30		s' Yew
Distinctly columnar form with	upright b	ranches.	
15 to 18 in., B. & B	2.25	19.00	
18 to 24 in., B. & B	3.50	28.00	
2 to 2½ ft., B. & B	4.75	37.50	300.00
2½ to 3 ft., B. & B	8.00	65.00	525.00
3 to $3^{1/2}$ ft., B. & B	11.50	95.00	
	Dyronf	Japanes	se Verr
—nana (brevifolia), 2'-3'	lackish or		
Evergreen. Broad, thick leaves, b ing and irregular, spreading ha	hit Exce	otionally	hardy
		9.00	
9 to 12 in., B. & B	1.10	19.00	
12 to 15 in., B. & B	2.25 3.50	28.00	225.00
15 to 18 in., B. & B	5.75	47.50	375.00
2 to 2½ ft., B. & B	8.00	65.00	525.00
$2^{\frac{1}{2}}$ to 3 ft., B. & B	11.50	95.00	750.00
3 to 3½ ft., B. & B	15.00	125.00	
J to 3/2 1th Di & Di 1111111111			

TAXUS—continued	Each	Per 10	Per 100
Cuspidata thayeri, 6'-8'		Thaye	ers Yew
Low wide spreading form distinct	t from th	ne type.	
18 to 24 in., B. & B	6.00	50.00	
2 to 2½ ft., B. & B	9.00	75.00	
2½ to 3 ft., B. & B	12.00	95.00	
intermedia, 12'-15'		Hyb	rid Yew
Hybrid between Taxus baccata ar	nd Taxus	cuspida	ıta.
9 to 12 in., B. & B	1.65	13.50	
12 to 15 in., B. & B	3.00	25.00	-
15 to 18 in., B. & B	4.00	35.00	
18 to 24 in., B. & B	6.00	50.00	
THUJA lobbi atrovirens, 100'	Gi	ant Arl	orvitae
Rich, shining, deep green, fleshy	leaves.		
2 to 2½ ft., B. & B	1.35	11.00	
2½ to 3 ft., B. & B	2.00	17.50	
3 to 4 ft., B. & B	3.00	25.00	
4 to 5 ft., B. & B	4.00	35.00	400.00
5 to 6 ft., B. & B	6.00 8.25	50.00	400.00
6 to 7 ft., B. & B	0.25	70.00	300.00
occidentalis, 15'-30'	Ameri	can Arl	orvitae
Evergreen. Slender p y ramid wi			_
winter coloring. Good accent pla	nt or for	a hedg	e.
18 to 24 in., B. & B	.60	4.50	37.50
2 to 3 ft., B. & B	.90	7.50	60.00
3 to 4 ft., B. & B	1.50	12.00	97.50
4 to 5 ft., B. & B	2.25	19.00	150.00
5 to 6 ft., B. & B	3.75	30.00	250.00
6 to 8 ft., B. & B 8 to 10 ft., B. & B	5.75 8.00	47.50 65.00	375.00
10 to 12 ft., B. & B	11.50	95.00	525.00
Extra broad specimens 25% extra		93.00	
7/1 -1	D	A 1	
—compacta, 2½'-4'			orvitae
Evergreen. Almost globe-shaped. formal or foundation planting.	Rugut 8	green. U	serur in
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.65	13.50	115.00
2½ to 3 ft., B. & B	2.25	20.00	150.00
3 to 3½ ft., B. & B	3.00	25.00	
—douglasi aurea, 10'-15' Dougl	as Gol d	len Arb	orvitae
A broad pyramid with golden-gre			
2 to 2½ ft., B. & B	1.35	11.00	90.00
2½ to 3 ft., B. & B	2.00	17.50	135.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	3.50	28.00	200.00
5 to 6 ft., B. & B	4.50	37.50	
6 to 7 ft., B. & B	5·75	47.50	

THUJA—continued	Each	Per 10	Per 100
occidentalis elegantissima, 10'-15'		2 01 10	
	dentip	ped Arbo	orvitae
Evergreen. Branches tipped with green.	yellow	Rich, 1	ustro us
18 to 24 in., B. & B	.80	6.50	52.50
2 to 2½ ft., B. & B	1.10	9.00	75.00
2½ to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	3.50 4.50	27.50 37.50	225.00 300.00
6 to 7 ft., B. & B	5.75	47.50	375.00
-ellwangeriana, 4'-6' To	m Thu	mb Arbo	orvitae
Evergreen. Has heather-like leav	es; de	nse habit	; soft,
close texture. Forms low, broad purple winter coloring.			
12 to 15 in., B. & B	.80	6.50	
15 to 18 in., B. & B	1.00	8.50	67.50
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	2.00	17.50	
2½ to 3 ft., B. & B	3.00	25.00	
—ericoides, 5' Dwarf globose form with dull green		th Retin	_
15 to 18 in., B. & B	1.65		mage.
18 to 24 in., B. & B	2.25	13.50 20.00	
2 to 2½ ft., B. & B	3.00		
—globosa, 3'-4'	G1	obe Arb	orvitae
Evergreen. Useful in formal w	ork. N	Taturall y	globe-
12 to 15 in., B. & B	.65	5.50	45.00
15 to 18 in., B. & B	1.00	8.50	65.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	1.65	13.50	110.00
2½ to 3 ft., B. & B	2.00	17.50	
—hoveyi, 3'-4'		vey Arb	
Evergreen. Oval in shape, near Bright green foliage.			s nign.
12 to 15 in., B. & B	.65	5.50	45.00
15 to 18 in., B. & B	1.00	8.50	65.00
18 to 24 in., B. & B	1.35 1.65	11.00	90.00 110.00
2½ to 3 ft., B. & B	2.00	17.50	135.00
3 to 3 ¹ / ₂ ft., B. & B	3.00	25.00	
		Gem Arb	orvitae
Dwarf dark green form, broader t	han hig		
9 to 12 in., B. & B	1.35	11.00	
12 to 15 in., B. & B	2.2 <i>5</i> 3.00	20.00	
		ody Arb	orvitae
•		ody Arb	
Evergreen. Conspicuous, golden-	yellow	form. Co	olummar
15 to 18 in., B. & B	.55	4.50	37.50
18 to 24 in., B. & B	.80 1.10	6.50 9.00	52.50 75.00
2 to $2\frac{1}{2}$ ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	3.50	27.50	225.00
5 to 6 ft., B. & B	4.50	37.50	

THUJA—continued	Each	Per 10	Per 100
occidentalis plicata, 10'-12'	M	loss Ar	orvitae
Evergreen. Rich, deep blue-gre			
branchlets give pleasing effect in	n light ar	nd shade	. Formal
pyramid.	6.	~ ~~	45.00
18 to 24 in., B. & B	.65 1.10	<i>5.5</i> 0 9.00	45.00 75.00
$2^{1/2}$ to 3 ft., B. & B	1.65	13.50	110.00
3 to 4 ft., B. & B	2.00	17.50	135.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	4.00	35.00	250.00
6 to 7 ft., B. & B	5.50	47.50	375.00
7 to 8 ft., B. & B	6.50	55.00	
—pyramidalis, 15'-30'			oorvitae
Evergreen. Retains bright green of			
ter. Narrow columnar shape;	splendid	for ac	cents or
formal planting.	<i>(</i>		
18 to 24 in., B. & B	.65	5.50	45.00
2 to 2½ ft., B. & B	1.10	9.00	75.00
3 to 4 ft., B. & B	1.50 2.00	12.50 1 7. 50	100.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	4.00	35.00	250.00
6 to 7 ft., B. & B	5.25	45.00	350.00
7 to 8 ft., B. & B	6.00	50.00	400.00
8 to 9 ft., B. & B	8.00	65.00	525.00
9 to 10 ft., B. & B	10.00	85.00	
10 to 11 ft., B. & B	12.00		
Reidi, 4'-5'		Reid Arl	orvitae
Broad dwarf low-growing forma			
18 to 24 in., B. & B	1.65	13.50	
2 to 2½ ft., B. & B	2.00	17.00	
2½ to 3 ft., B. & B	3.00	25.00	
3 to 3½ ft., B. & B	3.50	27.50	
-rosenthali, 6'-10'		hal Arl	
Evergreen. Dense, rugged, colum			
15 to 18 in., B. & B	.7 <i>5</i> 1.10	5.50	45.00
2 to 2½ ft., B. & B	1.50	9.00	75.00
2½ to 3 ft., B. & B	2.00	17.00	135.00
3 to 4 ft., B. & B	3.00	25.00	200.00
4 to 5 ft., B. & B	3.75	35.00	
5 to 6 ft., B. & B	5.50	47.50	
—umbraculifera, 2'-3'	Umbre	ella Art	orvitae
Particularly good, low, mushroon			
green foliage. Very hardy.			
12 to 15 in., B. & B	.70	5.50	45.00
15 to 18 in., B. & B	.90	7.50	60.00
18 to 24 in., B. & B	1.35	11.00	90.00
2 to 2½ ft., B. & B	2.00	15.00	125.00
	2.25	20.00	
	Verva		
Evergreen. Variegated with a		yellow	foliage,
bronzy in winter. Broadly pyran 18 to 24 in., B. & B		F 40	15.00
2 to 2½ ft., B. & B	.70 1.10	5.50 9.00	45.00 75.00
2½ to 3 ft., B. & B	1.50	12.50	100.00
3 to 4 ft., B. & B	2.00	17.50	135.00
4 to 5 ft., B. & B	3.00	25.00	200.00
5 to 6 ft., B. & B	3.75	35.00	
6 to 7 ft., B. & B	5.50	47.50	

Occ. verv. aurea, 8'-12' Golden Vervacne Arborvitae Golden leaved form of the type. 18 to 24 in., B. & B	THUJA—continued	Each	Per 10	Per 100	
Golden leaved form of the type. 18 to 24 in, B. & B					
2 to 2½ ft., B. & B.		. , , , , ,		01 11140	
2½ to 3 ft., B. & B.	18 to 24 in., B. & B		~	52.50	
3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 3 to 6 ft., B. & B. 5 to 18 in., B. & B. 5 to 10 to 11 ft., B. & B. 5 to 10 to 24 in., B. & B. 5 to 10 to 11 ft., B. & B. 5 to 24 to 24 in., B. & B. 6 to 27 to 20 to	2 to 2½ ft., B. & B	_			
### ### ### ### ### ### ### ### ### ##	2 to 4 ft. B. & B	_			
—wareana, 12′-15′ Siberian Arborvitae Evergreen. Light green, fleshy foliage. Broadly pyramidal, rugged in appearance. 15 to 18 in., B. & B	4 to 5 ft., B. & B			133.00	
Evergreen. Light green, fleshy foliage. Broadly pyramidal, rugged in appearance. 15 to 8 in., B. & B	5 to 6 ft., B. & B	_	_		
Evergreen. Light green, fleshy foliage. Broadly pyramidal, rugged in appearance. 15 to 8 in., B. & B	—wareana, 12'-15'	Sibe	rian Arb	orvitae	
15 to 18 in, B. & B	Evergreen. Light green, fleshy f				
18 to 24 in., B. & B.					
2 to 2½ tt, B. & B.	15 to 18 in., B. & B				
2½ to 3 ft., B. & B.	2 to 2½ ft. R. & R.		_		
3 to 4 ft., B. & B.	2½ to 3 ft., B. & B.	_	-		
orientalis (biota), 20'-25' Oriental Arborvitae Evergreen. Rather stiff, columnar habit; bright green foliage, bronze in winter; a good accent plant. 18 to 24 in., B. & B	3 to 4 ft., B. & B	_	0 2		
Evergreen. Rather stiff, columnar habit; bright green foliage, bronze in winter; a good accent plant. 18 to 24 in., B. & B	4 to 5 ft., B. & B	3.50	27.50		
foliage, bronze in winter; a good accent plant. 18 to 24 in., B. & B	orientalis (biota), 20'-25'	Orie	ntal Arb	orvitae	
18 to 24 in., B. & B				t green	
2 to 2½ ft., B. & B			_		
2½ to 3 ft., B. & B.	18 to 24 in., B. & B				
3 to 4 ft., B. & B.	2 ¹ / ₂ to 3 ft., B. & B				
4 to 5 ft., B. & B.	3 to 4 ft., B. & B			-	
6 to 7 ft., B. & B.	4 to 5 ft., B. & B	3.00	-		
7 to 8 ft., B. & B.	5 to 6 ft., B. & B		_		
8 to 9 ft., B. & B.	0 to 7 ft., B. & B			375.00	
9 to 10 ft., B. & B.	8 to 0 ft., B. & B.				
-aurea conspicua (biota), 7'-8' Goldspire Arborvitae Golden-yellow in spring, bronze-yellow in winter. Distinctive. 2 to 2½ ft., B. & B. 1.65 13.50 — 2½ to 3 ft., B. & B. 3.00 25.00 200.00 3 to 4 ft., B. & B. 3.75 30.00 250.00 4 to 5 ft., B. & B. 5.50 45.00 375.00 5 to 6 ft., B. & B. 7.50 65.00 525.00 6 to 7 ft., B. & B. 10.00 85.00 — —nana (biota), 2½'-3' Berckmans Golden Arborvitae A gem for dwarf planting; compact, roundish shape; warm golden-yellow foliage. Especially good for formal work and edging. 9 to 12 in., B. & B. 1.10 9.00 75.00 15 to 18 in., B. & B. 1.65 13.50 110.00 18 to 21 in., B. & B. 2.25 20.00 150.00 21 to 24 in., B. & B. 3.50 27.50 — 2½ to 3 ft., B. & B. 5.25 45.00 — 2½ to 3 ft., B. & B. 7.50 65.00 — 3 to 3½ ft., B. & B. 7.50 65.00 — 3 to 3½ ft., B. & B. 7.50 65.00 — 2½ to 3 ft., B. & B. 7.50 65.00 — 3 to 3½ ft., B. & B. 7.50 65.00 — 2½ to 3 ft., B. & B. 7.50 65.00 — 2½ to 3 ft., B. & B. 7.50 65.00 — 3 to 4½ ft., B. & B. 7.50 65.00 — 2½ to 3 ft., B. & B. 7.50 65.00 — 2½ to					
Golden-yellow in spring, bronze-yellow in winter. Distinctive. 2 to 2½ ft., B. & B.		10.00	85.00		
Golden-yellow in spring, bronze-yellow in winter. Distinctive. 2 to 2½ ft., B. & B.	-aurea conspicua (biota), 7'-8'	Golds	pire Arb	orvitae	
2 to 2½ ft., B. & B.					
2½ to 3 ft., B. & B					
3 to 4 ft., B. & B	2 to 2½ it., B. & B	_	0 0		
4 to 5 ft., B. & B		•			
5 to 6 ft., B. & B. 7.50 65.00 525.00 6 to 7 ft., B. & B. 10.00 85.00 — ——nana (biota), 2½'-3' Berckmans Golden Arborvitae A gem for dwarf planting; compact, roundish shape; warm golden-yellow foliage. Especially good for formal work and edging. 9 to 12 in., B. & B			•		
——nana (biota), 2½'-3' Berckmans Golden Arborvitae A gem for dwarf planting; compact, roundish shape; warm golden-yellow foliage. Especially good for formal work and edging. 9 to 12 in., B. & B	5 to 6 ft., B. & B			525.00	
A gem for dwarf planting; compact, roundish shape; warm golden-yellow foliage. Especially good for formal work and edging. 9 to 12 in., B. & B	6 to 7 ft., B. & B	10.00	85.00		
warm golden-yellow foliage. Especially good for formal work and edging. 9 to 12 in., B. & B					
work and edging. 9 to 12 in., B. & B. 1.10 9.00 75.00 12 to 15 in., B. & B. 1.10 9.00 75.00 15 to 18 in., B. & B. 1.65 13.50 110.00 18 to 21 in., B. & B. 2.25 20.00 150.00 21 to 24 in., B. & B. 2.52 45.00 — 2½ to 3 ft., B. & B. 5.25 45.00 — 3 to 3½ ft., B. & B. 7.50 65.00 — Torms a compact oval-shaped specimen. Good, persistent, fresh green color, with beautiful winter shading. 18 to 24 in., B. & B. 1.65 13.50 — 2 to 2½ ft., B. & B. 1.65 13.50 — 2 to 2½ ft., B. & B. 3.00 25.00 — 3 to 4 ft., B. & B. 3.75 30.00 — 3 to 4 ft., B. & B. 5.50 45.00 375.00					
9 to 12 in., B. & B		ecially	good for	formal	
12 to 15 in., B. & B. 1.10 9.00 75.00 15 to 18 in., B. & B. 1.65 13.50 110.00 18 to 21 in., B. & B. 2.25 20.00 150.00 21 to 24 in., B. & B. 2.52 45.00 2½ to 3 ft., B. & B. 5.25 45.00 3 to 3½ ft., B. & B. 7.50 65.00 — Compacta (biota), 3'-4' Forms a compact oval-shaped specimen. Good, persistent, fresh green color, with beautiful winter shading. 18 to 24 in., B. & B. 1.65 13.50 2 to 2½ ft., B. & B. 1.65 13.50 2 to 2½ ft., B. & B. 3.00 25.00 2½ to 3 ft., B. & B. 3.75 30.00 3 to 4 ft., B. & B. 5.50 45.00 375.00		75	6.50	55.00	
15 to 18 in., B. & B	12 to 15 in., B. & B				
21 to 24 in., B. & B		_			
2 to 2½ ft., B. & B	18 to 21 in., B. & B			150.00	
2½ to 3 ft., B. & B 6.00 50.00 — 3 to 3½ ft., B. & B					
3 to 3½ ft., B. & B	2 ¹ / ₂ to 2 ft. R. & R.				
-compacta (biota), 3'-4' Forms a compact oval-shaped specimen. Good, persistent, fresh green color, with beautiful winter shading. 18 to 24 in., B. & B 1.65 13.50 — 2 to 2½ ft., B. & B					
Forms a compact oval-shaped specimen. Good, persistent, fresh green color, with beautiful winter shading. 18 to 24 in., B. & B 1.65 13.50 — 2 to 2½ ft., B. & B 3.00 25.00 — 2½ to 3 ft., B. & B			oold Arb	orvitae	
fresh green color, with beautiful winter shading. 18 to 24 in., B. & B					
18 to 24 in., B. & B					
2 to 2½ ft., B. & B 3.00 25.00 — 2½ to 3 ft., B. & B 3.75 30.00 — 3 to 4 ft., B. & B 5.50 45.00 375.00	18 to 24 in., B. & B				
3 to 4 ft., B. & B 5.50 45.00 375.00	2 to 2½ ft., B. & B	3.00	25.00		
7.50 J. 20.51 20. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.				3/5.00	
	7 00 J 200, 20 00 20 10 10 10 10 10 10 10 10 10 10 10 10 10	1.50			

THUJA—continued	Each	Per 10	Per 100		
orient. Daily Nana (biota), 5'-6' Dwarf Compact Green Arborvitae					
Dwarf form. Bright green. Compact		va.			
18 to 24 in., B. & B	1.65	13.50			
2 to 2½ ft., B. & B	3.00	25.00			
2½ to 3 ft., B. & B	3.75	30.00			
-elegantissima (biota), 7'-8' Yellov					
Assumes a rich, deep golden-bronz	e color	in winte	er. Com-		
pact, columnar.					
18 to 24 in., B. & B	1.10	9.00 13.50	75.00		
2½ to 3 ft., B. & B	2.25	20.00	150.00		
3 to 4 ft., B. & B	3.00	25.00	200.00		
4 to 5 ft., B. & B	4.50	37.50	300.00		
5 to 6 ft., B. & B	6.00	50.00 65.00	400.00		
	7.50	03.00	525.00		
—pyramidalis aurea (biota), 7'-8' Golden I	Pvram i	dal Arb	orvitae		
Somewhat similar to elegantissima.					
2 to 3 ft., B. & B	3.00	25.00			
3 to 4 ft., B. & B	4.50	37.50			
4 to 5 ft., B. & B	6.00	-			
-rosedale (biota), 3'-4' Fine foliage; soft texture.	Ro	sedale	Hybrid		
18 to 24 in., B. & B	1.65	13.50			
2 to 2½ ft., B. & B	2.25	20.00			
2½ to 3 ft., B. & B	3.00	25.00			
-semperaurescens (biota), 8'-10' Evergolden Arborvitae					
Rich golden hue constant through	out the	e year.			
3 to 4 ft., B. & B	3.75				
4 to 5 ft., B. & B	5.50 7.50	62.50			
6 to 7 ft., B. & B	9.00	75.00			
- 1 O C 0	11.00				
standishi, 25'-40' Standish Arborvitae					
Hardy evergreen of broad pyramic					
2 to 2½ ft., B. & B	1.50	12.50	100.00		
2½ to 3 ft., B. & B	2.00	17.50	135.00		
3 to 4 ft., B. & B	3.50	28.00	225.00		
5 to 6 ft., B. & B	5.2 <i>5</i> 6.7 <i>5</i>	45.00 55.00			
6 to 7 ft., B. & B	9.00				
TILIA americana, 75'-90' American Linden					
Grows rather quickly, forming an	open	head. H	Ias fra-		
grant yellow flowers.					
6 to 8 ft	1.10	9.00	75.00		
8 to 10 ft	1.65	13.50	110.00		
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00	17.50	135.00		
10 to 12 ft., 1½ to 1¼ iii	3.50 4.50	28.00 37.50	225.00 300.00		
12 to 14 ft., 2 to 21/4 in	5.50	47.50	375.00		
$2\frac{1}{4}$ to $2\frac{1}{2}$ in	6.75	55.00	450.00		
$2\frac{1}{2}$ to 3 in	8.00	65.00	550.00		
3 to 3½ in	9.00	75.00			

TILIA—continued	E	ach Per 10	Per 100
cordata, 70'	Littlelea	f European	Linden
Very small leaves and desir			
5 to 6 ft	1.	65 13.50	110.00
6 to 8 ft	_	25.00	200.00
8 to 10 ft		75 30.00	250.00
8 to 10 ft., 1¼ to 1½ in		50 47.50	
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	7.	50 62.50	
—Spaethi, 70'			Linden
Similar to the type in compa leaves. Symmetrical specim		nd growth, b	out larger
8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.	.50 —	
10 to 11 ft., 13/4 to 2 in	4.	50 37.50	
10 to 11 ft., 2 to $2\frac{1}{4}$ in 11 to 12 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in		.50 47.50 .75 55.00	
12 ft., $2\frac{1}{2}$ to 3 in		75 55.00 .00 75.00	
12 ft., 3 to 3 ¹ / ₂ in			
platyphyllos, 70'		European	
Large leaved European Lin			
metrical tree. Excellent law tree.	_	en. Satisfacto	ory street
6 to 8 ft	2.	.00 17.50	
8 to 10 ft	3.	.00 25.00	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.	.50 28.00	
8 to 10 ft., 1 ³ / ₄ to 2 in	4	.50 37.50 .50 47.50	300.00
10 to 12 ft., 2 to 2 ¹ / ₄ in	6.	.75 55.00	
10 to 12 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in		.50 —	
-rubra, 70' Rec	dbranche	d Europear	ı Linden
With same characteristics a		d Europear —differing o	
With same characteristics a red branchlets.	s the type-	—differing o	only with
With same characteristics as red branchlets. 6 to 8 ft., 1 to 11/4 in	s the type-	—differing o	only with
With same characteristics a red branchlets.	s the type- 3-	—differing o	only with
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1 ¹ / ₄ in 8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	s the type- 3-	—differing 0 .00 25.00 .75 30.00	only with
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1¼ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to	s the type 3 5. cree that	—differing of .00 25.00 .75 30.00 .25 —— Silver will withst	Linden and heat
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1¼ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green	s the type 3 5 5 tree that above; w	—differing of 25.00 25.00 30.00 25 — Silver will withst white beneat	Linden and heat h.
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft	s the type- 3 5. cree that above; w 2	—differing of .00 25.00 .75 30.00 .25 —— Silver will withst	Linden and heat h.
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 8 to 10 ft., 1 to 1¼ in	s the type 3 5 5 2 2 3	—differing of 25.00 25.00 30.00 25.00 Silver will withst white beneat .50 22.50	Linden and heat h. 175.00 225.00 300.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 8 to 10 ft., 1 to 1¼ in 1¼ to 1½ in	s the type 3 5. cree that above; w 2	-differing of 1.00 25.00 25.00 25.00 Silver will withst white beneat 1.50 22.50 27.50 27.50 37.50 47.50	Linden and heat h. 175.00 300.00 375.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1¼ in 1¼ to 1½ in 1¼ to 1¾ in	s the type 3 5 5 2 2 3 4 5	-differing of 25.00 25.00 25.00 25.00 25.00 25.00 27.50 27.50 27.50 37.50 47.50 55.00	Linden and heat h. 175.00 300.00 375.00 450.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft	tree that above; w 3 3 5 6 7	-differing of .00 25.00 .75 30.00 .25	Linden and heat h. 175.00 300.00 375.00 450.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1¼ in 1¼ to 1½ in 1¼ to 1¾ in	s the type 3 5 2 3 4 5 6 7 9	-differing of 25.00 25.00 25.00 25.00 25.00 25.00 27.50 27.50 27.50 37.50 47.50 55.00	Linden and heat h. 175.00 225.00 300.00 450.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40′-60′ Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1¼ in 1¼ to 1½ in 1¼ to 1¼ in 2 to 2¼ in 2 to 2¼ in	s the type 3 5 2 3 4 5 6 7 9	-differing of 1.00 25.00 25.00 25.00 25.00 25.00 20.50 27.50	Linden and heat h. 175.00 225.00 300.00 450.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1½ in 1¼ to 1½ in 1¼ to 1½ in 2 to 2¼ in 2¼ to 2½ in vulgaris, 70'-90'	tree that above; w	-differing of .00 25.00 .75 30.00 .25	Linden 175.00 225.00 300.00 375.00 450.00 Linden
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40′-60′ Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1¼ in 1¼ to 1¼ in 2 to 2¼ in 2 to 2¼ in 2¼ to 2½ in vulgaris, 70′-90′ In late June the fragrant symmetrical and compact.	s the type 3 3 5 2 3 4 5 6 7 9 11	-differing of 25.00 25.00 25.00 25.00 22.50 27.50 27.50 27.50 47.50 55.00 .00 75.00 .00 95.00 European re noticeabl	Linden and heat h. 175.00 225.00 300.00 375.00 450.00 —— a Linden e; grows
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed and drought. Leaves green 5 to 6 ft 6 to 8 ft 8 to 10 ft., 1 to 1¼ in 1¼ to 1½ in 1¼ to 1½ in 2 to 2¼ in 2 to 2¼ in 2¼ to 2½ in vulgaris, 70'-90' In late June the fragrant symmetrical and compact. 6 to 8 ft	s the type 3 5 5 6 9 11	-differing of .00 25.00 .75 30.00 .25	Linden and heat h. 175.00 225.00 300.00 375.00 450.00 Linden e; grows
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1½ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1½ in 1¼ to 1½ in 1¼ to 1½ in 2 to 2¼ in 2 to 2¼ in 2 to 2¼ in 2 to 2¼ in 2 to 2½ in vulgaris, 70'-90' In late June the fragrant symmetrical and compact. 6 to 8 ft 8 to 10 ft	tree that above; w	-differing of .00 25.00 .75 30.00 .25	Linden 175.00 225.00 300.00 375.00 450.00 ——— a Linden e; grows
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1¾ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40′-60′ Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1¼ in 1¼ to 1¼ in 2 to 2¼ in 2 to 2¼ in 2¼ to 2½ in 2¼ to 2½ in vulgaris, 70′-90′ In late June the fragrant symmetrical and compact. 6 to 8 ft 8 to 10 ft., 1¼ to 1½ in 8 to 10 ft., 1¼ to 1½ in	s the type 3 3 5 2 3 4 5 6 7 9 11	-differing of 1.00 25.00 25.00 25.00 25.00 20.50 27.50 27.50 25.00 25.00 25.00 25.00 25.00 25.00 25.00 25.00 25.00 27.50	Linden and heat h. 175.00 225.00 300.00 375.00 450.00 —— a Linden e; grows 150.00 225.00 300.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1¾ in 8 to 10 ft., 1½ to 1¾ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1½ in 1¼ to 1½ in 2 to 2¼ in 2 to 2¼ in 2 to 2¼ in 2 to 2½ in vulgaris, 70'-90' In late June the fragrant symmetrical and compact. 6 to 8 ft 8 to 10 ft 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in	s the type 3 5 5 4 6 9 11 6	-differing of .00 25.00 .75 30.00 .25	Linden and heat h. 175.00 225.00 300.00 450.00 Linden e; grows 150.00 225.00 300.00 400.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1¼ to 1½ in 8 to 10 ft., 1½ to 1¾ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed to and drought. Leaves green 5 to 6 ft 6 to 8 ft 8 to 10 ft., 1 to 1¼ in 1¼ to 1½ in 2 to 2¼ in 2 to 2¼ in 2¼ to 2½ in vulgaris, 70'-90' In late June the fragrant symmetrical and compact. 6 to 8 ft 8 to 10 ft 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1¼ to 1½ in 11 to 12 ft., 1¾ to 1¾ in 11 to 12 ft., 1¾ to 2 in	tree that above; w	-differing of .00 25.00 .75 30.00 .25	Linden and heat h. 175.00 225.00 300.00 450.00 Linden e; grows 150.00 225.00 300.00 400.00 525.00
With same characteristics as red branchlets. 6 to 8 ft., 1 to 1½ in 8 to 10 ft., 1½ to 1¾ in 8 to 10 ft., 1½ to 1¾ in 8 to 10 ft., 1½ to 1¾ in tomentosa, 40'-60' Handsome, dense-headed and drought. Leaves green 5 to 6 ft 6 to 8 ft 1¼ to 1½ in 1¼ to 1½ in 2 to 2¼ in 2 to 2¼ in 2 to 2¼ in 2 to 2½ in vulgaris, 70'-90' In late June the fragrant symmetrical and compact. 6 to 8 ft 8 to 10 ft 8 to 10 ft., 1¼ to 1½ in 10 to 12 ft., 1½ to 1¾ in	s the type 3 3 5 2 3 4 5 6 7 9 11	-differing of .00 25.00 .75 30.00 .25	Linden and heat h. 175.00 225.00 300.00 375.00 450.00 Linden e; grows 150.00 225.00 300.00 400.00 525.00

	Each	Per 10	Per 100
TSUGA canadensis, 75'-90'	Ca	ınada H	emlock
Evergreen. Most graceful and a	adaptable	the sp	reading
horizontal branches making effect	ctive shad	dow effec	
ful as either clipped hedge or in			
18 to 24 in., B. & B	1.10	9.00	75.00
2 to 2½ ft., B. & B	1.50	12.50	100.00
2½ to 3 ft., B. & B	2.25	20.00	150.00
3 to 4 ft., B. & B	3.75	30.00	250.00
4 to 5 ft., B. & B	6.00	50.00	400.00
5 to 6 ft., B. & B	9.00	75.00	600.00
6 to 7 ft., B. & B	11.00	95.00 125.00	-
8 to 9 ft., B. & B	20.00		
-microphylla (gracilis), 40'-50'			
Small-leav	red Cana	adian H	emlock
Slow growing form with very sma	all leaves		
12 to 15 in., B. & B	3.00	25.00	-
15 to 18 in., B. & B	3.75	31.00	
18 to 24 in., B. & B	5.50		*********
	nts Wee		
Dwarf flat-topped weeping form	with spre	eading br	anches.
12 to 15 in., B. & B	3.50	27.50	
15 to 18 in., B. & B	4.50	37.50	
18 to 24 in., B. & B	6.75		
caroliniana sal 6al	C	-1: TT	200 1 1
caroliniana, 50'-60'		olina H	
Evergreen. One of our choicest n	ative eve	ergreens;	slower
in growth than above.			
5 to 6 ft., B. & B	16.50		
6 to 7 ft., B. & B., specimens 7 to 8 ft., B. & B., specimens	20.00	175.00	
8 to 9 ft., B. & B., specimens	25.00 30.00	225.00 250.00	
9 to 10 ft., B. & B., specimens	35.00	275.00	
	,,,,,,	-73.00	
——— ⟨U ⟨>>	•		
ULMUS americana, 80'-100'		America	n Elm
Stateliness and dignity are here	exemplifi	ed. Fairl	y rapid
in growth, this typical American	tree soo:	n assume	s regal
proportions and commands res	spect of	all wh	o look

Stateliness and dignity are here e	xemplifi	ed. Fairl	y rapid
in growth, this typical American	tree soo:	n assume	es regal
proportions and commands res	pect of	all wh	o look
upon it.			
6 to 8 ft	.65	5.50	45.00
8 to 10 ft	1.10	9.00	75.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.35	11.00	90.00
9 to 11 ft., $1\frac{7}{2}$ to $1\frac{3}{4}$ in	1.65	13.50	110.00
10 to 12 ft., 13/4 to 2 in	2.25	20.00	150.00
11 to 12 ft., 2 to 2 ¹ / ₄ in	3.50	27.50	225.00
12 to 14 ft., 2 ¹ / ₄ to 2 ¹ / ₂ in	4.50	37.50	300.00
$2\frac{1}{2}$ to 3 in	6.00	50.00	400.00
3 to 3½ in	8.25	70.00	
3½ to 4 in	11.00	95.00	
4 to 4½ in	16.50	135.00	

ULMUS—continued	Each	Per 10	Per 100
-Moline, 80'-100'			ie Elm
A remarkable new variety of example and large, handsome, deeply grassirable.			
6 to 8 ft	1.00	8.50	67.50
8 to 10 ft	1.35	11.00	90.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00 3.00	17.00 25.00	135.00
10 to 12 ft., 13/4 to 2 in	3.75	31.00	
11 to 12 ft., 2 to 2 ¹ / ₄ in	5.50	47.00	
$ \begin{array}{c} 2\frac{1}{4} \text{ to } 2\frac{1}{2} \text{ in} \\ 2\frac{1}{2} \text{ to } 3 \text{ in} \end{array} $	7.50 9.00	62.50	
—"Princeton", 80'-100'	9.00	Princeto	n Elm
A selected strain of American Eln			
the young stage, a type similar to to a slightly more spreading top.			
6 to 8 ft	1.50 2.00	12.50 17.00	100.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00	200.00
10 to 12 ft., 1½ to 1¾ in	3·7 <i>5</i>		
-Vase shape, 60'-75' Vase S	Shaped	America	ın Elm
This is the typical spreading elm			
for its splendid characteristics: clean stem, quick growth and uni		of shape	
8 to 10 ft	1.35 2.00	11.00	
10 to 12 ft., 1½ to 1¾ in	3.00	25.00	
10 to 12 ft., 13/4 to 2 in	3.75	31.00	
11 to 12 ft., 2 to 2 ¹ / ₄ in	4.50	37.50	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	7.50 9.00	62.50 75.00	
	<i>J.</i> cc	• •	se Elm
pumila, 50'-75' Forms symmetrical head. Has small	all alab		
gularly free from disease. Acclin gested city conditions.			
5 to 6 ft	.90	7.50	60.00
6 to 8 ft	1.35	11.00	90.00
8 to 10 ft	1.65 2.25	13.50 19.00	110.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	25.00	200.00
13/4 to 2 in	3.75	31.00	
2 to 2 ¹ / ₄ in	5.50	47.00	
——— ⟨ V >>	4		
VACCINIUM corymbosum, 5'-6'			
One of the best native shrubs. Flow Wonderful autumn coloration. Pro	efers ac	id soil.	autiful.
18 to 24 in	.80 1.10	6.50 9.00	-
3 to 4 ft	1.65		
VIBURNUM acerifolium, 4'-5' M			
White, May-June. Black fruits, m purple in autumn; good for dry splanting in woodland.			
18 to 24 in	-55	4.70 6.50	
2 to 3 ft	.80	6.50	

VIBURNUM—continued	Each	Per 10	Per 100
americanum (oxycoccos), 8'-9'		C 1	
An	nerican (_ranbei	rybush
Bright scarlet berries in large winter.	bunches	, persis	ting all
18 to 24 in	.25	2.00	15.00
2 to 3 ft	-35	2.80	22.00
3 to 4 ft	•45	3.50	30.00
4 to 5 ft	.65	5.50	_
5 to 6 ft			45.00
6 to 7 ft	.90	7.50	60.00
6 to 7 ft	1.10	9.00	75.00
carlesi, 4'-6'			ournum
One of the most desirable, semi- with wonderfully fragrant flo shaded with pink. Foliage nice gr	wer clu	owering sters of	shrubs white
• •	.90	7.50	60.00
			00.00
18 to 24 in., B. & B	1.35	11.00	
10 to 24 m., b. & b	1.05	13.50	
cassinoides, 5'-6'		Wi	the-rod
White, June-July. Berries pink	changing		
Rich autumn coloring; splendid	changing	osina as	K Diuc.
water.	for ma	ssing ar	id near
		_	
18 to 24 in	•3 <i>5</i>	2.80	22.00
2 to 3 ft	·5 <i>5</i>	4.70	37.00
3 to 4 ft	. 80	6.50	52.00
4 to 5 ft	1.00	8.50	67.00
5 to 6 ft	1.35	11.00	90.00
	03		
dentatum, 10'-12'			wwood
White, May-June. Berries blue-l	black, at	itumn (coloring
purple and red; thrives in wet so	il.		
2 to 3 ft	. 35	2.80	22.00
3 to 4 ft	•45	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.80	-	
6 to 7 ft		6.50	52.00
6 to 7 ft	1.00	8.50	67.00
dilatatum, 8'-9'	Line	den Vib	urnum
White, May-June. Scarlet showy h			
some and valuable.	berries be	risisting	. Hanu-
18 to 24 in	•45	3.50	30.00
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	1.00	8.50	67.00
4 to 5 ft	1.35	11.00	90.00
5 to 6 ft	2.00	15.00	125.00
	**	7 6 .	
lantana, 15'-18'		Vayfa ri :	
White, May-June. Handsome, dark	green, v	vrinkled	leaves.
Berries red, changing to black.			
18 to 24 in	.25	2.00	15.00
2 to 3 ft	-35	2.80	22.00
3 to 4 ft	45	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	1.00	8.50	67.00
6 to 7 ft	1.35	11.00	07.00
	1.03	11.00	
-rugosum, 15'-18' Wrinkl	eleaf W	ayfarin	g Tree
Has larger, more wrinkled leaves			
flower clusters.		-) Po dine	141801
18 to 24 in	4.5	2.50	
	·45	3.50	4 4 4 4
2 to 3 ft	.65	5.50	45.00
3 to 4 ft	.90	7.50	
4 to 5 ft	1.10	9.50	

VIBURNUM—continued	Each	Per 10	Per 100
lentago, 18'-20'		Nann	yberry
White, May-June. Handsome, shir fruits. Splendid shrub for massing		aves. Blu	e-black
18 to 24 in	.25	2.00	15.00
2 to 3 ft	·3 <i>5</i>	2.80	22.00
3 to 4 ft	-45	3.50	30.00
4 to 5 ft	.60	5.00	40.00
5 to 6 ft	.90	7.50	60.00
6 to 7 ft	1.10	9.50	75.00
7 to 8 ft	1.35	11.00	90.00
8 to 9 ft	1.65	13.50	
molle, 10'-12'		cky Vib	
Larger, darker green leaves, but "dentatum."	otner	wise sim	illar to
2 to 3 ft	·3 <i>5</i>	2.80	22.00
3 to 4 ft	45	3.50	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	65.00
6 to 7 ft	1.35	11.00	
Very similar in habit of growth an		Cranber: to the Ar	-
Cranberrybush.			
18 to 24 in	.25	2.00	15.00
2 to 3 ft	·3 <i>5</i>	2.80	22.00
3 to 4 ft	-45	3.50	30.00
4 to 5 ft	•55	4.70	37.00
5 to 6 ft	.80	6.50	
		Cranber	
Useful for edging or facing shrub compact.	s. Rare	ly flower	s. Very
4 to 6 in	•3 <i>5</i>	2.80	22.00
6 to 9 in	.45	3.50	30.00
9 to 12 in	•55	4.70	37.00
—sterile, 9'-10' Has showy, round head of white f		imon Sn May-Tun	
18 to 24 in	.25	2.00	15.00
2 to 3 ft	·35	2.80	22.00
3 to 4 ft	.45	3.50	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90	7.50	
		D10	ckhaw
Pure white flowers, April-June. Bl ries. Sturdy habit; handsome shru			
18 to 24 in	.55	4.50	37.00
2 to 3 ft	.80	6.50	52.00
3 to 4 ft	1.10	9.50	75.00
4 to 5 ft	1.60	13.50	110.00
5 to 6 ft	2.25	19.00	150.00
			_
		leaf Vib	
Evergreen. Large, oblong leaves, obeneath; a bold, handsome shrub.			
18 to 24 in., B. & B	1.10	9.50	75.00
2 to 2½ ft., B. & B	1.50	12.50	95.00
2½ to 3 ft., B. & B	2.25	19.00	150.00
3 to 4 ft., B. & B. Specimen	3.75	31.00	
4 to 5 ft., B. & B. Specimen	6.25	55.00	
5 to 6 ft., B. & B. Specimen	9.00	75.00	p
6 to 7 ft., B. & B., Specimen	11.00	95.00	
7 to 8 ft., B. & B., Specimen	13.50		

VIBURNUM—continued	Each	Per 10	Per 100
sieboldi (japonicum), 9'-10'	Sie	bold Vil	ournum
White, May-June. Berries pink, ch some, large, dark green leaves. Vi			. Hand-
18 to 24 in	·3 <i>5</i>	2.80	22.00
2 to 3 ft	-45	3.50	30.00
3 to 4 ft	.6 <i>5</i> .90	5.50 7.50	45.00
5 to 6 ft	1.25	10.00	
tomentosum, 7'-8' Flat heads of white flowers, Jun		efile Vit	
Good foliage.			
18 to 24 in	.25 •35	2.00 2.80	15.00
3 to 4 ft	•55	4.50	37.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	67.00
6 to 7 ft	1.35	11.00	90.00
—plicatum, 7'-8'		anese Sr	
Showy white flowers in balls, J	une. H	andsome	foliage
with purple autumn coloring.			
18 to 24 in	.25	2.00 2.80	15.00
2 to 3 ft	•3 <i>5</i> •5 <i>5</i>	4.50	22.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	1.00	8.50	67.00
6 to 7 ft	1.35	11.00	
wrighti, 7'-8'		right Vit	
A native of Japan. Very upright scarlet fruits produced abundantly	у.		
18 to 24 in	-45 -55	3.50 4.50	30.00
3 to 4 ft	.80	6.50	52.00
4 to 5 ft	1.00	8.50	67.00
5 to 6 ft	1.35	11.00	
VINCA minor, 6"-8"	Periw	inkle or	Myntle
A trailing evergreen plant. Gloss in spring. Excellent ground cov			
shade.	Per 10	Per 100	Per 1000
2 ¹ / ₄ in. pots	1.30	11.00	85.00
3 in. pots	2.00	15.00	120.00
VITEX agnus-castus, 4'-5'	L	ilac Cha	ste-tree
Dainty shrub, lilac flowers. Augu	ist to	Septem b ei	r. Gray-
green, star-shaped leaves; prefer	rs sun.		
	Each	Per 10	Per 100
18 to 24 in	•3 <i>5</i>	2.80	22.00
2 to 3 ft	45	3 .5 0	30.00
3 to 4 f t 	·55 .65	4.50 5.50	37.00
3 to 0 1t			
—alba, 4'-5' White flowered form of the above.		nite Chas	ste-tree
2 to 3 ft	-		
3 to 4 ft	.65	5.00	

VITEX—continued	Each	Per 10	Per 100
agnus macrophylla, 3'-4'			
Large leav			
A great improvement on the type; attractive.	fine blu	ie flowers	; very
12 to 18 in	. 35	2.80	22.50
18 to 24 in	. 45	3.50	30.00
	* 2000		
WEIGELA amabilis, 7'-8'		Rose W	eigela
Light Pink.			
18 to 24 in	.25	2.00	
2 to 3 ft	·35	2.80	22.00
3 to 4 ft	.45 .65	3.50 5.50	30.00 45.00
5 to 6 ft	.90	7.50	
candida, 7'-8'	7	White W	reigela
Large, pure white flowers.			0.80.0
2 to 3 ft	·3 <i>5</i>	2.80	22.00
3 to 4 ft	.45	3.50	30.00
4 to 5 ft	.65	5.50	45.00
5 to 6 ft	.90 1.10	7.50 9.00	60.00 75.00
Eva Rathke, 4'-5' Carmine, June-August. Most florife		wered W	eigeia
18 to 24 in		3.70	30.00
2 to 3 ft	.60	5.00	
3 to 4 ft	.80	•	55.00
nana variegata, 6'-8' Variegated le growth.			
18 to 24 in	.25	2.00	15.00
2 to 3 ft	·3 <i>5</i>	2.80	22.50
3 to 4 ft	.65	3.50	30.00
4 to 5 ft 5 to 6 ft	.90	5.50 7.5 0	45.00 60.00
6 to 7 ft	1.10	9.50	75.00
rosea, 7'-8'		Pink W	Zeigela
Showy, pink flowers freely progrower.	duced.		
18 to 24 in	.25	2.00	15.00
2 to 3 ft	-35	2.80	22.00
3 to 4 ft	45	3.50	30.00
4 to 5 ft	.55 .80	4.50 6.50	37.00
5 to 6 ft	.00	0.50	
Conquerant, dark pink, reverse car	mine	early flax	vering
Feeri, rose colored flowers.	mune,	early nov	vering.
Girondin, reddish flowers.			
Lavallei, deep crimson.			
Profusion, reddish flowers. Richesse, deep pink.			
2 to 3 ft	·45	3.75	
3 to 4 ft	.65	5.50	
4 to 5 ft	.90	7.50	
5 to 6 ft	1.10	9.00 12.25	
0 10 / 11	1.50	12.23	

	- 1	_	
		Per 10	
WISTERIA multijuga, 35'-50'		luster W	
Has long drooping racemes of pu fine to cover a trellis or pergola.	ırple flo	wers. Un	usually
3-year, 5 to 6 ft. grafts	1.65	13.50	
4-year, 6 to 8 ft. grafts	2.25	19.00 28.00	
5-year, 6 to 8 ft. grafts	3.50	20.00	
, 55 6		eping W	
3-year, 3 to 4 ft. grafts	1.35 1.65	11.00 13.50	90.00
4-year, 5 to 6 ft. grafts	2.25	19.00	150.00
5-year, 6 to 8 ft. grafts	3.50	28.00	
—rosea, 35'-50'	osy We	eping W	'isteria
2-year, 1½ to 2 ft	1.35	11.00	-
3-year, 2 to 3 ft	1.65	13.50	
5-year, 6 to 8 ft	3.50	28.00	
sinensis blue, 35'-50'	Cl	ninese W	'ister ia
grafted (from good flg. plants) This is by far the best stock to	nlane	in wister	rice he
cause they will really bloom.			rias be-
18 to 24 in., 2 yr. grafts	•45	3.70	
2 to 3 ft., 2 yr. grafts	•55	4.70	
3 to 4 ft., 3 yr. grafts	.65	5.50	45.00
4 to 5 ft., 4 yr. grafts	.90	7.50	60.00
5 to 6 ft., 5 yr. grafts	1.25	10.00	62.00
—alba, 35'-50'	hite Ch	ninese W	isteria
grafted (from good flg. plants) A good climbing sort. Strong grov			
18 to 24 in., 2-year grafts	.45		30.00
2 to 3 ft., 2-year grafts	•43 • 5 5	3.50 4.50	37.00
3 to 4 ft., 3-year grafts		5.50	45.00
4 to 5 ft., 4-year grafts		7.50	60.00
5 to 6 ft., 5-year grafts		10.00	82.00
	3		
—————————————————————————————————————	*		
YUCCA filamentosa, 2'-3'		Adams !	Needle
Evergreen. Long lance-like leav	ves. Ta	ll flower	spike
grows up quickly in June-July.			
ers and general appearance give for massing with either evergreer	tropic	al effect.	
2 year	.22	2.00	15.00
3 year	.30	2.50	
4 year	·3 <i>5</i>	2.80	22.00
———— Z ≽			
,,			
ZANTHORHIZA apiifolia, 2'-3'		Yello	owroot
Good ground cover. Will succee	ed on		
banks, etc. Small purplish flower			,,
		2 80	

2 year

.35 2.80 22.00

Planting Notes on Native Plant Materials

MANY of our friends have told us that they have used the Princeton Nurseries catalogue as a planting guide and text-book. We accept this as a great compliment to have published a trade handbook which may be serving a useful purpose.

One of the yearly features of our catalogue has been the space allotted for Special Planting Lists. These planting guides have materialized as the demand has been created for a more

accurate knowledge of the use of plant materials.

In the past twenty years, due in part to extensive park developments, we have seen an increasing use of native American plant materials. Princeton Nurseries have realized this growing demand and are now able to offer in great quantities and in various sizes, over 150 varieties of hardy native woody

trees, shrubs and vines.

To better appreciate the more intelligent use of native types and avoid unnatural plantings, it is quite desirable to group these native types according to the way they associate with one another in their natural environment. The various plant groups are influenced by definite environmental factors. The native plant is more or less confined to the most suitable location by its ability to adapt itself. Conditions are ever changing in the life of plants growing in the open pasture or in the virgin forest.

It might be safely stated that all plantings of native material are more harmonious and congenial if plant types are used together which are found associated together in nature.

In presenting the following types, it is well realized that if space would permit, it would be better to sub-divide each type into smaller groups. We are placing them under four general headings as follows:

A—The Field and Pasture Type.

B—The Lowland and Swamp Type.

C—The Forest Type. D—The Seaside Type.

The Field and Pasture Type

TREES:
Betula populifolia
SHRUBS and VINES:
Ampelopsis quinquefolia
Celastrus scandens
Cornus paniculata
Corylus americana
Juniperus communis
Lyonia ligustrina
Myrica carolinensis
Potentilla fruticosa
Rhus copallina
Rhus glabra

Juniperus virginiana

Rhus typhina
Robinia hispida
Rosa blanda
Spiraea latifolia
Spiraea tomentosa
Viburnum cassanoides
Viburnum dentatum
Viburnum lentago
Viburnum prunifolium
Vitis aestivalis

B

The Lowland and Swamp Type

TREES:

Acer negundo Acer rubrum Acer saccharum Celtis occidentalis Crataegus crus-galli Fraxinus americana Juglans nigra Liquidamber styraciflua Nyssa sylvatica Ostrya virginiana Platanus occidentalis Quercus bicolor

SHRUBS:

Alnus rugosa
Amelanchier canadensis
Ampelopsis quinquefolia
Aronia arbutifolia
Aronia melanocarpa
Azalea viscosa
Benzoin aestivale
Carpinus caroliniana
Cephalanthus occidentalis
Clethra alnifolia
Cornus amomum
Cornus stolonifera
Hamamelis virginiana
Ilex verticillata

Quercus macrocarpa Quercus palustris Tilia americana Ulmus americana

Lyonia ligustrina
Physocarpus opulifolius
Potentilla fruticosa
Rosa lucida
Rosa palustris
Salix discolor
Sambucus canadensis
Spiraea latifolia
Spiraea tomentosa
Vaccinium corymbosum
Viburnum acerifolium
Viburnum dentatum
Viburnum lentago

The Forest Type

TREES:

Acer pennsylvanicum
Acer saccharum
Acer spicatum
Betula lenta
Betula lutea
Cornus florida
Fagus americana
Liriodendron tulipifera
Ostrya virginiana
Pinus resinosa
Pinus rigida

SHRUBS:

Amelanchier canadensis Azalea nudiflora Ceanothus americanus Cornus alternifolia Hamamelis virginiana Ilex verticillata Pinus strobus
Prunus serotina
Quercus alba
Quercus coccinea
Quercus prinus
Quercus rubra
Quercus velutina
Sassafras officionale
Tilia americana
Tsuga canadensis

Kalmia latifolia Rhododendron maximum Rosa setigera Rubus odoratus Viburnum acerifolium Viburnum lantana

The Seaside Type

TREES:

Betula populifolia
Juniperus virginiana
Liquidamber styraciflua
Nyssa sylvatica
Pinus rigida
Prunus serotina
Quercus alba

SHRUBS:

Amelanchier canadensis Ampelopsis quinquefolia Aronia arbutifolia var. atropurpurea Aronia melanocarpa Ceanothus americanus Quercus coccinea
Quercus phellos
Quercus prinus
Quercus rubra
Quercus velutina
Sassafras officionale

Clethra alnifolia Comptonia asplenifolia Corylus americana Ilex glabra Ilex opaca Myrica carolinensis

Pieris mariana Prunus maritima Rhus copallina Rosa blanda Rosa humilis

Rosa nitida Sambucus canadensis Spiraea latifolia Spiraea tomentosa

Note: The above groups are not intended to be a complete listing of all the native hardy woody plants that appear in each group. They represent some of the most important items of these groups and are obtainable in strong nursery grown material from the fields of our nursery.

What Shall I Plant—

1 "For a quick-growing planting screen?"

TREES:

Acer negundo Acer dasycarpum Morus alba

Picea excelsa Pinus sylvestris Salix in variety

Populus in variety

SHRUBS:

Eleagnus angustifolia Ligustrum ovalifolium Ligustrum vulgare

Lonicera fragrantissima Lonicera tartarica Rhamnus frangula

2 "For a formal clipped hedge?"

TREES:

Fagus sylvatica Carpinus caroliniana Crataegus oxycantha Crataegus crus-galli

Picea excelsa Taxus cuspidata Thuja occ. pyramidalis Tsuga canadensis

SHRUBS:

Berberis varieties Ilex crenata varieties Ligustrum varieties

Eleagnus angustifolia Rhamnus cathartica Rhamnus frangula

3 "For a smoky, dusty, city situation?"

TREES:

Ailanthus glandulosa Carpinus betulus Crataegus crus-galli Ginkgo biloba Ilex opaca

Picea pungens Pinus nigra austriaca Pinus svlvestris Platanus orientalis Populus in variety

SHRUBS:

Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ligustrum in variety

Acanthopanax pentaphyllum Lonicera fragrantissima Physocarpus opulifolius Rhodotypos kerrioides Spiraea van houttei Symphoricarpos in variety Syringa vulgaris

4 "For a partially shaded location?"

TREES:

Acer pennsylvanicum Acer spicatum Amelanchier canadensis Cornus florida and Rubra

Magnolia glauca Oxydendrum arboreum Tsuga canadensis Tsuga caroliniana

SHRUBS:

Abelia grandiflora Acanthopanax pentaphyllum Lonicera morrowi Aronia arbutifolia Aronia melanocarpa Berberis illicifolia Berberis julianae Berberis triacanthophora Berberis verruculosa Buxus sempervirens Diervilla trifida Hydrangea arborescens grandiflora Hydrangea quercifolia Hypericum aureum Hypericum prolificum Ilex crenata microphylla Ilex opaca Leiophyllum buxifolium Leucothoe cataesbaei Ligustrum ibota regelianum Ligustrum ovalifolium Ligustrum vulgare Lonicera fragrantissima

Lonicera japonica halliana Lonicera tartarica Pachysandra terminalis Pachistima canbyi Pieris floribunda Pieris japonica Potentilla fruticosa Pyracantha cocc. lalandi Rhodotypos kerrioides Rubus odoratus Stephanandra flexuosa Symphoricarpos racemosus Taxus baccata repandens Taxus canadensis Taxus cuspidata Taxus cuspidata capitata Taxus nana (brevifolia) Viburnum acerifolium Viburnum lentago Viburnum opulus Viburnum prunifolium Vinca minor

5 "For a wet location?"

TREES:

Abies balsamea Acer rubrum Acer dasycarpum Betula nigra Carpinus caroliniana Liquidamber styraciflua Nyssa sylvatica Populus varieties

SHRUBS:

Alnus rugosa Amelanchier canadensis Aronia arbutifolia Azalea viscosa Benzoin aestivale Cephalanthus occidentalis Clethra alnifolia Cornus stolonifera Hypericum densiflorum Ilex glabra

Ouercus bicolor Quercus palustris Quercus rubra Quercus velutina Salix in variety Tilia americana Taxodium distichum Thuja occidentalis

Ilex verticillata Itea virginica Rosa palustris Salix in variety Sambucus canadensis Spiraea tomentosa Vaccinium corymbosum Viburnum cassinoides Viburnum dentatum Viburnum lentago

6 "For a dry location?"

TREES:

Cornus mas Malus baccata Cedrus deodara Cornus florida and Rubra Robinia pseudoacacia Quercus rubra

Pinus banksiana Pinus sylvestris Pinus ponderosa Pinus strobus Prunus maritima Juniperus virginiana

SHRUBS:

Acanthopanax pentaphyllum Lonicera morrowi Baccharis halimifolia Berberis thunbergi Caragana arborescens Eleagnus angustifolia Eleagnus longipes Lespedeza formosa Ligustrum in variety

Potentilla fruticosa Rhamnus frangula Rhodotypos kerrioides Rhus canadensis Symphoricarpos vulgaris Viburnum lantana

7 "To attract the birds?"

TREES:

Betula lenta Betula lutea Betula nigra Betula alba var. pendula Betula papyrifera Celtis occidentalis Cornus florida Cornus mas Crataegus coccinea Crataegus oxycantha Juniperus virginiana Malus floribunda Morus alba Nyssa sylvàtica

Picea canadensis Picea polita Pinus nigra austriaca Pinus strobus Pinus resinosa Prunus mahaleb Prunus padus Prunus serotina Sassafras officionale Sorbus americana Sorbus aucuparia Tsuga canadensis Ulmus americana

SHRUBS:

Ampelopsis quinquefolia Ampelopsis tricuspidata Aronia arbutifolia Aronia melanocarpa Benzoin aestivale Berberis thunbergi Cornus alba Cornus alternifolia Eleagnus angustifolia Eleagnus longipes Euonymus bungeana Euonymus europaea Hypericum prolificum Juniperus communis Ligustrum vulgare Lonicera bella albida Lonicera morrowi Lonicera ruprechtiana Lonicera tartarica

Myrica carolinensis Rhamnus cathartica Rhus canadensis Rhus copallina Rhus glabra Rhus typhina Rubus odoratus Sambucus canadensis Symphoricarpos racemosus Symphoricarpos vulgaris Vaccinium corymbosum Viburnum acerifolium Viburnum dentatum Viburnum lantana Viburnum lentago Viburnum prunifolium Viburnum tomentosum Viburnum opulus

We are often asked: "What can you offer in large-sized shrubs?" This query is answered by referring to the pages listing each item.

Special List of Large Shrubs

Aralia spinosa

Benzoin aestivale

Caragana arborescens Cephalanthus occidentalis Cercis canadensis Chionanthus virginica Colutea arborescens Cornus alternifolia

Corylus americana

Deutzia crenata fl. pl. Deutzia crenata magnifica Deutzia crenata Pride of Rochester

Eleagnus angustifolia Eleagnus umbellata Euonymus bungeanus

Euonymus europaeus Exochorda grandiflora

Hamamelis virginiana Hibiscus syriacus varieties

Ilex verticillata

Lonicera bella albida Lonicera fragrantissima Lonicera maacki podocarpa

Philadelphus coronarius Philadelphus grandiflorus Photinia subumbellata Prunus tomentosa Rhamnus caroliniana Rhamnus frangula Spiraea thunbergi Sterhanandra flexuosa Viburnum americanum Viburnum dentatum Viburnum lantana Viburnum lentago Viburnum molle Viburnum rhytidophyllum Viburnum tomentosum

Weigela candida



Stock Available in Thousand Lots

Acer dasycarpum Acer palmatum atropurpureum Acer platanoides Acer rubrum Acer saccharum

Benzoin aestivale Berberis thunbergi Bignonia grandiflora radicans

Callicarpa purpurea
Catalpa bungei
Celastrus scandens
Cephalanthus occidentalis
Cercis canadensis
Chionanthus virginica
Clematis paniculata
Clethra alnifolia
Cornus florida
Cornus florida rubra
Cornus paniculata
Corylus americana
Crataegus crus-galli

Deutzia gracilis

Eleagnus longipes Euonymus alatus Exochorda grandiflora

Forsythia intermedia spectabilis_{Taxus} cuspidata Forsythia suspensa Thuja occidental Forsythia suspensa fortunei Thuja occidental

Hamamelis virginiana Hydrangea grandiflora alba Hypericum kalmianum

Ilex microphylla Ilex verticillata

Juniperus chin. pfitzeriana Juniperus excelsa stricta

Kolkwitzia amabilis

Ligustrum ibota regelianum Ligustrum ovalifolium Lonicera fragrantissima Lonicera japonica halliana Lonicera morrowi Lycium chinense

Magnolia soulangeana Magnolia stellata

Philadelphus virginalis Picea excelsa Pinus sylvestris Platanus orientalis Potentilla fruticosa Prunus tomentosa

Quercus palustris

Rhodotypos kerrioides Rhus canadensis

Spiraea billiardi
Spiraea prunifolia
Spiraea thunbergi
Stephanandra flexuosa
Symphoricarpos racemosus
Symphoricarpos vulgaris
Syringa vulgaris
Syringa vulgaris alba
Syringa hybrids
(certain varieties)

Taxus cuspidata Thuja occidentalis Thuja occidentalis pyramidalis Tsuga canadensis

Ulmus americana

Viburnum americana
Viburnum dentatum
Viburnum dilatatum
Viburnum lantana
Viburnum lentago
Viburnum molle
Viburnum tomentosum
Viburnum tomentosum
plicatum

GENERAL INDEX OF COMMON NAMES

	PAGE		PAGE
A		Elm	106-107
Abelia, Glossy	6	Elsholtzia	38
Actinidia. Bower	11	Engelmann Creeper Enkianthus	13 38
Adam's Needle	112 11	Euonymus	39-40
Alder	11-12		
Almond, Flowering	77	\mathbf{F}	
Althea	44-45 12	Filbert, Purple	32
Andromeda	73	Fir Firethorn	6-7, 80 80
Aralia	7 100–102	Forsythia	41-42
Arrowwood	100-102	Fostergilla	42
Ash	42-43	Franklinia (Gordonia) Fleecevine	42 76
Atlas Cedar	24 14-18	ricccevine	/0
MZaica	14 10	G	
В		Galax	43
Baldcypress	98	Glorybower, Harlequin	29
Barberry	18	Goldenchain	5 5 46
Bearberry	66 13	Gordonia	42
Beautyberry, Chinese	22	Groundselbush	18
Beautybush	55	~~	
Beech Plum	41 77	H	
Benzoin	18	Hackberry	24
Birch	20	Hardhack	92 33-35
Black Haw	24 109	Hazelnut	33 33
Bladder-senna	30	Heather	22 101
Bladdernut	93 107	Heath Retinospora Hemlock	101
Blueberry Boston Ivy	13	Hercules-club	13
Boxelder	8	Holly Barberry	46–47 18
Boxwood	22 92	Holly Grape	63
Broom	36	Honeysuckle	37, 58-61
Buckthorn	82-83	Hophornbeam	67 80
Burningbush	39 56	Hornbeam	23
Bushclover	21	Horsechestnut	11
Buttonbush	24	Hydrangea	4 <i>5</i> 90
		Hypericum	46
C		_	
Catalpa	23	I	
Cedar of Lebanon	52-54 24	Incense Cedar	56
Chaste-tree	110-111	Indigo	47 12
Cherry, Flowering	77-78 14	Indigobush	47
Cinquefoil	76	Ivy	43
Clematis	29	_	
Climbing Hydrangea Coffee-tree	4 <i>5</i> 43	J	
Coralberry	94	Japanese Cherry	78–80
Corktree	68	Japanese Holly Japanese Maple	47 8–10
Cornelian-cherry	31 32-33	Japanese Spurge	68
Crabapple, Flowering	64-66	Jasmine	48
Cranberrybush	108–109 3 <i>5</i>	Jerseytea	24 48–52
Cryptomeria	25-28	Jumper	4.5
Creeping Savin	51 61	K	
Cucumbertree	01	Katsura-tree	25
D		Kentucky Coffeetree	43 55
-	36	Kerria	80
Daphne	24		
Deutzia	36-37	L	
Dogwood	30-31 36	Larch	55
Dutchman's Pipe	14	Laurel	54
		Leadplant	12 56
${f E}$		Leucothoe	94-97
Elder	89	Linden	104-105
Elacagnus	38	Locust	. 43, 86

	2.02		D. 000
70.07	PAGE		PAGE
M		Smoketree	85
Magnolia	62	Snowball	_
Maidenhair-tree	43	Snowbell	94
Maple	7-11	Snowberry Snowhill Hydrangea	94
Matrimony Vine	61	Sophora	45
Mockorange	68–70	Sourgum	67
Monkshood Vine	12	Sourwood	67
Mountain Ash	90-91 66	Spicebush	18
Mulberry	110	Spirea	
WINICIE	110	Spruce	70-73
N		Staggerbush	73
		Stephanandra	93
Nandina	67	St. Johnswort	46
Nanking Cherry	78	Stranvaesia	93
Nannyberry	109	Sumac	84-85
Ninebark	70	Summersweet	29 61
0		Sweetbay Sweetbrier	87
U		Sweetfern	30
Oak	80-82	Sweetgum	58
Olive (Rușsian)	38 67	Sweetleaf	94
Osmanthus	67	Sweetshrub	23
_		Sweetspire	48
${f P}$		Sycamore	75
Pachistima	67		
Partridgeberry	66	${f T}$	
Peach, Flowering	13	Tamarix	97-98
Pearlbush	41	Thorn	33-35
Peatree (Siberian)	23	Tree of Heaven	11
Persimmon	38	Trumpetcreeper	21
Periwinkle	110	Tuliptree	58
Photinia	70	*	
Pine	73-75	U	
Pinxterbloom	17	Umbrella Pine	00
Planetree	75-76	Umbrella Catalpa	90 23
Plum Yew	77 25	ombiena catarpa	23
Poplar	7 6	V	
Privet	56-58	Varnishtree	55
	3 5	Viburnum	107-110
0		Virginia Creeper	12
Quince	36		
Quince	30	W	
R		1	40
	88	Walnut	48 108
Raspberry, Flowering Redbud	00 25	Weigela	111
Red Cedar	53-54	White Fringetree	29
Retinospora	26-2 9	White Kerria	84
Rhododendron	83-84	Willow	88–89
Rockspray	33	Winterberry	47
Rose-acacia	85–86	Wintercreeper	40
Rose Panicle	36	Wisteria	112
Roses	86-88	Witch-hazel	43
Rugosa Roses	87	Withe-rod	108
C		Woodbine	43 58
S		Woodbine	50
Sandmyrtle	56	Y	
Sassafras	90		
Scholartree	90	Yellowroot	112
Shadblow	12	Yellowwood	29
Silkvine	68	Yew	98-100
Silverbell	43	Yulan	61

PRINTED AT

THE PRINCETON UNIVERSITY PRESS

PRINCETON, NEW JERSEY

